

International Astronomical Union
Commission 42

BIBLIOGRAPHY OF CLOSE BINARIES

No. 76

Editor-in-Chief:

C.D. Scarfe

Editors:

H. Drechsel
D.R. Faulkner
V.G. Karetnikov
E. Lapasset
C. Maceroni
Y. Nakamura
P.G. Niarchos
R.G. Samec
W. Van Hamme
M. Wolf

Material published by March 15, 2003

BCB issues are available via URL:

<http://www.sternwarte.uni-erlangen.de/ftp/bcb>

or via anonymous ftp from:

<ftp://www.sternwarte.uni-erlangen.de/pub/bcb>

They are also available via URL:

<http://www.astro.washington.edu/szkody/c42/>

The bibliographical entries for *Individual Stars* and *Collections of Data* are categorized according to the following coding scheme:

1. Observational data

- a. Photometry
- b. Spectroscopy
- c. Spectrophotometry
- d. Polarimetry
- e. Astrometry, interferometry
- f. Times of minima
- g. γ -ray data
- i. Infrared data
- o. Optical data
- p. Photographic data
- r. Radio data
- u. Ultraviolet data
- v. Visual estimates
- x. X-ray data

2. Derived physical data

- a. Orbital elements
- b. Absolute dimensions, masses
- c. New or improved ephemeris, period variations
- d. Apsidal motion
- e. Physical properties of stellar atmospheres
- f. Chemical abundances
- g. Accretion disks and accretion phenomena

3. Catalogues, discoveries, charts

- a. Catalogues
- b. Discoveries of new binaries and novae
- c. Identification of optical counterparts of X-ray, IR, or radio sources
- d. Finding charts

4. Observational techniques

5. Theoretical investigations

6. Statistical investigations

7. Miscellaneous

- a. Abstract
- b. Addenda or errata

Abbreviations

AD	accretion disk	HMXB	high-mass x-ray binary	QPO	quasi-periodic oscillation
BH	black hole	IP	intermediate polar	RV	radial velocity
CB	close binary	LC	light curve	SB	spectroscopic binary
CV	cataclysmic variable	LMXB	low-mass x-ray binary	WD	white dwarf
EB	eclipsing binary	NS	neutron star	WR	Wolf-Rayet star

Individual Stars

BL And	<i>Qian, S.</i> 2002, MNRAS 336, 1247. (1a, 2c, 6) Orbital period study.
PX And	<i>Stanishev, V. et al.</i> (4 authors) 2002, A&A 394, 625. (1ao, 2c) Superhumps and variable eclipse depth.
IW And	<i>Kato, T., Ishioka, R., Uemura, M.</i> 2003, IBVS 5376. (1a) A Z Cam-type dwarf nova.
R Aqr	<i>Contini, M., Formiggini, L.</i> 2003, MNRAS 339, 148. (1bou, 2ef, 5) Modelling the line spectra.
VY Aqr	<i>Sion, E.M. et al.</i> (5 authors) 2003, ApJ 583, 907. (1bu, 2e) STIS spectroscopy of WD.
YY Aqr	<i>Mennickent, R.E., Diaz, M.P.</i> 2002, MNRAS 336, 767. (1bi, 2ce) Search for substellar companions.
AE Aqr	<i>Skidmore, W. et al.</i> (6 authors) 2003, MNRAS 338, 1057. (1b, 2eg) Spectroscopy of flares and oscillations.
HU Aqr	<i>Schenker, K. et al.</i> (5 authors) 2002, MNRAS 337, 1105. (1bu, 2abef, 5) How CVs descend from supersoft binaries.
CI Aql	<i>Bridge, C.M. et al.</i> (9 authors) 2002, MNRAS 336, 1129. (1ab, 2eg) STJ observations and modelling.
V1141 Aql	<i>Greiner, J., Di Stefano, R.</i> 2002, ApJ 578, L59. (1bx) Observed after the April 2000 outburst.
V1333 Aql (Aql X-1)	<i>Lederle, C., Kimeswenger, S.</i> 2003, A&A 397, 951. (5) Modelling of recurrent nova. <i>Matsumoto, K. et al.</i> (5 authors) 2003, MNRAS 339, 1006. (1a, 2eg) Optical photometry.
V1343 Aql (SS 433)	<i>Olech, A.</i> 2003, Acta Astronomica 53, 85. (1a, 2c, 3d) Superhumps in dwarf nova. <i>Di Salvo, T., Burderi, L.</i> 2003, A&A 397, 723. (1x) Constraint on NS magnetic field.
V1487 Aql (GRS 1915+105)	<i>Maccarone, T.J., Coppi, P.S.</i> 2003, A&A 399, 1151. (1x) Study of outburst data. <i>Maccarone, T.J., Coppi, P.S.</i> 2003, MNRAS 338, 189. (1x, 2eg) Tracking the spectral states. <i>Cherepashchuk, A.</i> 2002, Space Sci. Rev. 102, 23. Spectroscopic and photometric manifestations of a precessional accretion disk in the X-ray binary. <i>Gies, D.R., Huang, W., McSwain, M.V.</i> 2002, ApJ 578, L67. (1bo, 2b) Spectrum of companion observed. <i>Namiki, M. et al.</i> (4 authors) 2003, PASJ 55, 281. (1x) Evidence for jet collimation. <i>Collins, R.S., Kaiser, C.R., Cox, S.J.</i> 2003, MNRAS 338, 331. (1ir, 2e, 5) Jet emission model. <i>Naik, S., Rao, A.R., Chakrabarti, S.K.</i> 2002, J. Ap. & Astron. 23, 213. (1x, 2g) Fast transition between high-soft and low-soft states: evidence for a critically viscous accretion flow. <i>Rau, A., Greiner, J.</i> 2003, A&A 397, 711. (1x) Interpretation of X-ray behaviour. <i>Tutukov, A.V., Fedorova, A.V., Cherepashchuk, A.M.</i> 2003, AZh 80, 23. (2e, 5).

V1494 Aql	<i>Barsukova, E.A., Goranskii, V.P.</i> 2003, Pis. AZh 29, 230. (1a, 2c). <i>Drake, J.J. et al.</i> (15 authors) 2003, ApJ 584, 448. (1abx) X-ray light curve in outburst.
V821 Ara (GX 339-4)	<i>Hynes, R.I. et al.</i> (5 authors) 2003, ApJ 583, L95 (1abo) Dynamical evidence for a black hole. <i>Maccarone, T.J., Coppi, P.S.</i> 2002, MNRAS 336, 817. (1x, 2eg) Higher order variability properties. <i>Wardziński, G. et al.</i> (6 authors) 2002, MNRAS 337, 829. (1gx, 2efg) X-ray and γ -ray spectra and variability.
V877 Ara	<i>Kato, T. et al.</i> (13 authors) 2003, MNRAS 339, 861. (1a, 2cg) Photometric study.
SS Ari	<i>Kim, C.-H. et al.</i> (5 authors) 2003, AJ 125, 322. (1af, 2ac) Synthetic fits to LC and to RV from literature. Detailed discussion of possible causes of period variation.
UX Ari	<i>Ulvas, V.A., Engvold, O.</i> A&A 399, L11. (2e) Spot modelling.
IM Aur	<i>Borkovits, T. et al.</i> (6 authors) 2002, A&A 392, 895. (2abc) Light curve solutions and period study. Light-time effect and discussion of possible third body.
KR Aur	<i>Kato, T., Ishioka, R., Umemura, M.</i> 2002, PASJ 54, 1033. (1a) Time-resolved photometry during a high state.
V403 Aur (HR 2054)	<i>Griffin, R.F.</i> 2002, Observatory 122, 275. (1b, 2a)
V432 Aur	<i>Dallaporta, S. et al.</i> (4 authors) 2002, IBVS 5319. (1a, 2ac, 3b) A new EB.
SV Cam	<i>Frigo, A. et al.</i> (8 authors) 2002, IBVS 5359. (1af, 2a) Spot activity between Feb. 2000 and Apr. 2001. <i>Lehmann, H., Hempelmann, A., Wolter, U.</i> 2002, A&A 392, 963. (1bo, 2ab) Absolute dimensions including third body.
SZ Cam	<i>Gorda, S. Yu.</i> 2002, IBVS 5345. (1b, 2c) Double nature of the third body.
CI Cam (XTE J0421+56)	<i>Boirin, L. et al.</i> (6 authors) 2002, A&A 394, 205. (1x, 2eg) Quiescent X-ray emission observed with XMM-Newton. <i>Hynes, R.I. et al.</i> (15 authors) 2002, A&A 392, 991. (1b, 2e) A candidate sgB[e]/X-ray binary.
FT Cam	<i>Kato, T.</i> 2003, IBVS 5316. (1a) Peculiar dwarf nova with a short orbital period.
AB Cnc	<i>Hájek, P. et al.</i> (4 authors) 2002, IBVS 5337. (1af, 2c, 3d) First LC and elements of EB.
CC Cnc	<i>Kato, T. et al.</i> (4 authors) 2002, PASJ 54, 1017. (1a) First detailed coverage of a superoutburst.
CU Cnc	<i>Ribas, I.</i> 2003, A&A 398, 239. (1b, 2b) Possible circumstellar disk.
GY Cnc	<i>Kato, T., Ishioka, R., Umemura, M.</i> 2002, PASJ 54, 1023. (1a) Optical photometry of an outburst; the first above-the-gap counterpart of HT Cas and IR Com?
GZ Cnc	<i>Kato, T. et al.</i> (9 authors) 2002, A&A 396, 929. (1x) Unexpected activity.
PU CMa	<i>Kato, T. et al.</i> (13 authors) 2003, MNRAS 339, 861. (1a, 2cg) Photometric study.
XZ CMi	<i>Qian, S.</i> 2002, MNRAS 336, 1247. (1a, 2c, 6) Orbital period study.

η Carinae	<i>Duncan, R.A., White, S.M.</i> 2003, MNRAS 338, 425. (1r, 2ae) Evidence of mass ejection.
OY Car	<i>Khruzina, T.S. et al.</i> (5 authors) 2003, AZh 80, 239. (1a, 2eg, 5).
QU Car	<i>Hartley, L.E., Drew, J.E., Long, K.S.</i> 2002, MNRAS 336, 808. (1bu, 2eg) Time-resolved UV spectroscopy.
	<i>Drew, J.E. et al.</i> (4 authors) 2003, MNRAS 338, 401. (1bu, 2efg) Modelling based on UV and optical spectroscopic data.
γ Cas	<i>Miroshnichenko, A.S., Bjorkman, K.S., Krugov, V.D.</i> 2002, PASP 114, 1226. (1b, 2a) Confirmation of binary nature.
UU Cas	<i>Polushina, T.S.</i> 2002, AZh 79, 999. (1a, 2abe).
V473 Cas	<i>Qian, S.</i> 2002, MNRAS 336, 1247. (1a, 2c, 6) Orbital period study.
V592 Cas	<i>Kato, T., Starkey Donn, R.</i> 2002, IBVS 5358. (1a, 2e) Detection of short-period oscillation.
V723 Cas (Nova 1995)	<i>Krautter, J. et al.</i> (11 authors) 2002, AJ 124, 2888. (1i, 2g) HST infrared observations show no nova shell.
V821 Cas	<i>Degirmenci, O.L. et al.</i> (14 authors) 2003, IBVS 5386. (1af, 2c) First BVR photometry.
ν Cen	<i>Schrijvers, C., Telting, J.H.</i> 2002, A&A 394, 603. (1bo) Non-radial pulsation modes in the close binary β Cephei star.
V359 Cen	<i>Kato, T. et al.</i> (15 authors) 2002, A&A 395, 541. (1ao) SU UMa-type dwarf nova.
V834 Cen (E1405–451)	<i>Mauche, C.W.</i> 2002, ApJ 578, 439. (1bu) Phase-resolved spectroscopy.
V851 Cen	<i>Katz, D. et al.</i> (4 authors) 2003, A&A 397, 747. (1b) Chemical analysis.
WX Cet	<i>Rogoziecki, P., Schwarzenberg-Czerny, A.</i> 2003, A&A 397, 961. (1b, 2b) DN model.
	<i>Sion, E.M. et al.</i> (5 authors) 2003, ApJ 583, 907. (1bu, 2e) STIS spectroscopy of WD.
Z Cha	<i>Baptista, R. et al.</i> (6 authors) 2002, MNRAS 335, L75. (1a, 2aceg) Cyclical orbital period changes.
BR Cir (Cir X-1)	<i>Iaria, R. et al.</i> (4 authors) 2002, MmSAI 73, 1094. (1x) Energy spectrum study.
σ^2 CrB	<i>Osten, R.A. et al.</i> (5 authors) 2003, ApJ 582, 1073. (1brux, 2ef) CHANDRA, EUVE, and VLA observations of the active binary system.
RT CrB	<i>Strassmeier, K.G., Rice, J.B.</i> 2003, A&A 399, 315. (1b) Doppler imaging.
TW CrB	<i>Sabby, J.A., Lacy, C.H.S.</i> 2003, AJ 125, 1448. (1ab, 2abc)
	<i>Zhang, X.-B., Zhang, R.-X.</i> 2003, AJ 125, 1431. (1af, 2ac) Detached, near-contact system.
BP Cru (GX 301-2)	<i>Laycock, S. et al.</i> (5 authors) 2003, MNRAS 338, 211. (1x, 2ac) Hard X-ray light curves.
Y Cyg	<i>Mossakovskaya, L.V.</i> 2003, IBVS 5393. (1af) Older minima of EB system.
SS Cyg	<i>Mauche, C.W.</i> 2002, ApJ 580, 423. (1abux, 5) Argues against some models to produce QPO's.
	<i>North, R.C. et al.</i> (5 authors) 2002, MNRAS 337, 1215. (1b, 2abeg) Radial velocities and system parameters.
SW Cyg	<i>Qian, S.B., Zhu, L.Y., Boonrucksar, S.</i> 2002, A&A 396, 609. (2c) Study of period changes.

CH Cyg	<i>Crocker, M.M. et al.</i> 6 authors 2002, MNRAS 335, 1100. (1or, 2ceg) Evidence of a precessing radio jet. <i>Eyres, S.P.S. et al.</i> (10 authors) 2002, MNRAS 335, 526. (1abour, 2e) The 1998-2000 active phase. <i>Skopal, A. et al.</i> 6 authors 2002, MNRAS 335, 1109. (1ab, 2beg) Basic characteristics of active phases. <i>Sokoloski, J.L., Kenyon, S.J.</i> 2003, ApJ 584, 1021. (1ar, 2g) Disruption of inner disk followed by jet production. <i>Sokoloski, J.L., Kenyon, S.J.</i> 2003, ApJ 584, 1027. (1ao, 6) Optical flickering from unstable disk.
EM Cyg	<i>North, R.C. et al.</i> (5 authors) 2002, MNRAS 337, 1215. (1b, 2abeg) Radial velocities and system parameters. <i>Spogli, C., Fiorucci, M., Raimondo, G.</i> 2003, IBVS 5365. (1a) Variability of the dwarf nova.
V380 Cyg	<i>Claret, A.</i> 2003, A&A 399, 1115. (2d) Internal structure investigation.
V503 Cyg	<i>Kato, T., Ishioka, R., Umemura, M.</i> 2002, PASJ 54, 1029. (1o) Dramatic changes in the outburst properties.
V1357 Cyg (Cyg X-1)	<i>Brocksopp, C., Fender, R.P., Pooley, G.G.</i> 2002, MNRAS 336, 699. (1r, 2ac, 5) Orbital modulation in the radio emission. <i>Maccarone, T.J., Coppi, P.S.</i> 2002, MNRAS 336, 817. (1x, 2eg) Higher order variability properties. <i>Manchanda, R.K.</i> 2002, J. Ap. & Astron. 23, 197. (1x) A thermal X-ray source embedded in hot plasma within a cold shell. <i>Miller, J.M. et al.</i> (11 authors) 2002, ApJ 578, 348. (1bx, 2g) Fe emission line used to model the AD. <i>Wojdowski, P. et al.</i> (5 authors) 2003, ApJ 582, 959. (1abux, 2a) Wind accretion and state transitions. <i>Zdziarski, A.A. et al.</i> (4 authors) 2002, ApJ 578, 357. (1bgx, 2b) Correlations between fluxes and hardnesses.
V1521 Cyg (Cyg X-3)	<i>Koch-Miramond, L. et al.</i> (5 authors) 2002, A&A 396, 877. (1bi) Wolf-Rayet-like companion. <i>Singh, N.S. et al.</i> (6 authors) 2002, A&A 392, 161. (1x, 2cd) Orbital period change or apsidal motion based on X-ray observations.
V1974 Cyg (Nova 1992)	<i>Krautter, J. et al.</i> (11 authors) 2002, AJ 124, 2888. (1i, 2g) HST infrared observations of nova shell yield expansion parallax.
V2150 Cyg	<i>Yesilyaprak, C.</i> 2002, IBVS 5330. (1af)
V2275 Cyg	2003, IAU Circ. 8074 (1a) Light curve with eclipses?
NN Del	<i>Gómez-Forrellad, J.M. et al.</i> (5 authors) 2003, Ap&SS 283, 297. (1a, 2a) Subgiant components?
AA Dor	<i>Rauch, T., Werner, K.</i> 2003, A&A 400, 271. (1b) Rotation of brown dwarf companion.
RR Dra	<i>Qian, S.B., Zhu, L.Y., Boonrucksar, S.</i> 2002, A&A 396, 609. (2c) Study of period changes.
AI Dra	<i>Kiss, L.L.</i> 2002, IBVS 5355. (1af, 2e) No pulsations detected.
CX Dra	<i>Berdyugin, A. Piironen, V.</i> 2002, A&A 394, 181. (1do, 2a) New orbital inclination.
RU Eri	<i>Qian, S.</i> 2002, MNRAS 336, 1247. (1a, 2c, 6) Orbital period study.
BV Eri	<i>Qian, S.</i> 2002, MNRAS 336, 1247. (1a, 2c, 6) Orbital period study.

UZ For	<i>Pantel, D., Coórdova, F.A.</i> 2002, MNRAS 336, 1049. (1ux, 2eg) Occasional X-ray and UV flaring.
U Gem	<i>Cannizzo, J.K., Gehrels, N., Mattei, J.A.</i> 2002, ApJ 579, 760. (1v, 5) Study of the 1985 outburst.
YY Gem	<i>Stelzer, B. et al.</i> (10 authors) 2002, A&A 392, 585. (1bx) X-ray spectroscopy with Chandra and XMM-Newton.
OW Gem	<i>Kaiser, D.H. et al.</i> (17 authors) 2002, IBVS 5347. (1af, 2c) <i>UBVRI</i> photometry of long period EB.
PQ Gem	<i>James, C.H. et al.</i> (4 authors) 2002, MNRAS 336, 550. (1x, 2bcg) X-ray spectroscopy and modelling.
V345 Gem	<i>Gómez-Forrellad, J.M. et al.</i> (4 authors) 2003, IBVS 5387. (1af, 2c) <i>BV</i> photometry.
CE Gru	<i>Ramsay, G., Cropper, M.</i> 2002, MNRAS 335, 918. (1x, 2abeg) X-ray emission and modelling.
YY Her	2003, IAU Circ. 8083 (1ov) Symbiotic star in outburst. <i>Mikołajewska, J. et al.</i> (4 authors) 2002, A&A 392, 197. (1ao) Ellipsoidal variation in the symbiotic binary and evidence for a tidally distorted giant.
AH Her	<i>North, R.C. et al.</i> (5 authors) 2002, MNRAS 337, 1215. (1b, 2abeg) Radial velocities and system parameters.
AM Her	<i>de Martino, D. et al.</i> (6 authors) 2002, A&A 396, 213. (1x,2g) Accretion switched-off.
DI Her	<i>Dariush, A., Riazi, N.</i> 2003, Ap&SS 283, 257. (1a,2d) Confirmation of apsidal motion.
DQ Her	<i>Geroyannis, V.S., Papasotiriou, P.J.</i> 2003, Ap&SS 283, 245. (5) Study of WD rotational behaviour.
HZ Her (Her X-1)	<i>Jimenez-Garate, M.A. et al.</i> (5 authors) 2002, ApJ 578, 391. (1bx) Derived elemental abundance those of CNO. <i>Ramsay, G. et al.</i> (5 authors) 2002, MNRAS 337, 1185. (1bx, 2cefg) Spin-resolved X-ray observations.
V533 Her	<i>Sheffer, E.K. et al.</i> (4 authors) 2002, AZh 79, 1087. (1a, 2e). <i>Rodríguez-Gil, P., Martínez-Pais, G.</i> 2002, MNRAS 337, 209. (1b, 2abceg) Emission-line flaring and system parameters.
V592 Her	<i>Kato, T. et al.</i> (7 authors) 2002, PASJ 54, 999. (1a, 2c) First full light curve of an outburst. <i>Mennickent, R.E. et al.</i> (5 authors) 2002, A&A 395, 557. (1bo, 2ac) CV orbital period.
V651 Her	<i>Häussler, K., Berthold, T., Kroll, P.</i> 2002, IBVS 5350. (1af, 2c) New light elements.
V795 Her	<i>Patterson, J. et al.</i> (18 authors) 2002, PASP 114, 1364. (1a, 2c) Preliminary results on SW Sex-type CV.
V844 Her	<i>Thorstenson, J.R. et al.</i> (4 authors) 2002, PASP 114, 1108. (1abc, 2ceg) Very short-period dwarf nova.
V934 Her (4U 1700+24)	<i>Galloway, D.K., Sokoloski, J.L., Kenyon, S.J.</i> 2002, ApJ 580, 1065. (1box, 2a) Correlated radial velocity and X-ray variations.
EU Hya	<i>Qian, S.-B., Boonrucksar, S.</i> 2003, PASJ 55, 499. (2c) Long-term orbital period variations.
DI Lac	<i>Moyer, E. et al.</i> (6 authors) 2003, AJ 125, 288. (1bu, 2eg) HST observations of old nova.

RZ Leo	<i>Mennickent, R.E., Diaz, M.P.</i> 2002, MNRAS 336, 767. (1bi, 2ce) Search for substellar companions.
UV Leo	<i>Mikuz, H. et al.</i> (5 authors) 2002, IBVS 5338. (1af, 2c) Surface activity of EB.
DP Leo	<i>Schwope, A.A. et al.</i> (5 authors) 2002, A&A 392, 541. (1aox, 2abc) Multiwavelength timing analysis of the eclipsing polar.
FO Leo (HD 98116)	<i>Griffin, R.F.</i> 2002, Observatory 122, 355. (1b) RV variation inconsistent with EB interpretation of Hipparcos photometry.
VW LMi	<i>Gómez-Forrellad, J.M. et al.</i> (4 authors) 2003, IBVS 5387. (1af, 2c)
UZ Lib	<i>Gondoin, P.</i> 2003, A&A 400, 249. (1x) X-ray spectroscopy.
BW Lib	<i>Sokolovsky, K.V., Samus, N.N.</i> 2002, IBVS 5335. (1a, 2c, 3d) Identification and light elements.
GW Lib	<i>Thorstenson, J.R. et al.</i> (4 authors) 2002, PASP 114, 1108. (1abc, 2ceg) Very short-period dwarf nova.
IT Lib	<i>Martin, J.C.</i> 2003, PASP 115, 49. (1ab, 2ab) B-type binary far from galactic plane has normal main-sequence masses.
7 Lyn (BQ Lyn)	<i>Griffin, R.F.</i> 2002, Observatory 122, 275. (1b, 2a)
UV Lyn	<i>Qian, S.</i> 2002, MNRAS 336, 1247. (1a, 2c, 6) Orbital period study.
DM Lyr	<i>Nogami, D. et al.</i> (4 authors) 2003, PASJ 55, 483. (1a) Identification as an SU UMa-type dwarf nova.
HP Lyr	<i>Graczyk, D. et al.</i> (7 authors) 2002, Acta Astronomica 52, 293. (1ab, 2c) EB or RV Tau-type star?
CW Mon	<i>Kato, T. et al.</i> (14 authors) 2003, PASJ 55, 489. (1a) Shallow eclipses during the maximum stage and near the outburst maximum and a possible intermediate polar nature.
KT Mon	<i>Kato, T., Yamaoka, H.</i> 2002, A&A 396, 629. (1b) Doubts on classification as DN.
V777 Mon (Red Rectangle)	<i>Men'shchikov, A.B. et al.</i> (5 authors) 2002, A&A 393, 867. (1ai) Central binary surrounded by massive dusty torus.
V838 Mon	2002, IAU Circ. 7976 (1ai) Infrared magnitudes 2002, IAU Circ. 7982 (1b) Spectroscopic features of nova. 2002, IAU Circ. 7992 (1b, 2e) Cool giant + hot companion? 2002, IAU Circ. 8005 (1ab, 2e) Properties of the hot component. 2002, IAU Circ. 8016 (1bi) Extraordinary spectral changes. 2002, IAU Circ. 8025 (1d) Polarimetric measurements. 2002, IAU Circ. 8036 (1bi) Imaging and spectroscopic features. 2003, IAU Circ. 8054 (1abi, 2e) Spectroscopic features. 2003, IAU Circ. 8078 (1bi) 3-13 micron spectroscopy. 2003, IAU Circ. 8082 (1bi, 2e) Spectroscopic features. <i>Bond, H.E. et al.</i> (9 authors) 2003, Nature 422, 405. (1ao) Stellar outburst and circumstellar light echoes in binary system.
θ Mus	<i>Hill, G.M., Moffat, A.F.J., St-Louis, N.</i> 2002, MNRAS 335, 1069. (1b, 2aef) Modelling the colliding-winds spectra.
BP Mus	<i>Carrier F. et al.</i> (5 authors) 2003, A&A 398, 1073. (1ab, 2b)
QX Nor (4U 1608–52)	<i>Gierliński, M., Done, C.</i> 2002, MNRAS 337, 1373. (1bx, 2eg, 5) The X-ray spectrum and evolutionary scenario.

V381 Nor (XTE J1550–564)	<i>Kaaret, P. et al.</i> (8 authors) 2003, ApJ 582, 945. (1bx) X-ray emission from jets. <i>Remillard, R.A. et al.</i> (4 authors) 2002, ApJ 580, 1030. (1x, 2g) Relationships in high frequency quasi-periodic oscillations.
V426 Oph	<i>North, R.C. et al.</i> (5 authors) 2002, MNRAS 337, 1215. (1b, 2abeg) Radial velocities and system parameters.
V442 Oph	<i>Patterson, J. et al.</i> (18 authors) 2002, PASP 114, 1364. (1ab, 2cg) Complex CV of SW Sex type.
V1058 Oph	<i>Häussler, K., Berthold, T., Kroll, P.</i> 2002, IBVS 5350. (1af, 2c) New light elements.
V2051 Oph	<i>Vrielmann, S., Offutt, W.</i> 2003, MNRAS 338, 165. (1a, 2abeg) Disc evolution. Eclipse mapping techniques.
V2252 Oph (Haro 1-14c)	<i>Reipurth, B. et al.</i> (5 authors) 2002, AJ 124, 2813. (1b, 2a) Long-period pre-main-sequence SB.
V2487 Oph	<i>Hernanz, M., Sala, G.</i> 2002, Science 298, 393. (1bx, 2g) X-ray XMM-Newton observations before and after its explosion.
V1626 Ori	<i>Lloyd, C. et al.</i> (5 authors) 2002, IBVS 5339. (1af, 2c, 3b) A new EB in Ori.
AG Peg	<i>Contini, M.</i> 2003, MNRAS 339, 125. (1bou, 2ef, 5) A model based on emission line spectra.
IP Peg	<i>Neustroev, V.V. et al.</i> (7 authors) 2002, A&A 393, 239. (1bo, 2g) Accretion disk structure of the CV.
AB Per	<i>Kim, S.-L. et al.</i> (6 authors) 2002, IBVS 5325. (1a, 3d) Detection of a pulsating component in EB.
GK Per	<i>Nogami, D., Kato, T., Baba, H.</i> 2002, PASJ 54, 987. (1a, 2c) Time-resolved optical photometry of an outburst. <i>Šimon, V.</i> 2003, IBVS 5388. (1a) Outburst of IP.
UW Pic	<i>Romero-Colmenero, E. et al.</i> (5 authors) 2003, MNRAS 339, 685. (1abd, 2eg, 5) Accretion and emission mechanisms.
UV Psc	<i>Vivekananda Rao, P., Radhika, P.</i> 2003, Ap&SS 283, 225. (2e)
VV Pup	<i>Hoard, D.W. et al.</i> (8 authors) 2002, AJ 124, 2238. (1abou) FUSE observations used to study accretion details.
KQ Pup	<i>González-Riestra, R., Rossi, C., Viotti, R.F.</i> 2003, A&A 399, 681. (1u) “Shell” episode.
V445 Pup	<i>Kamath, U.S., Anupama, G.C.</i> 2002, Bull. Astron. Soc. India 30, 679. (1c) Spectral observations in the early decline phase of a nova-like eruption.
TY Pyx	<i>Franciosini, E., Pallavicini, R., Tagliaferri, G.</i> 2003, A&A 399, 279. (1x) Coronal abundance determination.
V Sge	<i>Šimon, V. et al.</i> (6 authors) 2002, A&A 393, 921. (1ao) Orbital modulation in the V band.
WZ Sge	<i>Howell, S.B., Adamson, A., Steeghs, D.</i> 2003, A&A 399, 219. (1r) Infrared spectra during super-outburst. <i>Knigge, C. et al.</i> (6 authors) 2002, ApJ 580, L151. (1r, 2b) Interstellar scintillation velocity measurements. <i>Skidmore, W. et al.</i> (4 authors) 2002, MNRAS 336, 1223. (1ai, 2abcg) K-band observations and modelling.

V4444 Sgr (Nova 1999)	<i>Venturini, C.C. et al.</i> (5 authors) 2002, AJ 124, 3009. (1bci) Large spread in excitation; dust in infrared spectrum but not in LC suggests that nova may be recurrent.
V4580 Sgr (SAX J1808.4–3658)	2002, IAU Circ. 7993 (1x) X-ray pulsations. 2002, IAU Circ. 7997 (1r) Radio emission. <i>Di Salvo, T., Burderi, L.</i> 2003, A&A 397, 723. (1x) Constraint on NS magnetic field. <i>Menna, M.T. et al.</i> (6 authors) 2002, MmSAI 73, 1088. (1x) Harmonic coupling of the red noise.
V4643 Sgr	<i>Ashok, N.M., Banerjee, D.P.K., Varricatt, W.P.</i> 2002, Bull. Astron. Soc. India 30, 683. (1bi) Near-infrared spectra in the early decline phase of a very fast nova.
V4742 Sgr	2002, IAU Circ. 7971 (1aov, 3b) Possible nova. 2002, IAU Circ. 7972 (1bev) Designation, position and spectrum. 2002, IAU Circ. 7973 (1av) Prediscovery limiting magnitudes. 2002, IAU Circ. 7974 (1b) Spectroscopic features of nova. 2002, IAU Circ. 7978 (1ao) CCD V-magnitudes. 2002, IAU Circ. 8000 (1v) Visual magnitude estimates.
V4743 Sgr	2002, IAU Circ. 7975 (1abeov, 3b) Possible nova. 2002, IAU Circ. 7976 (1aov) Designation and magnitudes. 2002, IAU Circ. 7982 (1v) Visual magnitude estimates. 2002, IAU Circ. 7988 (1r) Submillimeter flux. 2002, IAU Circ. 8035 (1r) Radio flux measurements. <i>Nielbock, M., Schmidtobreick, L.</i> 2003, A&A 400, L5. (1br) Nature of infrared emission.
V4744 Sgr	2002, IAU Circ. 8001 (1aepv, 3b) Possible new nova. 2002, IAU Circ. 8003 Designation of new nova. 2002, IAU Circ. 8006 (1e) Precise position.
U Sco	<i>Matsumoto, K., Kato, T., Hachisu, I.</i> 2003, PASJ 55, 297. (1a) The first detection of a significant orbital-period change and its implication for mass-transfer.
V697 Sco (Nova 1941)	<i>Warner, B., Woudt, P.</i> 2002, PASP 114, 1222. (1a, 2g) Probable IP.
V1033 Sco (GRO J1655–40)	<i>Hameury, J.-M. et al.</i> (8 authors) 2003, A&A 399, 631. (1x) Disc instability model. <i>Kobayashi, Y. et al.</i> (5 authors) 2003, PASJ 55, 273. (1x) Observational evidence for the existence of a high-energy Compton cloud. <i>Remillard, R.A. et al.</i> (4 authors) 2002, ApJ 580, 1030. (1x, 2g) Relationships in high frequency quasi-periodic oscillations. <i>Tanaka, Y., Ueda, Y., Boller, Th.</i> 2003, MNRAS 338, L1. (1bx, 2eg) Evidence for partial covering and its implication.
RY Sct	<i>Sahade, J., West, R.M., Skul'sky, M.Yu.</i> 2002, Rev. Mex. Astron. Astrofis. 38, 259. (1bou, 2e) Nebular emission lines detected and interpreted. <i>Smith, N. et al.</i> (5 authors) 2002, ApJ 578, 464. (1bio, 2ac) Study of the star and the nebula.
V463 Sct	<i>Kato, T. et al.</i> (7 autohrs) 2002, PASJ 54, 1009. (1ab, 2c) A long pre-maximum halt of a rapidly evolving nova.
OU Ser	<i>Yesilyaprak, C.</i> 2002, IBVS 5330. (1af)
QZ Ser	<i>Thorstenson, J.R. et al.</i> (6 authors) 2002, PASP 114, 1117. (1ab, 2abe)

EQ Tau	<i>Yang, Y., Liu, Q.</i> 2002, AJ 124, 3358. (1af, 2abe)
GG Tau	<i>Itoh, Y. et al.</i> (19 authors) 2002, PASJ 54, 963. (1i) High resolution near-infrared images of a binary component in a young multiple system.
GR Tau	<i>Qian, S.</i> 2002, MNRAS 336, 1247. (1a, 2c, 6) Orbital period study. <i>Zhang, X.B., Zhang, R.X., Fang, M.J.</i> 2002, A&A 395, 587. (1ao, 2abc) Near-contact detached light curve solution.
V471 Tau	<i>Rrottler, L. et al.</i> (4 authors) 2002, A&A 392, 535. (1b) Convective dynamo, tidal braking and H α behaviour.
V711 Tau	<i>García-Alvarez, D. et al.</i> (33 authors) 2003, A&A 397, 285. (1abx) Continuous activity monitoring.
V781 Tau	<i>Donato, L. et al.</i> (6 authors) 2003, IBVS 5391. (1af, 2c) Orbital period change.
RR Tel	<i>Keenan, F.P. et al.</i> (11 authors) 2002, MNRAS 337, 901. (1bu, 2ef) Line identifications, wavelengths and energy levels.
KK Tel	<i>Kato, T. et al.</i> (13 authors) 2003, MNRAS 339, 861. (1a, 2cg) Photometric study.
KZ TrA (4U 1626–67)	<i>Homer, L. et al.</i> (4 authors) 2002, AJ 124, 3348. (1bu, 2eg)
CF Tuc	<i>Franciosini, E., Pallavicini, R., Tagliaferri, G.</i> 2003, A&A 399, 279. (1x) Coronal abundance determination.
UX UMa	<i>Froning, C.S., Long, K.S., Knigge, C.</i> 2003, ApJ 584, 433. (1abou, 2g) FUSE observations of disk accretion and outflow in nova-like variable.
AR UMa	<i>Ferrario, L., Wickramasinghe, Schmidt, G.</i> 2003, MNRAS 338, 340. (1bd, 2eg) Spectropolarimetric data and modelling.
DI UMa	<i>Thorstenson, J.R. et al.</i> (4 authors) 2002, PASP 114, 1108. (1abc, 2ceg) Very short-period dwarf nova.
DW UMa	<i>Araujo-Betancor S. et al.</i> (11 authors) 2003, ApJ 583, 437. (1aou, 2abce) <i>Patterson, J. et al.</i> (18 authors) 2002, PASP 114, 1364. (1a, 2c) Preliminary results on SW Sex-type CV.
EG UMa	<i>Bleach, J.N. et al.</i> (4 authors) 2002, MNRAS 335, 593. (1ab, 2ef) Spectroscopic observations of chromospheric activity. <i>Bleach, J.N. et al.</i> (4 authors) 2002, MNRAS 336, 611. (1b, 2ac) Measurement of rotational broadening.
ER UMa	<i>Kato, T., Nogami, D., Masuda, S.</i> 2003, PASJ 55, L7. (1a) An unusual phase reversal of superhamps.
EU UMa	<i>Somova, T.A. et al.</i> (4 authors) 2003, Pis.AZh 29, 38. (1bc, 2c).
EV UMa	<i>Ramsay, G., Cropper, M.</i> 2003, MNRAS 338, 219. (1x, 2abc) X-ray observations and modelling.
IY UMa	<i>Steeghs, D. et al.</i> (7 authors) 2003, MNRAS 339, 810. (1a, 2abcg) Orbital elements and physical parameters.
KV UMa (XTE J1118+480)	<i>Miller, J.M. et al.</i> (4 authors) 2002, MNRAS 335, 865. (1x, 2eg) Evidence for X-ray-emitting jets.
TV UMi	<i>Degirmenci, O.L. et al.</i> (14 authors) 2003, IBVS 5379. (1af, 2c) First BVR photometry.
CU Vel	<i>Mennickent, R.E., Diaz, M.P.</i> 2002, MNRAS 336, 767. (1bi, 2ce) Search for substellar companions.
GP Vel (Vela X-1)	<i>Kreykenbohm, I., et al.</i> (7 authors) 2002, A&A 395, 129. (1bx) Confirmation of two cyclotron lines.

MR Vel (RX J0925.7–4758)	<i>Motch, C., Bearda, H., Neiner, C.</i> 2002, A&A 393, 913. (1x, 2eg) Supersoft X-ray source.
MM Vel (GRS 1009–45)	<i>Hameury, J.-M. et al.</i> (8 authors) 2003, A&A 399, 631. (1x) Disc instability model.
V382 Vel (Nova 1999)	<i>Shore, S.N. et al.</i> (10 authors) 2003, AJ 125, 1507. (1bu) Early evolution of ONeMg nova.
HW Vir	<i>Kilkenny, D., van Wijk, F., Marang, F.</i> 2003, Observatory 123, 31. (1f, 2c) Period variations appear to be due to third body.
IS Vir	<i>Katz, D. et al.</i> (4 authors) 2003, A&A 397, 747. (1b) Chemical analysis.
OU Vir	<i>Mason, E. et al.</i> (6 authors) 2002, A&A 396, 633. (1ab) Evidence for hot spot.
CK Vul	<i>Kato, T.</i> 2003, A&A 399, 695. (5) Merging of main sequence stars?
ER Vul	<i>Cakırlı, Ö. et al.</i> (4 authors) 2003, A&A 400, 257. (1b) Surface activity study.
GO Vul	<i>Wolf, M., Šarounová, L.</i> 2002, IBVS 5353. (1af, 2c) Double period in EB.
QQ Vul	<i>Halevin, A.V. et al.</i> (4 authors) 2002, A&A 394, 171. (1ad, 2c) Magnetic CV, long-period polar.
QU Vul (Nova 1984 No.2)	<i>Krautter, J. et al.</i> (11 authors) 2002, AJ 124, 2888. (1i, 2g) HST infrared observations of nova shell yield expansion parallax. <i>Schwarz, G.J.</i> 2002, ApJ 577, 940. (2f) Elemental abundances of ejecta.
QV Vul (Nova 1987)	<i>Krautter, J. et al.</i> (11 authors) 2002, AJ 124, 2888. (1i, 2g) HST infrared observations of nova shell yield expansion parallax.

HR, HD, HDE, BD, CoD, CPD, SAO Objects

HR 2054	(see V403 Aur)
HR 8361	<i>Griffin, R.F.</i> 2003, Observatory 123, 36. (1b, 2a) SB in triple system.
HD 553	<i>Duemmler, R., Iliev, I. Kh., Iliev, L.</i> 2002, A&A 395, 885. (1bo, 2ab) Radial velocities and physical parameters.
HD 7119	<i>Carquillat, J.-M. et al.</i> (4 authors) 2002, MNRAS 336, 1043. (1b, 2ab) Orbital elements and physical parameters.
HD 93205	<i>van Genderen, A.M.</i> 2003, A&A 397, 921. (2ad)
HD 98116	(see FO Leo)
HD 107179	<i>Griffin, R.F.</i> 2002, Observatory 122, 329. (1b, 2a) SB in north galactic pole field.
HD 112914	<i>Griffin, R.F.</i> 2002, Observatory 122, 329. (1b, 2a) SB in north galactic pole field.
HD 114761	<i>Griffin, R.F.</i> 2002, Observatory 122, 329. (1b, 2a) Low amplitude SB in north galactic pole field.
HD 141929	<i>Carrier, F.</i> 2002, A&A 389, 475. (1b, 2a)
HD 153919 (4U 1700–377)	<i>Clark, J.S. et al.</i> (7 authors) 2002, A&A 392, 909. (2be) Physical parameters of high-mass X-ray binary. <i>Laycock, S. et al.</i> (5 authors) 2003, MNRAS 338, 211. (1x, 2ac) Hard X-ray light curves.
HDE 228766	<i>Rauw, G. et al.</i> (5 authors) 2002, A&A 392, 563. (1b, 2abg) Massive evolved binary.

BD +14° 5016	<i>Maciejewski, G., Karska, A., Niedzielski, A.</i> 2002, IBVS 5343. (1af, 2c, 3b) A new EW EB.
BD −06° 1258 (Parenago 2494)	<i>Reipurth, B. et al.</i> (5 authors) 2002, AJ 124, 2813. (1b, 2a) Pre-main-sequence SB2.
CPD −59°2636	<i>Albacete Colombo, J.F. et al.</i> (6 authors) 2002, MNRAS 336, 1099. (1bx, 2abc) Orbital elements and system parameters.

X-ray sources with constellation names

Aql X-1	(see V1333 Aql)
Cen X-1	<i>Gies, D.R. et al.</i> (11 authors) 2003, ApJ 583, 442. (1abx) Resonant X-ray line scattering.
Cen X-3	<i>Laycock, S. et al.</i> (5 authors) 2003, MNRAS 338, 211. (1x, 2ac) Hard X-ray light curves.
Cir X-1	(see BR Cir)
Cyg X-1	(see V1357 Cyg)
Cyg X-3	(see V1521 Cyg)
Her X-1	(see HZ Her)
Sco X-1	<i>McNamara, B.J. et al.</i> (15 authors) 2003, AJ 125, 1437. (1aox) <i>Mirabel, I.F., Rodrigues, I.</i> 2003, A&A 398, L25. Galactic orbit derivation. <i>Titarchuk, L.</i> 2002, ApJ 578, L71. (2g, 5) Evidence for the transition layer model.
Sco X-2	<i>O'Neill, P.M. et al.</i> (4 authors) 2002, MNRAS 336, 217. (GX 349+2) (1x, 2cg) Investigation of the X-ray fast-time variability.
Vela X-1	(see GP Vel)

Object names including RA and DEC

HE 0024−2523	<i>Lucatello, S. et al.</i> (7 authors) 2003, AJ 125, 875. (1b, 2aef, 3b) New very metal-poor binary.
AX J0049.4−7323	<i>Edge, W.R.T., Coe, M.J.</i> 2003, MNRAS 338, 428. (1ab, 2e, 3c) Spectroscopic and photometric analysis of optical counterparts.
XTE J0052−723	<i>Laycock, S. et al.</i> (6 authors) 2003, MNRAS 339, 435. (1abx, 2e, 3c) X-ray and optical observations.
AX J0057.4−7325	<i>Edge, W.R.T., Coe, M.J.</i> 2003, MNRAS 338, 428. (1ab, 2e, 3c) Spectroscopic and photometric analysis of optical counterparts.
AX J0058.2−7321	<i>Edge, W.R.T., Coe, M.J.</i> 2003, MNRAS 338, 428. (1ab, 2e, 3c) Spectroscopic and photometric analysis of optical counterparts.
4U 0115+63	<i>Campana, S. et al.</i> (6 authors) 2002, ApJ 580, 389. (1bx) Observed in quiescence. 2003, IAU Circ. 8064 (1x) New transient pulsar.
XTE J0119−731	<i>Kuiper, L. et al.</i> (6 authors) 2002, ApJ 577, 917. (1ax, 2bg) High resolution spatial and timing observations.
PSR J0218+4232	<i>Campana, S. et al.</i> (6 authors) 2002, ApJ 580, 389. (1bx) Observed in quiescence.
V0332+53	

XTE J0421+56	(see CI Cam)
RX J0513.9–6951	<i>Cowley, A.P. et al.</i> (4 authors) 2002, AJ 124, 2233. (1a, 2ac) New period (HV 5682 in LMC) and ephemeris from Macho data.
EXO 0531–66	<i>McGowan, K.E., Gharles, P.A.</i> 2002, MNRAS 335, 941. (1ab, 2ce, 3c) Photometric and spectroscopic study.
A 0538–66	<i>Campana, S. et al.</i> (6 authors) 2002, ApJ 580, 389. (1bx) Observed in quiescence. <i>McGowan, K.E., Charles, P.A.</i> 2003, MNRAS 339, 748. (1p, 2ac) Orbital period and long-term periodicity.
H 0544–665	<i>McGowan, K.E., Gharles, P.A.</i> 2002, MNRAS 335, 941. (1ab, 2ce, 3c) Photometric and spectroscopic study.
4U 0614+09	<i>Titarchuk, L.</i> 2002, ApJ 578, L71. (2g, 5) Evidence for the transition layer model.
PSR J0621+1002	<i>Splaver, E.M. et al.</i> (6 authors) 2002, ApJ 581, 509. (1befru, 2abcg) Period of 8.3186813(4) days measured; also 15 second oscillations.
EUVE J0720–31.7	<i>Kawka, A. et al.</i> (4 authors) 2002, AJ 124, 2853. (1b, 2abc) DA + dMe binary.
2S 0921–63	<i>Kallman, T.R. et al.</i> (4 authors) 2003, ApJ 583, 861. (1bx2e) CHANDRA and XMM observations of accretion disk corona.
RX J0925.7–4758	(see MR Vel)
XTE J0929–314	<i>Bildsten, L.</i> 2002, ApJ 577, L27. (5) Companion likely is a hot WD.
RX J1002–19	<i>Ramsay, G., Cropper, M.</i> 2003, MNRAS 338, 219. (1x, 2abc) X-ray observations and modelling.
RX J1007–20	<i>Ramsay, G., Cropper, M.</i> 2003, MNRAS 338, 219. (1x, 2abc) X-ray observations and modelling.
GRS 1009–45	(see MM Vel)
FIRST J102348+003841	<i>Bond, H.E. et al.</i> (4 authors) 2002, PASP 114, 1359. (1ab, 3c) Optical identification and observation of first CV found by radio.
PG 1026+002	<i>Bleach, J.N. et al.</i> (4 authors) 2002, MNRAS 335, 593. (1ab, 2ef) Spectroscopic observations of chromospheric activity.
RX J1039.7–0507	<i>Woudt, P.A., Warner, B.</i> 2003, MNRAS 339, 731. (1ao, 2ac) High-speed photometry.
XTE J1118+480	(see KV UMa)
PSR J1141–6545	<i>Ord, S.M., Bailes, M., van Straten, W.</i> 2002, MNRAS 337, 409. (1br, 2ace) Distance limit.
4U 1145–619	<i>Laycock, S. et al.</i> (5 authors) 2003, MNRAS 338, 211. (1x, 2ac) Hard X-ray light curves.
1E 1145.1–6141	<i>Ray, P.S., Chakrabarty, D.</i> 2002, ApJ 581, 1293. (1ax, 2ac) Orbital period of 14.4 days derived.
XB 1254–690	<i>Smale, A.P., Church, M.J., Balucinska-Church, M.</i> 2002, ApJ 581, 1286, (1bx) 22.4 total binary orbits observed which contained two full x-ray dips.
PSR B1259–63 (SS 2883)	<i>Connors, T.W. et al.</i> (4 authors) 2002, MNRAS 336, 1201. (1r, 2e) Light curve modelling. <i>Murata, K. et al.</i> (4 authors) 2003, PASJ 55, 473. (1x) Shock-powered emission model.
SDSS J132412+032050	<i>Skody, P. et al.</i> (26 authors) 2003, ApJ 583, 902. (1abo) Sloan archival identification of magnetic CV with extreme cyclotron features.

1SAX J1324.4–6200	<i>Lin, X.B. et al.</i> (4 authors) 2002, MNRAS 337, 1245. (1bx, 2acg) Possible low-mass X-ray binary pulsar.
PG 1336–018	<i>Bonanno, A. et al.</i> (6 authors) 2003, Baltic Astron. 12, 287. (1a,2ce) Time-series photometry of the pulsation of a subdwarf B star.
EC 13471–1258	<i>Kawka, A. et al.</i> (4 authors) 2002, AJ 124, 2853. (1ab, 2c) DA + dMe binary showing eclipses and ellipsoidal variation. (see V834 Cen)
E1405–451	
PSR B1534+12	<i>Bogdanov, S., et al.</i> (4 authors) 2002, ApJ 581, 495. (1r, 2b) Interstellar scintillation velocity measurements.
4U 1543–624	<i>Stairs, I.H., et al.</i> (4 authors) 2002, ApJ 581, 501. (1r, 2b, 6) Studies of relativistic binary, relativity tests, timing analysis, distance, dispersion.
RX J1547.4–4507	<i>Schultz, J.</i> 2003, A&A 397, 249. (1x) System modelling. <i>Mochnacki, S.W. et al.</i> (13 authors) 2003, AJ 124, 2868. (1b, 2ab, 3b) See also General. (see V381 Nor)
XTE J1550–564	
SDSS J155331+551614	<i>Skody, P. et al.</i> (26 authors) 2003, ApJ 583, 902. (1abo) Sloan archival identification of magnetic CV with extreme cyclotron features.
4U 1608–52	(see QX Nor)
4U 1626–67	(see KZ TrA)
RE J1629+780	<i>Bleach, J.N. et al.</i> (4 authors) 2002, MNRAS 335, 593. (1ab, 2ef) Spectroscopic observations of chromospheric activity. <i>Bleach, J.N. et al.</i> (4 authors) 2002, MNRAS 336, 611. (1b, 2ac) Measurement of rotational broadening.
IGR J16318–4848	2003, IAU Circ. 8063 (1x, 3b) Detection of transient source. 2003, IAU Circ. 8076 (1i, 3c) Infrared counterpart. 2003, IAU Circ. 8077 (1x) Undetected in BeppoSAX data. 2003, IAU Circ. 8070 (1x) Detection on ASCA archival data. 2003, IAU Circ. 8072 (1x) Evidence for variability. 2003, IAU Circ. 8076 (1x) Possible HMXB. 2003, IAU Circ. 8077 (1x) Active source for at least 8 years.
IGR J16320–4751	
4U 1636–53	<i>Jonker, P.G., et al.</i> 2002, MNRAS 336, L1. (1x, 2cg) kHz QPOs.
RX J1643.7+3402	<i>Patterson, J. et al.</i> (18 authors) 2002, PASP 114, 1364. (1ab, 2cg) Complex CV of SW Sex type.
XTE J1650–500	2002, IAU Circ. 7989 (1b, 2aceg) Secondary RV data.
GRO J1655–40	(see V1033 Sco)
OAO 1657–41	<i>Laycock, S. et al.</i> (5 authors) 2003, MNRAS 338, 211. (1x, 2ac) Hard X-ray light curves.
4U 1700+24	(see V934 Her)
4U 1700–377	(see HD 153919)
4U 1705–44	<i>Olive, J., Barret, D., Gierlinski, M.</i> 2003, ApJ 583, 416. (1cx2e) Power density spectra components identified.
XTE J1720–318	2003, IAU Circ. 8050 (1x, 3b) New transient X-ray source. 2003, IAU Circ. 8054 (1r) Radio counterpart. 2003, IAU Circ. 8056 (1aix) Infrared counterpart? 2003, IAU Circ. 8080 (1x)
4U 1728–34	<i>Titarchuk, L.</i> 2002, ApJ 578, L71. (2g,5) Evidence for the transition layer model.

KS 1731–260	<i>Revnivtsev, M., Sunyaev, R.</i> 2003, A&A 399, 699. (1x) Possible 38-day period. <i>Rutledge, R.E. et al.</i> (6 authors) 2002, ApJ 580, 413. (1bx, 2be) Crustal emission during quiescence.
PSR J1740–5340	<i>Ergma, E., Sarna, M.J.</i> 2003, A&A 399, 237. (5) Evolutionary model. <i>Ferraro, F.R. et al.</i> (7 authors) 2003, ApJ 584, L13. (1b, 2ab) Double line millisecond pulsar. <i>Orosz, J.A., van Kerkwijk, M.H.</i> 2003, A&A 397, 237. (1ab) "Red straggler" companion.
1E 1740.7–2942	<i>Gallo, E., Fender, R.P.</i> 2002, MNRAS 337, 869. (1bx, 2e) Chandra imaging spectroscopy. <i>Smith, D.M., Heindl, W.A., Swank, J.H.</i> 2002, ApJ 578, L129. (1bx, 2a) Suggest red giant companion.
SAX J1747.0–2853	<i>Wijnands, R., Miller, J.M., Wang, Q.D.</i> 2002, ApJ 579, 422. (1bx, 2a) Observed during low-level accretion activity.
XTE J1751–305	<i>Bildsten, L.</i> 2002, ApJ 577, L27. (5) Companion must be hot WD. <i>Miller, J.M. et al.</i> (9 authors) 2003, ApJ 583, L99. (1bx) XMM-Newton observations of MS LMXRB pulsar in outburst.
GRS 1758–258	<i>Heindl, W.A., Smith, D.M.</i> 2002, ApJ 578, L125. (1aex, 2a) New accurate position consistent with supposed radio counterpart. <i>Smith, D.M., Heindl, W.A., Swank, J.H.</i> 2002, ApJ 578, L129. (1bx, 2a) Suggest red giant companion.
XTE J1807–294	2003, IAU Circ. 8080 (1x, 3b) New accreting millisecond pulsar. (see V4580 Sgr)
SAX J1808.4–3658	<i>Baptista, R., Bortolotto, A., Harlaftis, E.T.</i> 2002, MNRAS 335, 665. (1a, 2ceg) UVBRI flickering studies.
X 1822–371 (2A 1822–371)	<i>Jonker, P.G., van der Klis, M., Groot, P.J.</i> 2003, MNRAS 339, 663. (1bu, 2abe) Determination of the mass of the neutron star.
RX J1846.9+5538	<i>Schwarz, R. et al.</i> (5 authors) 2002, A&A 392, 505. (1abox) Two-pole accretion polar.
XTE J1855–026	<i>Corbet, R.H.D., Mukai, K.</i> 2002, ApJ 577, 923. (1bx, 2bc) Mass and eclipse confirm primary is supergiant.
X 1901+031	2003, IAU Circ. 8070 (1x) New X-ray outburst. 2003, IAU Circ. 8081 (1ex) Orbital modulations.
4U 1907+097	<i>Laycock, S. et al.</i> (5 authors) 2003, MNRAS 338, 211. (1x, 2ac) Hard X-ray light curves.
XTE J1908+094	2002, IAU Circ. 8029 (1r) Radio emission from BH candidate. <i>Chaty, S., Mignani, R.P., Israel, G.L.</i> 2002, MNRAS 337, L23. (1aei, 2be, 3c) The nature of the NIR counterpart. <i>in't Zand, J.J.M. et al.</i> (5 authors) 2002, A&A 394, 553. (1x, 2g) Black hole candidate.
IGR J19140+098	2003, IAU Circ. 8088 (1x) New transient.
RX J1914.4+2456	<i>Strohmayer, T.E.</i> 2002, ApJ 581, 577. (5) Evidence of gravitational radiation.
GRS 1915+105	(see V1487 Aql)
J1944+26	<i>Wilson, C.A., Finger, M.H.</i> 2003, ApJ 584, 996. (1abx, 2ag) Unusual burst behaviour.
XTE J1946+274	<i>Verrecchia, F., et al.</i> (10 authors) 2002, A&A 393, 983. (1io) Optical and IR counterpart of transient X-ray pulsar.

KS 1947+300	<i>Negueruela, I. et al.</i> (5 authors) 2003, A&A 397, 739. (1abi) Characterization of X-ray transient companion.
EXO 2030+375	<i>Laycock, S. et al.</i> (5 authors) 2003, MNRAS 338, 211. (1x, 2ac) Hard X-ray light curves.
XTE J2123–058	<i>Shahbaz, T. et al.</i> (6 authors) 2003, ApJ 585, 443. (1a, 2abc) Optical photometry during quiescent state. <i>Tomsick, J.A. et al.</i> (4 authors) 2002, ApJ 581, 570. (1bo, 2bc) Rotational broadening of the companion’s spectral lines measured.
X 2127+119	<i>Ioannou, Z. et al.</i> (7 authors) 2003, A&A 399, 211. (1ux) No period derivative. <i>van Zyl, L. et al.</i> (4 authors) 2002, MNRAS 336, 962. (1bx, 2eg) Scenarios of evolutionary state.

Galactic objects with other designations

BPM 6502	<i>Kawka, A. et al.</i> (4 authors) 2002, AJ 124, 2853. (1ab, 2c) DA + dMe binary showing variability.
BPM 71214	<i>Kawka, A. et al.</i> (4 authors) 2002, AJ 124, 2853. (1b, 2abc) DA + dMe binary.
Bul sc27 506	<i>Kawka, A., Vennes, S.</i> 2003, AJ 125, 1444. (1ab, 2ac) Possible hibernating nova.
CD 123	<i>Rucinski, S.M., Paczynski, B.</i> 2002, IBVS 5321. (1a) OGLE II CB changing its brightness.
GSC 0486.4828	<i>Bleach, J.N. et al.</i> (4 authors) 2002, MNRAS 335, 593. (1ab, 2ef) Spectroscopic observations of chromospheric activity.
GSC 2757.0769	<i>Lloyd, C. et al.</i> (5 authors) 2002, IBVS 5339. (1af, 2c, 3b) A new EB.
GSC 4288.0186	<i>Maciejewski, G., Karska, A., Niedzielski, A.</i> 2003, IBVS 5370 (1a, 2a, 3d) A new EW binary system.
GSC 5149.2845	<i>Bakis, V. et al.</i> (4 authors) 2003, IBVS 5381. (1af, 2ac, 3d) A new eccentric binary.
GX 1+4	<i>Bernhard, K., Kiyota, S., Pejcha, O.</i> 2002, IBVS 5318. (1a, 2c) A new W UMa-type EB.
GX 5-1	<i>Xu, Y.-D. et al.</i> (4 authors) 2002, Acta Astron. Sinica 43, 284. (5x) Iron K α line emission with ADAF model.
GX 13+1	<i>Titarchuk, L.</i> 2002, ApJ 578, L71. (2g,5) Evidence for the transition layer model.
GX 17+2	<i>Smith, R.K., Edgar, R.J., Shafer, R.A.</i> 2002, ApJ 581, 562. (1cx) Modeling of dust grains from X ray halo.
GX 301-2	<i>Titarchuk, L.</i> 2002, ApJ 578, L71. (2g, 5) Evidence for the transition layer model.
GX 339-4	(see BP Cru)
GX 340+0	(see V821 Ara)
GX 349+2	<i>Titarchuk, L.</i> 2002, ApJ 578, L71. (2g, 5) Evidence for the transition layer model.
Haro 1-14c	<i>Agrawal, V., Sreekumar, P.</i> 2002, Bull. Astron. Soc. India 30, 675. (1x) Spectral evolution in the X-ray color-color diagram.

HZ 9	<i>Bleach, J.N. et al.</i> (4 authors) 2002, MNRAS 335, 593. (1ab, 2ef) Spectroscopic observations of chromospheric activity. <i>Bleach, J.N. et al.</i> (4 authors) 2002, MNRAS 336, 611. (1b, 2ac) Measurement of rotational broadening.
IC 342	<i>Kubota, A., Done, C., Makishima, K.</i> 2002, MNRAS 337, L11. (1bx, 2ef) Interpretation the power-law-type spectrum.
LH 54 OB	<i>Ostrov, P.G.</i> 2002, MNRAS 336, 309. (1ab, 2abc, 3b) Double-lined spectroscopic binary.
M10 V-1	<i>von Braun, K. et al.</i> (5 authors) 2002, AJ 124, 2067. (1a, 3b) New W UMa, not cluster member.
M12 V-1	<i>von Braun, K. et al.</i> (5 authors) 2002, AJ 124, 2067. (1a, 3b) New W UMa, probable cluster member.
M12 V-2	<i>von Braun, K. et al.</i> (5 authors) 2002, AJ 124, 2067. (1a, 3b) New W UMa, probably not cluster member.
M67-S1063	<i>Mathieu, R.D. et al.</i> (6 authors) 2003, AJ 125, 246. (1b, 2ae) Binary located below subgiant branch of cluster c-m diagram.
M67-S1082	<i>Sandquist, E.L.</i> 2003, AJ 125, 810. (1ab, 2a) Probable triple system containing two blue stragglers.
M67-S1113	<i>Mathieu, R.D. et al.</i> (6 authors) 2003, AJ 125, 246. (1b, 2ae) Binary located below subgiant branch of cluster c-m diagram.
NGC 5204 X-1	<i>Goad, M.R. et al.</i> (4 authors) 2002, MNRAS 335, L67. (1ai, 3c) The nature of the optical counterpart.
Nova in Cep	2002, IAU Circ. 8014 (1ae, 3b) Possible new nova.
NSV 2872	<i>Kozhevnikov, V.P.</i> 2003, A&A 398, 267. (1a) Probable new intermediate polar.
NSV 10892	<i>Koppelman, M.D., West, D., Price, A.</i> 2002, IBVS 5327. (1a, 3d) A new W UMa-type EB.
NSV 10934	<i>Kato, T. et al.</i> (9 authors) 2002, A&A 396, 929. (1x) Unexpected activity. (see BD -06° 1258)
Parenago 2494	(see V1343 Aql)
SS 433	(see PSR 1259-63)
SS 2883	
WeBo1	<i>Bond, H.E., Pollacco, D.L., Webbink, R.F.</i> 2003, AJ 125, 260 (1ab, 2e) Possible binary central star of PN.
WR 42	<i>Hill, G.M., Moffat, A.F.J., St-Louis, N.</i> 2002, MNRAS 335, 1069.(1b, 2aef) Modelling the colliding-winds spectra.
WR 79	<i>Hill, G.M., Moffat, A.F.J., St-Louis, N.</i> 2002, MNRAS 335, 1069.(1b, 2aef) Modelling the colliding-winds spectra.
WR 140	<i>Abramova, O.V., Averin, P.V., Bychkov, K.V.</i> 2003, AZh 80, 35. (5).

Extragalactic variables, SN, x-ray sources

Sk -67°105	<i>Ostrov, P.G., Lapasset, E.</i> 2003, MNRAS 338, 141. (1a, 2abc) Light curve analysis and modelling.
HV 5682 in LMC	(see RX J0513.9-6951)
LMC X-4	<i>Laycock, S. et al.</i> (5 authors) 2003, MNRAS 338, 211. (1x, 2ac) Hard X-ray light curves.

SMC X-1	<i>Clarkson, W.I. et al.</i> (6 authors) 2003, MNRAS 339, 447. (1gx, 2ceg) Variable third (superorbital) period.
	<i>Moon, D-S, Eikenberry, S.S., Wasserman I.M.</i> 2003, ApJ 582, L91. (1abx) Identified as an intermediate-stage flaring X-ray pulsar.
Nova in SMC	2002, IAU Circ. 7995 (1ae, 3b) Possible nova. 2002, IAU Circ. 7996 (1av) CCD and visual magnitudes.
Nova in NGC 185	2003, IAU Circ. 8047 (3b) Apparent new nova.
Nova in NGC 205	2002, IAU Circ. 7984 (1ae, 3b) Possible nova. 2002, IAU Circ. 8001 (1a) Additional CCD magnitudes.
Nova in M31	2003, IAU Circ. 8052 (1ae, 3b) New nova.
Bo 158 (M31)	<i>Trudolyubov, S. et al.</i> (7 authors) 2003, ApJ 581, L27. (1ax, 3b) Discovery of 2.78-hour period of X-ray flux from globular cluster source Bo 158 in M31; may be LMXRB.
Nova in M81	2003, IAU Circ. 8069 (1a, 3b) Apparent new nova. 2003, IAU Circ. 8086 (1b) Indeed a nova.

General

Abakumov, M.V. et al. (4 authors) 2003, AZh 80, 14. Comparison between two- and three-dimensional modeling of the structure of, and accretion disk in, a binary system.

Abramowicz, M.A. et al. (5 authors) 2003, PASJ 55, 467. Non-linear resonance in nearby geodesic motion in LMXBs.

Aliev, A.N., Oözdemir, N. 2002, MNRAS 336, 241. Motion of charged particles around a rotating black hole in a magnetic field.

Andronov, N., Pinsonneault, M., Sills, A. 2003, ApJ 582, 358. Applying angular momentum loss rates inferred from open clusters to the evolution of their CV's.

Audard, M. et al. (5 authors) 2003, A&A 398, 1137. A study of coronal abundances in RS CVn binaries.

Barbieri, M., Marzari, F., Scholl, H. 2002, A&A 396, 219. Formation of terrestrial planets in close binary systems: The case of α Centauri A.

Bate, M.R., Bonnell, I.A., Bromm, V. 2002, MNRAS 336, 705. The formation of close binary systems by dynamical interactions and orbital decay.

Bate, M.R., Bonnell, I.A., Bromm, V. 2003, MNRAS 339, 577. The formation of a star cluster:
predicting the properties of stars and brown dwarfs.

Benaglia, P., Romero, G.E. 2003, A&A 399, 1121. Gamma-ray emission from Wolf-Rayet binaries.

Beskin, G.M., Tuntsov, V. 2002, A&A 394, 489. Detection of compact objects by means of gravitational lensing in binary systems.

Bloom, J.S. 2003, PASP 115, 271. Distribution of γ -ray bursts suggests that they are not a result of neutron-star-binary coalescence. (7a)

Borkovits, T. et al. (4 authors) 2003, A&A 398, 1091. On the detectability of long period perturbations in close hierarchical triple stellar systems.

Bozza, V., Mancini, L. 2002, A&A 394, L47. Microlensing of strongly interacting binary systems.

Carney, B.W. et al. (5 authors) 2003, AJ 125, 293. SBs, velocity jitter and rotation in field metal-poor giant and horizontal-branch stars (see also Collections of Data).

Chen, X., Han, Z. 2002, MNRAS 335, 948. Low- and intermediate-mass close binary evolution and the initial-final mass relation - II. Non-conservative case with convective overshooting.

Cherepashchuk, A.M., Karetikov, V.G. 2003, AZh 80, 42. Evolution of Wolf-Rayet stars in binary systems: an analysis of the mass and orbital-eccentricity distributions.

Collins, G.W., Scher, R.W. 2002, MNRAS 336, 1011. A revised dynamical model for SS433 and the nature of the system.

Colpi, M., Wasserman, I. 2002, ApJ 581, 1271. Formation of short-lived neutron binary in superclose orbit source of high space velocities of pulsars?

Dhillon, V.S. et al. (5 authors) 2002, A&A 393, 611. On the use of $^{12}\text{CO}/^{13}\text{CO}$ as a test of common-envelope evolution. SS Cyg and V471 Tau. (1bi)

di Salvo, T., Robba, N., Stella, L. 2002, MmSAI 73, 1082. Discovery of extended hard tails in the X-ray spectra of bright low mass X-ray binaries.

Ertan, U., Alpar, M.A. 2002, A&A 393, 205. On the outbursts of black hole soft X-ray transients.

Fryer, C.L., Heger, A., Langer, N., Wellstein, S. 2002, ApJ 578, 335. Models of initially high mass stars in close binaries.

Fukue, J. 2002, PASJ 54, 1057. Roche potential with luminous accretion disks.

Gawryszczak, A.J., Mikołajewska, J., Różyczka, M. 2003, A&A 398, 159. H II regions in symbiotic binaries and their radio emission.

Gawryszczak, A.J., Rozycka, M. 2003, Acta Astronomica 53, 73. Doppler tomograms from hydrodynamical models of dwarf nova disks.

Georgakarakos, N. 2002, MNRAS 337, 559. Eccentricity generation in hierarchical triple systems with coplanar and initially circular orbits.

Gil-Pons, P., García-Berro, E. 2002, A&A 396, 589. On the formation of super-AGB stars in intermediate mass close binary systems.

Grimm, H.-J., Gilfanov, M., Sunyaev, R. 2003, MNRAS 339, 793. High-mass X-ray binaries as a star formation rate indicator in distant galaxies.

Grimm, H.-J., Gilfanov, M., Sunyaev, R. 2003. Astron. Nachr. 324, 171. High mass X-ray binaries as a SFR indicator.

Guessoum, N., Jean, P. 2002, A&A 396, 157. Detectability and characteristics of the 2.223 MeV line emission from nearby X-ray binaries.

Haehnelt, M.G., Kauffmann, G. 2002, MNRAS 336, L61. Multiple supermassive black holes in galactic bulges.

Hameury, J.-M., Lasota, J.-P. 2002, A&A 394, 231. VY Sculptoris stars as magnetic cataclysmic variables.

Han, Z. et al. (5 authors) 2002, MNRAS 336, 449. The origin of subdwarf B stars - I. The formation channels.

Howell, S.B. et al. (4 authors) 2002, A&A 395, L47. Discovery of two new faint CVs. (1bo, 3b)

Igumenshchev, I.V. 2002, ApJ 577, L31. Angular momentum transport in convection-dominated accretion flows.

Istomin, Ya.I., Komberg, B.V. 2002, AZh 79, 1008. Gamma-ray bursts as a result of the interaction of a shock from a supernova explosion with a neutron star - companion close pair.

Ivanov, P.B. 2002, MNRAS 336, 373. On the formation rate of close binaries consisting of a supermassive black hole and a white dwarf.

Jimenez-Garate, M.A., Raymond, J.C., Liedahl, D.A. 2003, ApJ 581, 1297. Structure and X-ray recombination emission of a centrally illuminated accretion disk atmosphere and corona.

Kähler, H. 2002, A&A 395, 899. The structure equations of contact binaries.

Kähler, H. 2002, A&A 395, 907. On the structure of contact binaries.

Kim, C., Kalogera, V., Lorimer, D.R. 2003, ApJ 584, 985. The probability distribution of binary pulsar coalescence rates. I. Double neutron star systems in the galactic field.

King, A.R., Schenker, K., Hameury, J.M. 2002, MNRAS 335, 513. Blunting the spike: the cataclysmic variable minimum period.

King, A.R., Puchnarewicz, E.M. 2002, MNRAS 336, 445. Black hole blackbodies.

Kitabatake, E., Fukue, J. 2003, PASJ 55, 267. Greenhouse effect of cloudy accretion disks.

Lastennet, E., Valls-Gabaud, D. 2002, A&A 396, 551. Detached double-lined eclipsing binaries as critical tests of stellar evolution. Age and metallicity determinations from the HR diagram.

Li, T.P., Muraki, Y. 2002, ApJ 578, 374. Fourier analysis of power spectra of X-ray binaries.

Lubow, S.H., Ogilvie, G.I., Pringle, J.E. 2002, MNRAS 337, 706. The evolution of a warped disc around a Kerr black hole.

Meintjes, P.J. 2002, MNRAS 336, 265. On the evolution of the nova-like variable AE Aquarii.

Mioc, V. 2003, Astron. Nachr. 324, 271. Groups pf symmetries in the two-body problem associated with Einstein's PN field.

Mochnacki, S.W. et al. (13 authors) 2003, AJ 124, 2868. Spectroscopic survey of a sample of active M dwarfs reveals one new SB2 and three suspected ones (see also Individual Stars).

Moriwaki, K., Nakagawa, Y. 2002, AJ 124, 3364. Stability of a planet in a binary system: MA-CHO 97-BLG-41.

Moss, D., Piskunov, N., Sokoloff, D. 2002, A&A 396, 885. Nonaxisymmetric cool spot distributions and dynamo action in close binaries.

Mukhopadhyay, B., Misra, R. 2003, ApJ 582, 347. Pseudo-Newtonian potentials to describe accretion disks around rotating black holes and neutron stars.

Muno, M.P., Ozel, F., Chakrabarty, D. 2002, ApJ 581, 550. Amplitude evolution and harmonic content of millisecond oscillations in X-ray bursts.

Nelson, R.P., Papaloizou, J.C.B. 2003, MNRAS 339, 993. The interaction of a giant planet with a disc with MHD turbulence - II. The interaction of the planet with the disc.

Nobili, L. 2003, ApJ 582, 954, Disk-jet interaction model for X-ray novae.

Okal, K. et al. (5 authors) 2002, A&A 394, 115. Numerical simulation of the surface flow of a companion star in a close binary system.

Okazaki, A.T. et al. (4 authors) 2002, MNRAS 337, 967. Viscous effects on the interaction between the coplanar decretion disc and the neutron star in Be/X-ray binaries.

Olivier, E.A., Wood, P.R. 2003, ApJ 584, 1035. Long secondary period in semiregular variables may be due to binarity.

Papaloizou, J.C.B., Nelson, R.P. 2003, MNRAS 339, 983. The interaction of a giant planet with a disc with MHD turbulence - I. The initial turbulent disc models.

Paternoò, L. et al. (4 authors) 2002, MNRAS 336, 291. Asymptotic dynamos in late-type stars.

Pearson, K.J., Horne, K., Skidmore, W. 2003, MNRAS 338, 1067. Fireball models for flares in AE Aquarii.

Phillips, S.N., Podsiadlowski, Ph. 2002, MNRAS 337, 431. Irradiation pressure effects in close binary systems.

Piersanti, L. et al. (4 authors) 2003, ApJ 583, 885. Accretion of CO-rich matter by C-O WD's, rotating vs. non-rotating models.

Pols, O.R., Dewi, J.D.M. 2002, Publ. Astron. Soc. Australia 19, 233. Helium-star mass loss and its implications for BH formation and SN progenitors.

- Proga, D.** 2003, ApJ 585, 406. Numerical simulations of outflows driven from accretion disks by radiation and magnetic forces.
- Rathore, Y., Broderick, A.E., Blandford, R.** 2003, MNRAS 339, 25. A variational formalism for tidal excitation: non-rotating, homentropic stars.
- Reig, P., Papadakis, I., Kylafis, N.D.** 2003, A&A 398, 1103. Aperiodic variability of low-mass X-ray binaries at very low frequencies.
- Rosswog, S., Ramirez-Ruiz, E.** 2002, MNRAS 336, L7. Jets, winds and bursts from coalescing neutron stars.
- Rucinski, S.M.** 2002, PASP 114, 1124. Space density of nearby contact binaries from complete sample brighter than magnitude 7.5.
- Rüdiger, G., et al.** (4 authors) 2002, A&A 392, 605. Orbital period modulation in close binaries due to cyclic α^2 -dynamo activity.
- Salmonson, J.D., Wilson, J.R.** 2002, ApJ 578, 310. Heated NS's in close binaries as a model for gamma ray bursts.
- Saxton, C.J.** 2002, Publ. Astron. Soc. Australia 19, 282. Effects of lower boundary conditions on the stability of radiative shocks.
- Schlegel, E.** 2003, AJ 125, 1426. Upper limits on X-ray emission from uranium stars; no confirmation of supernova-in-binary scenario.
- Schweppe, A.D. et al.** (8 authors) 2002, A&A 396, 895. The census of cataclysmic variables in the ROSAT Bright Survey.
- Shahbaz, T.** 2003, MNRAS 339, 1031. Determination the spectroscopic mass ratio in interacting binaries: application to X-ray Nova Sco 1994.
- Sinha, M. et al.** (4 authors) 2002, MNRAS 337, 1368. Super bursts and long bursts as surface phenomena of compact objects.
- Smak, J.** 2002, Acta Astronomica 52, 263. On the structure of the outer parts of accretion disks in CB systems.
- Smak, J.** 2002, Acta Astronomica 52, 429. Absolute magnitudes, critical accretion rates and $\Sigma - T_e$ relation for AD in CV.
- Soker, N.** 2002, MNRAS 337, 1038. Magnetic activity of the cool component in symbiotic systems.
- Sremčević, M., Spahn, F., Duschl, W.J.** 2002, MNRAS 337, 1139. Density structures in perturbed thin cold discs.
- Titarchuk, L., Wood, K.** 2002, ApJ 577, L23. Correlations in QPO's among WD, NS, and BH binaries.
- Tohline, J.E.** 2002, Ann. Rev. Astron. Astrophys. 40, 349. The origin of binary stars.

Torres, G. et al. 2003, AJ 125, 825. RV survey of TW Hydrae association (see also Collections of Data).

Truss, M.R. et al. (4 authors) 2002, MNRAS 337, 1329. The origin of the rebrightening in soft X-ray transient outbursts.

van Dyk, S.D., Li, W., Filippenko, A.V. 2003, PASP 115, 1. No core-collapse supernovae appear to be binaries.

Van Putten, M.H.P.M., Levinson, A. 2003, ApJ 584, 937. Theory and astrophysical consequences of magnetized torus around a rapidly rotating BH.

Vignarca, F. et al. (5 authors) 2003, A&A 397, 729. Tracing the power-law component in the energy spectrum of black hole candidates as a function of the QPO frequency.

von Braun, K. 2003, PASP 115, 272. Search for EB in galactic globular clusters. (7a)

Wagoner, R.V. 2002, ApJ 578, L63. Conditions for steady gravitational radiation from accreting stars.

Wang, D.X., Xiao, K., Lei, W.H. 2002, MNRAS 335, 655. Evolution characteristics of the central black hole of a magnetized accretion disc.

Warner, B. 2003, PASP 115, 410. Highlights of IAU Colloquium 190 on magnetic CVs.

Wichmann, R., Schmitt, J.H.M.M., Hubrig, S. 2003, A&A 400, 293. New spectroscopic binaries among nearby stars.

Willems, B., Claret, A. 2003, A&A 398, 1111. The effect of stellar compressibility and non-resonant dynamic tides on the apsidal-motion rate in close binaries.

Willems, B., Kolb, U. 2002, MNRAS 337, 1004. Population synthesis of wide binary millisecond pulsars.

Willems, B., Kolb, U. 2003, Astron. Nachr. 324, 169.
The population of wide binary millisecond pulsars.

Willems, B., van Hoolst, T., Smeysters, P. 2003, A&A 397, 973. Nonadiabatic resonant dynamic tides and orbital evolution in close binaries.

Yoo, J.J., Bak, J-Y., Lee, H-W. 2002, MNRAS 336, 467. Polarization of the broad H α wing in symbiotic stars.

Zier, C., Biermann, P.L. 2002, A&A 396, 91. Binary black holes and tori in AGN. II. Can stellar winds constitute a dusty torus?.

Ziolkowski, J. 2002, MmSAI 73, 1038. Be/X-ray binaries.

Collections of data

Ak, H., Özeren, F.F., Ekmekci, F. 2003, IBVS 5361. (1af, 2c) Photoelectric minimum times of some EB stars: BK Cep, U Cep, EM Cep, CQ Cep, IU Aur, ER Vul.

Blättler, E., Diethelm, R. 2002, IBVS 5333. (1af, 2c) CCD light curves of ROTSE1 variables in Hercules: GSC 3528.44, GSC 3532.939, GSC 2629.1932, GSC 3532.174

Carney, B.W. et al. (5 authors) 2003, AJ 125, 293. (1b, 2a) RV and orbital elements for HD 6755, HD 27928, HD 135148, HD 186478, HD 218732, HD 222434, BD +30° 2034, BD +19° 2976, BD +18° 2757, BD +18° 2890, BD +13° 3683, BD +10° 2495, BD +1° 3070, CD -37° 14010. HD 108317 and BD -1° 2582 also found to be binaries of unknown period (see also General).

Carrier, F. et al. (4 authors) 2002, A&A 394, 151. Multiplicity among chemically peculiar stars. Orbits for HD 5550, HD 22128, HD 56495, HD 98088, HD 9996, HD 12288, HD 40711, HD 54908, HD 65339, HD 73709, HD 105680, HD 138426, HD 184471, HD 188854, HD 200405, HD 216533. Rough mass estimate for components of HD 65339 (53 Cam). (2a)

Cieslinski, D. et al. (4 authors) 2003, PASP 115, 193 (1a, 3b) LC for new variables, mostly dwarf novae in galactic bulge, from OGLE-II database: OGLE 050108.08–692813.0, OGLE 051955.79–702753.4, Bul sc3 6033, Bul sc3 7898, Bul sc5 2859, Bul sc6 816, Bul sc7 1492, Bul sc7 1575, Bul sc8 2190, Bul sc10 1727, Bul sc11 1160, Bul sc11 1886, Bul sc11 1905, Bul sc12 2728, Bul sc12 2934, Bul sc13 691, Bul sc13 1972, Bul sc14 3708, Bul sc16 1300, Bul sc16 2143, Bul sc17 1447, Bul sc17 4122, Bul sc18 4562, Bul sc20 135, Bul sc23 2872, Bul sc26 2089, Bul sc29 1956, Bul sc30 5126, Bul sc33 703, Bul sc35 1171, Bul sc40 677, Bul sc42 1487, Bul sc47 70, Bul sc49 332, Bul sc49 672. Other variables of uncertain type: OGLE 004257.17–732252.3, OGLE 005718.12–724235.0, OGLE 010049.94–724148.1, Bul sc2 3095, Bul sc3 215, Bul sc4 1367, Bul sc8 569, Bul sc8 1184, Bul sc9 1565, Bul sc14 587, Bul sc16 365, Bul sc19 713, Bul sc19 1874, Bul sc19 1917, Bul sc19 2209, Bul sc22 880, Bul sc22 3429, Bul sc27 759, Bul sc28 1459, Bul sc29 606, Bul sc30 3025, Bul sc30 6421, Bul sc33 4157, Bul sc35 3030, Bul sc40 3491, Bul sc41 2587, Bul sc41 3228, Bul sc42 2440, Bul sc47 680, Bul sc49 614.

Coburn, W. et al. (8 authors) 2002, ApJ 580, 394. Study of magnetic fields in several x-ray pulsars: Her X-1, 4U 0115+63, Cen X-3, 4U 1626–67, XTE J1946–274, Vela X-1, 4U 1907+09, 4U 1538–52, GX 301-2, X Per, (4U 0352+309).

Cornelisse, R. et al. (10 authors) 2002, A&A 392, 885. BeppoSAX Wide Field Cameras observations of six typeI X-ray bursters (SAX J1324.5–6313, 2S 1711–339, SAX J1818.7 +1424, SAX J1828.5–1037, SAX J2224.9+5421, 2S 0918–549).

Cornelisse, R. et al. (5 authors) 2002, A&A 392, 931. CHANDRA follow-up of bursters with low persistent emission (SAX J1324.5–6313, SAX J1752.3–3128, SAX J1753.5–2349, SAX J1806.5–2215, SAX J1818.7+1424).

Demeautis, Ch., Bernasconi, L., Behrend, R. 2002, IBVS 5329. (1a, 2c) Light curve parameters: GSC 1414.851, GSC 2511.773, GSC 876.362, GSC 316.779.

Demircan, O. et al. (13 authors) 2003, IBVS 5364. (1af, 2c) First EB observations at Ulupinar Astrophysics Observatory: AB And, AD And, BX And, XZ Aql, OO Aql, V417 Aql, TZ Boo, AC Boo, TY Cap, RZ Cas, AB Cas, IR Cas, IV Cas, XX Cep, DK Cep, EG Cep, YY CrB, ZZ Cyg, V836 Cyg, V859 Cyg, RZ Dra, AI Dra, RZ Equ, EW Lyr, PY Lyr, V508 Oph, AT Peg, BB Peg, FG Sct, V Sge, V Tri, RT UMi, AH Vir.

Dvorak, S.W. 2003, IBVS 5378. (1af, 2c) Times of minima for neglected EBs in 2002: CN And, CO And, GZ And, LO And, EK Aqr, V1353 Aql, AH Aur, HW Aur, AO Cam, TX Cnc, WX Cnc, AK CMi, AX Cas, BH Cas, BS Cas, EP Cas, V366 Cas, V384 Cas, V520 Cas, V541 Cas, WY Cep, NS Cep, TX Cet, VY Cet, LO Cyg, V505 Cyg, V836 Cyg, V877 Cyg, V1141 Cyg, ET Del, LS Del, RU Eri, WW Eri, BL Eri, AZ Gem, GW Gem, MS Her, EM Lac, PP Lac, V342 Lac, V344 Lac, EP Mon, IX Mon, NN Mon, V396 Mon, V458 Mon, V514 Mon, V530 Mon, EU Peg, HW Per, V450 Per, VZ Psc, RS Sct, BV Tau, CT Tau, FR Vul, GU Vul, GSC 5178.1376.

Foellmi, C., Moffat, A.F.J., Guerrero, M.A. 2003, MNRAS 338, 360. (1b, 2ac, 5, 6) Search for Wolf-Rayet binaries in SMC.

Foellmi, C., Moffat, A.F.J., Guerrero, M.A. 2003, MNRAS 338, 1025. (1b, 2ac, 5, 6) Search for Wolf-Rayet binaries in LMC.

Hall, T.A. et al. (36 authors) 2003, ApJ 583, 853. (1g) Cerenkov radiation search for TeV emissions from pulsars in binary systems: LSI +61 303, PSR B1534+12, PSR B1639+36B, PSR B1957+20.

Harries, T.J., Hilditch, R.W., Howarth, I.D. 2003, MNRAS 339, 157. (1abo, 2abc, 5) EBs in SMC: The Cloud distance and fundamental parameters of 10 systems: 5 038089, 5 202153, 5 316725, 6 077224, 6 158118, 6 215965, 7 243913, 9 175323, 11 30116, 11 57855.

Hegedüs, T. et al. (15 authors) 2003, IBVS 5372. (1af, 2c) New times of minima of EB systems: V397 Cep, V442 Cyg, MR Del, V401 Lac, V402 Lac, V1123 Tau, V1128 Tau.

Karska, A., Maciejewski, G. 2003, IBVS 5380. (1af, 2c) CCD times of minima of some EBs in 2002: SX Aur, CK Boo, ET Boo, FI Boo, YY CrB, MR Cyg, V891 Cyg, DI Peg, W UMa, TX UMa, VV UMa.

Lacy, C.H.S. 2002, IBVS 5357. (1af, 2c) Times of minima of EBs: CO And, HP Aur, CV Boo, SW Cnc, MU Cas, V396 Cas, V459 Cas, V651 Cas, VZ Cep, DV Cep, V1061 Cyg, GX Gem, LV Her, RW Lac, FO Ori, V530 Ori, V482 Per, V514 Per, RXJ0212.3, EN Tau, V1094 Tau, AT Vul, BP Vul.

Lloyd, C. et al. (5 authors) 2003, IBVS 5366. (1af, 2c) Three new W UMa EBs: GSC 0766.1248 (Brh V40), GSC 0471.2133 (Brh V60), GSC 0763.0572 (Brh V103).

Luna, G.J. et al. (4 authors) 2003, IBVS 5375. (1b, 2a) SB in open cluster Trumpler 16 revisited: HD 93161, Cl Trumpler 16 104, Cl Trumpler 16 112.

Muno, M.P. et al. (4 authors) 2002, ApJ 580, 1048. Frequency stability of millisecond oscillations in thermonuclear X-ray burts in 4U 1608–522, 4U1636–536, MXB 1659–298, Aql X-1, KS 1731–260, 4U 1728–34, 4U1702–429, and 4U 1916–053.

Nelson, R.H. 2003, IBVS 5371. (1af, 2c) CCD minima for selected EBs in 2002: RT And, WZ And, AB And, AD And, BX And, LO And, EP And, ZZ Aur, BF Aur, HL Aur, KU Aur, WW Cam, AO Cam, BU Cas, GT Cas, MM Cas, MN Cas, OX Cas, V357 Cas, V366 Cas, V459 Cas, BE Cep, EF Cep, OT Cep, SS Cet, XZ CMi, V387 Cyg, V628 Cyg, V700 Cyg, V1073 Cyg, YY Eri, RW Gem, EY Gem, GW Gem, DF Hya, SW Lac, VX Lac, VY Lac, CM Lac, EM Lac, SW Lyn, FR Ori, BX Peg, CC Peg, RT Per, RV Per, WY Per, XZ Per, V432 Per, V449 Per, V579 Per, UV Psc, RZ Tau, CU Tau, EQ Tau, V781 Tau, V Tri, RV Tri, XY UMa.

Ness, J.-U. et al. (8 authors) 2002, A&A 394, 911. Coronal density diagnostics with Helium-like triplets: CHANDRA-LETGS observations of Algol, Capella, Procyon, ϵ Eri, α Cen A&B, UX Ari,

AD Leo, YY Gem, and HR 1099. (1x)

Pribulla, T. et al. (4 authors) 2002, IBVS 5341 (1af, 2c) New times of minima of EB systems: RT And, AB And, BX And, EP And, SS Ari, V402 Aur, 44i Boo, DU Boo, FI Boo, SV Cam, DN Cam, FN Cam, TX Cnc, TX Cnc, WY Cnc, CW Cas, V523 Cas, VW Cep, WZ Cep, EG Cep, GW Cep, EE Cet, SS Com, YY CrB, CG Cyg, V1191 Cyg, EF Dra, FU Dra, SW Lac, AM Leo, V714 Mon, V432 Per, XY UMa, AA UMa, AW UMa, ER Vul.

Prieur, J.-L., et al. (9 authors) 2003, ApJS 144, 263. (1a) Speckle observations for differential photometry of components of composite spectrum systems: HD 8036, HD 12447, HD 18925, HD 29140, HD 74874, HD 83808, HD 165341, HD 166479, HD 183912, HD 186203, HD 186518, HD 187259, HD 187321, HD 194359, HD 195692, HD 215242.

Qian, S. 2003, PASJ 55, 289. (2c) Orbital period studies for TW And, RW Leo, AY Vul.

Rueda-Morales, L. et al. (5 authors) 2003, MNRAS 338, 752. (1b, 2ac) Orbital periods of 22 sdB stars.

Rukmini, J., Vivekananda Rao, P. 2002, Bull. Astron. Soc. India 30, 665. (1a) Two W UMa-type variables in the pen cluster Be 33.

Saha, S.K. et al. (4 authors) 2002, Bull. Astron. Soc. India 30, 677. (1e) Speckle interferometric observations: HR 4891, HR 5298.

Sanz-Forcada, J., Brickhouse, N.S., Dupree, A.K. 2003, ApJS 145, 147. (1abu) EUVE Measures of temperatures and structure of stellar coronae of active binaries. FK Aqr, V824 Ara, VY Ari, α Aur, α CMi, BH CVn, α Cen, β Cet, AY Cet, σ^2 CrB, BY Dra, ϵ Eri, CC Eri, YY Gem, LQ Hya, AR Lac, DH Leo, BF Lyn, V478 Lyr, AR Psc, ξ UMa, ER Vul.

Thorstenson, J.R., Fenton, W.H. 2003, PASP 115, 37. (1bc) RV and spectra for dwarf novae with periods under two hours. KX Aql, FT Cam, PU CMa, V660 Her, DM Lyr.

Torres, G. et al. (6 authors) 2003, AJ 125, 825. (1b, 2a) RV and orbital elements for 4 Sex, HD 97131 (triple), BD -21° 2961, RX J1100.0–3813. RV for possible binaries RX J1109.7–3907, HIP 50976, TWA-12 and several other members of TW Hya association (see also General).

Winter, L., Sion, E.M. 2003, ApJ 582, 352. (1bu) IUE archival study of disks in quiescence: EM Cyg, CZ Ori, and WW Cet.

Wyrzykowski, L. et al. (9 authors) 2003, Acta Astronomica 53, 1 (1a, 2c, 3b) The Optical Gravitational Lensing Experiment. EB stars in the Large Magellanic Cloud.

Yakut, K. et al. (4 authors) 2003, IBVS 5360 (1af, 2c) New times of minima of EB systems: RT And, AW UMa, V836 Cyg.

Yokogawa, J. et al. (5 authors) 2003, PASJ 55, 161. (1x, 3abcd) A total of 106 discrete X-ray sources in SMC from ASCA observations.

Zács, L. et al. (4 authors) 2003, MNRAS 339, 460. (1b, 2ef) Search for diffuse absorption bands in the carbon-rich stars: HD 13611, HD 21120, HD 50082, HD 201626, HD 204075, HD 218356, BD $+75^\circ$ 348.

Zurita, C., Casares, J., Shahbaz, T. 2003, ApJ 582, 369 (1ao) High speed photometry reveals evidence for optical flares in quiescent soft X-ray transients: V404 Cyg, A0620-00, J0422+32, GS 2000+25, Cen X-4.

Proceedings of Conferences, Symposia, and Monographs

New Directions for Close Binary Studies: ‘The Royal Road to the Stars’

Demircan, O., Budding, E. (eds.) 2003, Publ. Canakkale Onsekiz Mart University Astrophysics Observatory, No. 3 (Proceedings of a conference held at Canakkale, Turkey, 2002 June 24-28).

IAU Commission 42

BIBLIOGRAPHY OF CLOSE BINARIES

No. 76, June 2003

Editor-in-Chief: Colin Scarfe

Department of Physics and Astronomy
University of Victoria
Victoria, B.C., V8W 3P6, Canada

Phone: +01 250 721-7740
Fax: +01 250 721-7715
scarfe@uvic.ca