

International Astronomical Union
Commission 42

BIBLIOGRAPHY OF CLOSE BINARIES

No. 85

Editor-in-Chief:

C.D. Scarfe

Editors:

H. Drechsel
D.R. Faulkner
L.V. Glazunova
E. Lapasset
C. Maceroni
Y. Nakamura
P.G. Niarchos
R.G. Samec
W. Van Hamme
M. Wolf

Material published by September 15, 2007

BCB issues are available via URL:
<http://www.konkoly.hu/IAUC42/bcb.html>,
<http://www.sternwarte.uni-erlangen.de/ftp/bcb> or
<http://www.astro.uvic.ca/~robb/bcb/comm42bcb.html>
or via anonymous ftp from:
<ftp://www.sternwarte.uni-erlangen.de/pub/bcb>

The bibliographical entries for *Individual Stars* and *Collections of Data*, as well as a few *General* entries, are categorized according to the following coding scheme. Data from archives or databases, or previously published, are identified with an asterisk. The observation codes in the first four groups may be followed by one of the following wavelength codes.

- g. γ -ray. i. infrared. m. microwave. o. optical
 r. radio u. ultraviolet x. x-ray

1. Photometric data

- a. CCD b. Photoelectric c. Photographic d. Visual

2. Spectroscopic data

- a. Radial velocities b. Spectral classification c. Line identification d. Spectrophotometry

3. Polarimetry

- a. Broad-band b. Spectropolarimetry

4. Astrometry

- a. Positions and proper motions b. Relative positions only c. Interferometry

5. Derived results

- a. Times of minima b. New or improved ephemeris, period variations
 c. Parameters derivable from light curves d. Elements derivable from velocity curves
 e. Absolute dimensions, masses f. Apsidal motion and structure constants
 g. Physical properties of stellar atmospheres h. Chemical abundances
 i. Accretion disks and accretion phenomena j. Mass loss and mass exchange
 k. Rotational velocities

6. Catalogues, discoveries, charts

- a. Catalogues b. Discoveries of new binaries and novae
 c. Identification of optical counterparts of γ -ray, x-ray, IR, or radio sources d. Finding charts

7. Observational techniques

- a. New instrument development b. Observing techniques
 c. Reduction procedures d. Data-analysis techniques

8. Theoretical investigations

- a. Structure of binary systems b. Circumstellar and circumbinary matter
 c. Evolutionary models d. Loss or exchange of mass and/or angular momentum

9. Statistical investigations

10. Miscellaneous

- a. Abstract b. Addenda or errata

Abbreviations

AD	accretion disk	HMXB	high-mass x-ray binary	QPO	quasi-periodic oscillation
BH	black hole	IP	intermediate polar	RV	radial velocity
CB	close binary	LC	light curve	SB	spectroscopic binary
CV	cataclysmic variable	LMXB	low-mass x-ray binary	WD	white dwarf
EB	eclipsing binary	NS	neutron star	WR	Wolf-Rayet star

Individual Stars

RT And	<i>Zhang, L.-Y., Gu, S.-H.</i> 2007, A&A 471, 219. (1bo, 5bc) Spot evolution study.
DX And	<i>Spogli, C. et al.</i> (4 authors) 2007, IBVS No. 5792 (1a, 5c) UBV(RI)c photometric sequence at 2006 outburst.
24 Aqr	<i>Branham, R.L.</i> 2007, AJ 134, 274. (2a, 4b*, 5d, 7d) Semi-definite programming analysis for long-period orbit in triple system.
R Aqr	<i>Kellog, E. et al.</i> (6 authors) 2007, ApJ 664, 1079. (1rx, 2rx) Evolution of outer jet, 1999.8 to 2004.0. <i>Nichols, J.S. et al.</i> (6 authors) 2007, ApJ 660, 651. (2x) Rapid hard x-ray variability, new jet activity.
AE Aqr	<i>Dubus, G. et al.</i> (5 authors) 2007, ApJ 663, 516. (1i, 2i) Spitzer observations of magnetic CV. <i>Venter, L.A., Meintjes, P.J.</i> 2007, MNRAS 378, 681. (1x, 5g, 8a) A tenuous x-ray corona enveloping the system.
UU Aql	<i>Sion, E.M. et al.</i> (4 authors) 2007, AJ 134, 886. (2cdu, 8ab)
KO Aql	<i>Soydugan, F. et al.</i> (6 authors) 2007, MNRAS 379, 1533. (1ao, 2abc, 5bcdegij, 8bd) Absolute parameters and mass transfer.
V1343 Aql (SS 433)	<i>Clark, J.S., Barnes, A.D., Charles, P.A.</i> 2007, MNRAS 380, 263. (2abc, 5dg, 8b) A rich, highly structured circumstellar environment.
V1487 Aql (GRS 1915+105)	<i>Stuchlík, Z., Slaný, P., Török, G.</i> 2007, A&A 470, 401. (5i) Explanation of high-frequency QPOs.
V801 Ara (4U 1636–536)	<i>Belloni, T. et al.</i> (5 authors) 2007, MNRAS 379, 247. (1bx, 5bcgi) Long-term evolution and kHz QPOs.
V821 Ara (GX 339-4)	<i>Che, X., Liu, C.-Z., Li, T.-P.</i> 2007, ApJ 660, 1393. (8a) Study of coherence in the time domain.
XY Ari	<i>Norton, A.J., Mukai, K.</i> 2007, A&A 472, 225. (1x, 5i) Precessing accretion disc?
β Aur	<i>Southworth, J., Bruntt, H., Buzasi, D.L.</i> 2007, A&A 467, 1215. (1ao, 2ao*, 5cde)
CL Aur	<i>Wolf, M. et al.</i> (8 authors) 2007, IBVS No. 5780 (1a, 5ab) Triple system with mass transfer.
KR Aur	<i>Kozhevnikov, V.P.</i> 2007, MNRAS 378, 955. (1ao, 5bgi) Detection of superhumps.
TY Boo	<i>Yang, Y.G. et al.</i> (4 authors) 2007, AJ 134, 179. (5a*, 5bj) Variation may be due partly to light-time effect from third component.
RR Cae	<i>Maxted, P.F.L. et al.</i> (5 authors) 2007, MNRAS 376, 919. (1bo, 2ab, 5abcd) WD+dM binary.
SZ Cam	<i>Gorda, S.Yu. et al.</i> (4 authors) 2007, BSAO 62, 352. (5e) Parameters of the apparent relative orbit of the third body in the system.
CI Cam	<i>Yan, J. Liu, Q., Hang, H.</i> 2007, AJ 133, 1478. (2d, 5gi) Variable emission spectrum of optical counterpart to XTE J0421+560.
TX Cnc	<i>Liu, L. et al.</i> (6 authors) 2007, PASJ 59, 607. (1oc, 5bce) A contact binary system in a young open cluster.
AC Cnc	<i>Qian, S.-B. et al.</i> (6 authors) 2007, A&A 466, 589. (5b) Nova-like CV.
AD CMi	<i>Khokhuntod, P. et al.</i> (6 authors) 2007, ChJAA 7, 421. (1oc) Discovery and interpretation of low-frequency light variations.

VZ CVn	<i>Ibanoğlu, C. et al.</i> (4 authors) 2007, MNRAS 376, 573. (1bo, 5abce) CB with pulsating primary.
DE CVn	<i>van den Besselaar, E.J.M. et al.</i> (13 authors) 2007, A&A 466, 1031. (1ao, 2ao, 5abcde) Red dwarf-WD EB.
η Car	<i>Abraham, Z., Falceta-Gonçalves, D.</i> 2007, MNRAS 378, 309. (2c*, 5bg, 8a) Wind-wind collision and modelling of line profiles. <i>Behar, E., Nordon, R., Soker, N.</i> 2007, ApJ 666, L97. (1x, 2cx) High-velocity flaring emission. <i>Hamaguchi, K. et al.</i> (10 authors) 2007, ApJ 663, 522. (1x, 2x) Observations centred on the 2003 x-ray minimum. <i>Kashi, A., Soker, N.</i> 2007, MNRAS 378, 1609. (1r, 5cegi, 8ad) Modelling the radio light curve.
V615 Cas (LS I+61°303)	<i>Berger, K. et al.</i> (10 authors) 2007, Astron. Nachr. 328, 623. (2dg) MAGIC γ -ray observations of HMXB system. <i>Paredes, J.M. et al.</i> (5 authors) 2007, ApJ 664, L39. (1g) High-resolution observation of γ -ray binary.
V723 Cas	<i>Heywood, I., O'Brien, T.J.</i> 2007, MNRAS 379, 1453. (1r, 5cg, 8ab) Simulations and interpretation of the 6-cm MERLIN images.
BV Cen	<i>Sion, E.M. et al.</i> (4 authors) 2007, AJ 134, 886. (2cdu, 8ab)
V801 Cen (4U 1145–619)	<i>Rutledge, R.E. et al.</i> (6 authors) 2007, ApJ 658, 514. (2x) Pulsations at low x-ray luminosity.
V803 Cen	<i>Roelofs, G.H.A. et al.</i> (5 authors) 2007, MNRAS 379, 176. (2abc, 5bdegi) Spectroscopic orbital period.
V883 Cen	<i>Hensberge, H. et al.</i> (12 authors) 2007, MNRAS 379, 349. (1abou, 2bc, 5abcdg) Derivation of orbital period and eclipse monitoring.
VV Cep	<i>Bauer, W.H., Bennett, P.D., Brown, A.</i> 2007, ApJSS 171, 249. (2cu) Spectra dominated by emission lines.
XX Cep	<i>Lee, J.W., Kim, C-H., Koch, R.H.</i> 2007, MNRAS 379, 1665. (1ao, 5abcefg, 8a) Period study and LC synthesis.
CQ Cep	<i>Kartasheva, T.A., Svechnikov, M.A.</i> 2006, BSAO 59, 62. (5c) Mysterious Wolf-Rayet type binary system.
V490 Cep (Cep X-4)	<i>McBride, V.A. et al.</i> (9 authors) 2007, A&A 470, 1065. (2x*, 2c) Spectral study.
Z Cha	<i>Smak, J.</i> 2007, Acta Astronomica 57, 87. (1a, 5gi) Detection of hot spot.
RS Cha	<i>Alecian, E. et al.</i> (5 authors) 2007, A&A 465, 241. Pre-main sequence EB.
BR Cir (Cir X-1)	<i>Heinz, S. et al.</i> (4 authors) 2007, ApJ 663, L93. (1r*, 2x) Evidence for a parsec-scale x-ray jet. <i>Lei, Y.-J. et al.</i> (5 authors) 2007, ChJAA 7, 693. (2xd) RXTE data during x-ray dips.
TX Col	<i>Mhlahlo, N. et al.</i> (11 authors) 2007, MNRAS 380, 133. (1ao, 5abcegi) Discovery of a persistent QPO.
SS Cyg	<i>Bitner, M.A., Robinson, E.L.</i> 2007, ApJ 662, 564. (2ao, 5edi) K star model consistent with a star with H core depletion.
SW Cyg	<i>Manzoori, D.</i> 2007, PASA 24, 61. (5bj) Orbital period modulation.
CH Cyg	<i>Karovska, M.K. et al.</i> (4 authors) 2007, ApJ 661, 1048. (1orx) Jet activity and multicomponent structures.

V370 Cyg	<i>Manimanis, V.N., Niarchos, P.G.</i> 2007, Ap&SS 310, 153. (1ao, 5c) Semi-detached configuration.
V456 Cyg	<i>Zakirov, M.M., Eshankulova, M.V.</i> 2006, KFNT 22, 363. (1b, 5ce) CB systems in regions of OB-associations. V. V456 Cygni in Cyg OB1.
V698 Cyg	<i>Zakirov, M.M., Eshankulova, M.V.</i> 2006, KFNT 22, 49. (1b, 5ce) CB systems in regions of OB-associations. IV. V698 Cygni in Cyg OB3.
V865 Cyg	<i>Molík, P., Wolf, M., Zejda, M.</i> 2007, Ap&SS 310, 149. (1ao, 5b).
V963 Cyg	<i>Samec, R.G. et al.</i> (6 authors) 2007, IBVS No. 5786 (1a, 5ac, 6d) Active detached binary with a 33.5 hour period.
V1341 Cyg (Cyg X-2)	<i>Titarchuk, L., Shaposhnikov, N., Arefiev, V.</i> 2007, ApJ 660, 556. (2x*) Fourier power density spectrum applied to system.
V1357 Cyg (Cyg X-1)	<i>Albert, J. et al.</i> (140 authors) 2007, ApJ 665, L51. (1g, 2g) Very high-energy γ -ray observations (≥ 100 GeV). <i>Bednarek, W., Giovannelli, F.</i> 2007, A&A 464, 437. (2dg) Very high-energy γ -ray production inside HMXB. <i>Che, X., Liu, C.-Z., Li, T.-P.</i> 2007, ApJ 660, 1393. Study of coherence in the time domain. <i>Hanke, M. et al.</i> (9 authors) 2007, Astron. Nachr. 328, 707. (2cx, 5ij) Analysis of absorption features in photoionized wind. <i>Lei, Y.-J. et al.</i> 2007, Ap&SS 310, 307. (1x*) Variability study. <i>Russell, D.M. et al.</i> (4 authors) 2007, MNRAS 376, 1341. OIII (5007) imaging of jet-powered ring-like optical nebula around Cyg X-1. <i>Titarchuk, L., Shaposhnikov, N., Arefiev, V.</i> 2007, ApJ 660, 556. (2x*) Fourier power density spectrum applied to system. <i>Wilms, J. et al.</i> (7 authors) 2007, ApJ 663, L97. (1r, 1x) Radio and x-ray flare.
V1521 Cyg (Cyg X-3)	<i>Martí, J. et al.</i> (7 authors) 2007, Ap&SS 309, 309. (1r, 1i) Study of radio hot-spots.
V2214 Cyg (KPD 1930+2752)	<i>Geier, S. et al.</i> (6 authors) 2007, A&A 464, 299. (2c, 5k) Hot subdwarf B + WD binary may be a SN Ia progenitor.
V2362 Cyg	2007, IAU Circ. 8849 (2ci) Nova at nebular phase.
V2467 Cyg	2007, IAU Circ. 8821 (1ad, 2co, 4a, 6b) New classical nova. 2007, IAU Circ. 8848 (2ci) Coronal lines from nova.
CM Dra	<i>Nelson, T.E., Caton, D.B.</i> 2007, IBVS No. 5789 (1a, 5c, 6d) Increase in stellar activity.
S Equ	<i>Soydugan, F. et al.</i> (6 authors) 2007, MNRAS 379, 1533. (1ao, 2abc, 5bcdegij, 8bd) Absolute parameters and mass transfer.
CC Eri	<i>Crespo-Chacón, I. et al.</i> (6 authors) 2007, A&A 471, 929. (1x, 5i) Evolution of spectral parameters.
EF Eri	<i>Schwöpe, A.D. et al.</i> (4 authors) 2007, A&A 469, 1027. (1ao*, 1x*) Low state.
U Gem	<i>Echevarría J., de la Fuente, E., Costero, R.</i> 2007, AJ 134, 262. (2d, 5bde) <i>Schreiber, M.R.</i> 2007, A&A 466, 1025. (1d*)
ϕ Her	<i>Torres, G.</i> 2007, AJ 133, 2684. (2ao*, 4b, 5de) Hipparcos astrometry supplements NPOI data.
YY Her	<i>Hric, L., Gális, R.</i> 2007, MmSAI 78, 400. (1ao) Modelling AD.
AM Her	<i>Girish, V., Rana, V.R., Singh, K.P.</i> 2007, ApJ 658, 525. (2cx, 5e) 1.15 solar-mass WD.

	<i>Mason, P.A., Gray, C.L.</i> 2007, ApJ 660, 662. (2r) Persistent radio polar, observations here consistent with earlier ones.
DI Her	<i>Khodykin, S.A.</i> 2007, IBVS No. 5788 (5af) Evidence for a third body.
DQ Her	<i>Vaytet, N.M.H., O'Brien, T.J., Rushton, A.P.</i> 2007, MNRAS 380, 175. (2abc, 5degj) Evidence for ablated flows in the shell of the nova.
DY Her	<i>Boonyarak, C., Jiang, S.Y.</i> 2007, Ap&SS 310, 285. (1abo, 5b)
HZ Her (Her X-1)	<i>Staubert, R. et al.</i> (8 authors) 2007, A&A 465, L25. (2dx*) Discovery of a flux-related change of the cyclotron line energy.
V844 Her	<i>Oizumi, S. et al.</i> (9 authors) 2007, PASJ 59, 643. (1oc) Superhump periods.
EX Hya	<i>Mhlahlo, N. et al.</i> (6 authors) 2007, MNRAS 378, 211. (2ac, 5abdegj, 8a) Spectroscopic observations and modelling. <i>Mhlahlo, N. et al.</i> (6 authors) 2007, MNRAS 380, 353. (1do, 2abc, 5bcdegij, 8ad) Outbursts revisited.
V398 Lac	<i>Çakirli, Ö. et al.</i> (5 authors) 2007, Astron. Nachr. 328, 536. (2ao, 5cdek)
WX LMi	<i>Vogel, J., Schwoppe, A.D., Gänsicke, B.T.</i> 2007, A&A 464, 647. (1ao, 2o, 2dx, 5ij)
ST LMi	<i>Kafka, S. et al.</i> (4 authors) 2007, AJ 133, 1645. (1ao, 2do, 5g) Low and high states studied.
SS Lep	<i>Verhoelst, T., van Aarle, E., Acke, B.</i> 2007, A&A 470, L21. (4i, 1auoi*) Direct diameter measurement in CB.
GW Lib	2007, IAU Circ. 8829 (1d) Outburst of cataclysmic variable.
HP Lib	<i>Roelofs, G.H.A. et al.</i> (5 authors) 2007, MNRAS 379, 176. (2abc, 5bdegj) Spectroscopic orbital period.
GQ Lup	<i>Neuhäuser, R., Mugrauer, M., Seifahrt, A.</i> 2007, Astron. Nachr. 328, 705. (4ab) VLT/NACO astrometric observations suggest presence of substellar companion to T Tauri star.
MO Lup	<i>Esposito, M. et al.</i> (5 authors) 2007, MNRAS 376, 1805. (2aodi, 5bd) Third component of SB2 T Tauri system with chromospheric activity detected.
UU Lyn	<i>Zhu, L.-Y. et al.</i> (5 authors) 2007, ChJAA 7, 693. (1oc, 5bce) A candidate system for TRO theory.
TZ Lyr	<i>Yang, Y.-G., Yin, X.-G.</i> 2007, ChJAA 7, 258. (5bcj) A semidetached system undergoing mass transfer.
η Mus	<i>Hensberge, H. et al.</i> (12 authors) 2007, MNRAS 379, 349. (1abou, 2bc, 5abcdg) Derivation of orbital period and eclipse monitoring.
GR Mus (XB 1254–690)	<i>Bhattacharyya, S.</i> 2007, MNRAS 377, 198. (1x, 2dx) LMXB with QPOs observed during burst.
V381 Nor (XTE J1550–564)	<i>Spiram, K. et al.</i> (4 authors) 2007, ApJ 661, 1055. (2x) Anticorrelation between hard and soft x-rays. <i>Wu, Y.-X., Liu, C.-Z., Li, T.-P.</i> 2007, ApJ 660, 1386. (2x*) Study of spectral variability during initial rise. <i>Yuan, F. et al.</i> (4 authors) 2007, ApJ 659, 541. (2x) Hot accretion flow model applied to 2000 outburst.
V390 Nor	2007, IAU Circ. 8850 (1acd, 4a, 6b) Discovery and designation of nova. 2007, IAU Circ. 8851 (2ci) Indeed a classical nova.
RS Oph	<i>Chesneau, O. et al.</i> (18 authors) 2007, A&A 464, 119. (2di, 5i) Recurrent nova.

Evans, A. et al. (21 authors) 2007, ApJ 663, L29. (2i) Spitzer and ground observations of 2006 eruption.

Hachisu, I., Kato, M., Luna, G.J.M. 2007, ApJ 659, L153. (1x, 5ei, 8c) Complete light curve during recent eruption.

Lane, B.F. et al. (10 authors) 2007, ApJ 658, 520. (4ci) Estimate of mass-loss following the outburst.

Ness, J.-U. et al. (16 authors) 2007, ApJ 665, 1334. (1ax, 2ax) Phase of super-soft emission observed.

Tatischeff, V., Hernanz, M. 2007, ApJ 663, L101. (2x*, 2r*) Evidence for nonlinear diffusive shock acceleration of cosmic rays in 2006 outburst.

Vaytet, N.M.H., O'Brien, T.J., Bode, M.F. 2007, ApJ 665, 654. (1x, 8a) Hydrodynamic models of 2006 outburst.

Worters, H.L. et al. (4 authors) 2007, MNRAS 379, 1557. (1ao, 2cgij, 8ad) Evidence of resumption of mass accretion.

V2051 Oph *Baptista, R. et al.* (4 authors) 2007, AJ 134, 867. (1ao, 5i) Study of AD through two outbursts.

V2301 Oph *Ramsay, G., Cropper, M.* 2007, MNRAS 379, 1209. (1x, 2cx, 5abcdegi) XMM-Newton observations and modelling.

V2615 Oph 2007, IAU Circ. 8824 (1ac, 2co, 4a, 6b) New “FeII-type” nova.
2007, IAU Circ. 8846 (2ci) Unusually strong CI-lines.

BB Peg *Kalomeni, B. et al.* (6 authors) 2007, AJ 134, 642. (1ao, 2ao*, 5abcde) Mass transfer and light-time effect both present in O – C diagram for cool contact binary.

X Per *Grundstrom, E.D. et al.* (12 authors) 2007, ApJ 660, 1398. (2dox) Study of circumstellar disk.

AG Per *Kenny, H.T., Taylor, A.R.* 2007, ApJ 662, 1231. (1r) Colliding-wind geometry.

DV Psc
(GSC 0008.324) *Vaňko, M., Parimucha, Š., Pribulla, T.* 2007, Astron. Nachr. 328, 655. (1ao, 5abcde)

VV Pup *Mason, E. et al.* (4 authors) 2007, A&A 467, 277. (2do)

U Sge *Manzoori, D., Gozaliasl, G.* 2007, AJ 133, 1302. (5b) Analysis of AAVSO times of minima.

QX Sge
(PSR B1957+20) *Reynolds, M.T. et al.* (6 authors) 2007, MNRAS 379, 1117. (1aio, 5ceg, 8a) Light curve analysis of the companion star.

V617 Sgr *Steiner, J.E. et al.* (4 authors) 2007, A&A 471, L25. (2ao) Transient jets.

V3885 Sgr *Ribiero, F.M.A., Diaz, M.P.* 2007, AJ 133, 2659. (2do, 5i) Flickering tomography of CV suggests source is secondary, not disk.

V4046 Sgr *Günther, H.M., Schmitt, J.H.M.M.* 2007, MmSAI 78, 359. (2x, 5i) Model of x-ray emission.

V4332 Sgr *Banerjee, D.P.K. et al.* (5 authors) 2007, ApJ 666, L25. (2i) Detection of alumina dust.

V4580 Sgr
(SAX J1808.4–3658) *Falanga, M., Titarchuk, L.* 2007, ApJ 661, 1084. (8b) Comptonized model to explain energy-dependent time lag.
Heinke, C.O. et al. (4 authors) 2007, ApJ 660, 1424. (2x) Constraints on NS cooling models.

V4633 Sgr
(Nova 1998) *Hernanz, M., Sala, G.* 2007, ApJ 664, 467. (1x) XMM-Newton observations.

V5115 Sgr
(Nova 2005) *Henden, A., Di Scala, G.* 2007, IBVS No. 5783 (1a, 4a, 6d) Quiescent photometry.

V5558 Sgr	2007, IAU Circ. 8834 (1ac, 4a, 6b) Discovery and designation of nova. 2007, IAU Circ. 8854 (1d, 2ci) Featureless spectrum from classical nova.
V818 Sco (Sco X-1)	<i>Chang, H.-K. et al.</i> (4 authors) 2007, MNRAS 378, 1287. (1x*, 5c) Millisecond dips in the RXTE/PCA light curve. <i>Muñoz-Darias, T. et al.</i> (8 authors) 2007, MNRAS 379, 1637. (1aox, 5cgi) Echoes from the companion star. <i>Yu, W.</i> 2007, ApJ 659, L145. (2x) Coupling between QPO's.
V1186 Sco (Nova 2004)	<i>Schwarz, G.J. et al.</i> (23 authors) 2007, AJ 134, 516. (1ao, 1a*, 2dio) Early spectrophotometric evolution.
V1280 Sco	2007, IAU Circ. 8845 (2ci) Nova at low excitation state.
V1281 Sco	2007, IAU Circ. 8846 (2ci) Broad and double lines from nova.
V479 Sct (LS 5039)	<i>Bednarek, W.</i> 2007, A&A 464, 259. (2dg) Microquasar. <i>de Naurois, M.</i> 2007, Ap&SS 309, 277. (1g) Orbital modulation of γ -ray flux. <i>Goldoni, P. et al.</i> (6 authors) 2007, Ap&SS 309, 293. (1x) Detection in hard x-rays.
UZ Ser	<i>Echevarría, J., Michel, R.</i> 2007, Rev. Mex. Astron. Astrofiz. 43, 291. (2ao, 5bd) Masses and inclination constrained.
NP Ser (GX 17+2)	<i>Farinell, R., Titarchuk, L., Frontera, F.</i> 2007, ApJ 662, 1167. (2x) Hard x-ray tail in NS LMXB.
UZ Tau E	<i>Jensen, E.L.N. et al.</i> (8 authors) 2007, AJ 134, 241. (1ao, 2ao, 5di) Pre-ms SB shows periodic accretion.
V471 Tau	<i>Kamiński, K.Z. et al.</i> (10 authors) 2007, AJ 134, 1206. (1ao, 2ado, 5bdg) MOST photometry, period study.
V725 Tau (A 0535+26)	<i>Grundstrom, E.D. et al.</i> (12 authors) 2007, ApJ 660, 1398. (2dox) Study of circumstellar disk.
RR Tel	<i>Selwelli, P., Danziger, J., Bonifacio, P.</i> 2007, A&A 464, 715. (2c, 5g) Symbiotic nova.
KZ TrA (4U 1626–67)	<i>Krauss, M.I. et al.</i> (5 authors) 2007, ApJ 660, 605. (2cx) High-energy lines probably formed in AD.
AR UMa	<i>Mason, P.A., Gray, C.L.</i> 2007, ApJ 660, 662. (2r) Persistent radio polar.
AW UMa	<i>Paczyński, B., Sienkiewicz, R., Szczygiel, D.M.</i> 2007, MNRAS 378, 961. (8ac) Evolutionary model proposed.
CH UMa	<i>Sion, E.M. et al.</i> (4 authors) 2007, AJ 134, 886. (2cdu, 8ab)
RW UMi	<i>Tamburini, F. et al.</i> (4 authors) 2007, A&A 464, 697. (1o)
γ^2 Vel	<i>North, J.R. et al.</i> (4 authors) 2007, MNRAS 377, 415. (2ao, 5de) Absolute parameters and accurate distance determination of O+WR system.
δ Vel	<i>Kellerer, A. et al.</i> (4 authors) 2007, A&A 469, 633. (4c, 5e) Study of the CB Aa-Ab.
CV Vel	<i>Yakut, K., Aerts, C., Morel, T.</i> 2007, A&A 467, 647. (2ao, 1o*, 5cde)
IX Vel	<i>Linnell, A.P. et al.</i> (5 authors) 2007, ApJ 662, 1204. (1aiu, 2c, 5cj) Synthetic spectrum and light-curve analysis of nova-like variable.
BH Vir	Xiang, F.-Y., Tao, X., Tian, Y.-P. 2007, PASJ 59, 955. (5c) Spot activity.
NY Vir (PG 1336–018)	<i>Vučković, M. et al.</i> (8 authors) 2007, A&A 471, 605. (1ao, 2ao, 5e) EB with pulsating B-subdwarf.
22 Vel	<i>Eaton, J.A., Shaw, F.G.</i> 2007, AJ 133, 2669. (1bo, 2ado, 2du*, 5cdgjk)

CK Vul

Hajduk, M. et al. (12 authors) 2007, MNRAS 378, 1298. (1aor, 2ac, 5cdej) The slowest known nova and central star of nebula.

HR, HD, HDE, BD, CoD, CPD, SAO Objects

HR 672

Fekel, F.C., Williamson, M., Pourbaix, D. 2007, AJ 133, 2431. (2abo, 4b, 5de) Hipparcos astrometry of 93-day SB1.

HR 2142

Pollmann, E. 2007, IBVS No. 5778 (2d) H α observations of CB.

HR 3451

Griffin, R.F. 2007, Observatory 127, 113. (2a, 5d) F-type SB2.

HR 6046

Scarfe, C.D., Griffin, R.F., Griffin, R.E.M. 2007, MNRAS 376, 1671. (2abc, 5bd) Detection of secondary component; SB2 system consisting of two late-type evolved stars; previously suspected exotic nature of secondary ruled out.

HR 8082 B

Griffin, R.F. 2007, Observatory 127, 225. (2a, 5d) Triple system.

HD 4004

Flores, A. et al. (4 authors) 2007, AJ 133, 2859. (2acdo, 5bgj) WR star that is probably binary.

HD 26367

Gray, R.O., Griffin, R.E.M. 2007, AJ 134, 96. (2d, 5e, 6b) New SB Ba dwarf.

HD 28545

Tomkin, J. 2007, Observatory 127, 165. (2a, 5d) Hyades SB2.

HD 30869

Tomkin, J., Griffin, R.F., Alzner, A. 2007, Observatory 127, 87. (2ad, 4b, 5de) Visual-spectroscopic quadruple system in Hyades.

HD 33636

Bean, J.L. et al. (7 authors) 2007, AJ 134, 749. (2a, 4a) HST astrometry and precise RVs show companion is low-mass star not planet or brown dwarf.

HD 47647

Griffin, R.F. 2007, Observatory 127, 113. (2a, 5d) F-type SB2.

HD 50730 B

Griffin, R.F. 2007, Observatory 127, 225. (2a, 5d) High-velocity SB1.

HD 50896

Flores, A. et al. (4 authors) 2007, AJ 133, 2859. (2acdo, 5bgj) WR star that is probably binary.

HD 113995

Griffin, R.F. 2007, Observatory 127, 171. (2a) Long-period SB followed through nodal passage.

HD 143418

Božić, H. et al. (10 authors) 2007, A&A 464, 263. (1abo, 2aco, 5cdek, 6b)

HD 172189

Costa, J.E.S. et al. (15 authors) 2007, A&A 468, 637. (1ao) Determination of δ Sct pulsational frequencies.

HD 209625

Carrier, F. et al. (5 authors) 2007, A&A 470, 1009. (2ao) No solar-like oscillations.

HD 213014 B

Griffin, R.F. 2007, Observatory 127, 225. (2a, 5d) SB2.

HD 217860

Frémat, Y. et al. (12 authors) 2007, A&A 471, 675. (2ao) Pulsational study of δ Sct component.

HD 223323

Griffin, R.F. 2007, Observatory 127, 113. (2a, 5d) F-type SB2.

CPD $-41^{\circ}7733$

Sana, H., Raww, G., Gosset, E. 2007, ApJ 659, 1582. (2box) First detection of secondary spectrum.

X-ray sources with constellation names

Cep X-4

(see V490 Cep)

Cir X-1	(see BR Cir)
Cyg X-1	(see V1357 Cyg)
Cyg X-2	(see V1341 Cyg)
Cyg X-3	(see V1521 Cyg)
Her X-1	(see HZ Her)
X Sgr X-4	(see 4U 1820–303)
Sco X-1	(see V818 Sco)
Sct X-1	(see AX J1835.4–0737)

Galactic objects with names including RA and DEC

IGR J00291+5934	<i>Falanga, M., Titarchuk, L.</i> 2007, ApJ 661, 1084. (8b) Comptonized model to explain energy-depedent time lag.
	<i>Linares, M., van der Klis, M., Wijmands, R.</i> 2007, ApJ 660, 595. (8b) Accreting ms pulsar with x-ray variability similar to BH.
IGR J00370+6122	<i>in't Zand, J.J.M. et al.</i> (5 authors) 2007, A&A 469, 1063. (1x) Probable accretion-powered x-ray pulsar.
RX J0111.2–7317	<i>Kaur, R. et al.</i> (4 authors) 2007, ApJ 660, 1409. (2x) QPO's constrain the magnetic field strength.
HE 0230–4323	<i>Koen, C.</i> 2007, MNRAS 377, 1275. (1ao, 5abcg) An unusual pulsating hot subdwarf star.
VS 0329+1250	<i>Shafter, A.W., Coelho, E.A., Reed, J.K.</i> 2007, PASP 119, 388. (1ao, 6b) New SU UMa system.
A 0535+26	(see V725 Tau)
COUP J053512.1–053138 (JW 380)	<i>Irwin, J. et al.</i> (17 authors) 2007, MNRAS 380, 541. (1ao, 2abc, 5abcdeg) A low-mass pre-main-sequence EB.
2MASS J05352184–0546085	<i>Stassun, K.G., Mathieu, R.D., Valenti, J.A.</i> 2007, ApJ 664, 1154. (1ai, 2a, 5bcd) Higher-mass brown dwarf has lower temperature.
1RXS J064117.0+464904 (GSC 3377.0296)	<i>Lloyd, C., Bernhard, K., Monninger, G.</i> 2007, IBVS No. 5772 (1a, 2b) New short-period eclipsing RS CVn variable.
CXOU J073709.1+653544	<i>Trudolyubov, S.P., Priedhorsky, W.C., Cordova, F.A.</i> 2007, ApJ 663, 487. (1x, 2x) Very fast spin-up rate for x-ray pulsar.
SDSS J091709.55+463821.8	<i>Kilic, M.</i> 2007, ApJ 664, 1088. (2a, 5ek) A low-mass WD-WD binary discovered?
HS 0922+1333	<i>Tovmassian, G.H., Zharikov, S.V.</i> 2007, A&A 468, 643. (1ao, 2a) Spin-orbit synchronism in magnetic CV.
GRO J1008–57	<i>Coe, M.J. et al.</i> (10 authors) 2007, MNRAS 378, 1427. (1xg, 2bc, 5abcdeg) The circumstellar disc and study of the pulse period variations.
SDSS J102146.44+234926.3	<i>Golovin, A. et al.</i> (13 authors) 2007, IBVS No. 5763 (1a, 2c) New WZ Sge-type dwarf nova.
1A 1118–615	<i>Rutledge, R.E. et al.</i> (6 authors) 2007, ApJ 658, 514. (2x) Pulsations at low x-ray luminosity.
4U 1145–619	(see V801 Cen)
1E 1207.4–5209	<i>Woods, P.M., Zavlin, V.E., Pavlov, G.G.</i> 2007, Ap&SS 308, 239. (1x) Evidence for LMXB nature.

1A 1246–588	<i>Jonker, P.G. et al.</i> (4 authors) 2007, MNRAS 378, 1187. (1x, 5cgi) Detection of high-amplitude kilohertz QPO.
XB 1254–690	(see GR Mus)
PSR B1259–63	<i>Neronov, A., Chernyakova, M.</i> 2007, Ap&SS 309, 253. (1gx, 5i) Interaction pulsar - disc. <i>Khangulyan, D., Hnatic, S., Aharonian, F.</i> 2007, Ap&SS 309, 261. (1g) Phase dependent γ -ray flux.
PG 1336–018	(see NY Vir)
XTE J1550–564	(see V381 Nor)
1E 161348–5055	<i>de Luca, A. et al.</i> (5 authors) 2007, Ap&SS 308, 231. (1x, 5b) Identified as LMXB.
IGR J1619.4–2810	<i>Masetti, N. et al.</i> (10 authors) 2007, A&A 470, 331. (1ao, 1x, 6c) New symbiotic XRB.
4U 1624–490	<i>Xiang, J., Lee, J.C., Nowak, M.A.</i> 2007, ApJ 660, 1309. (2x) Distance of 15 kpc, dust distribution.
4U 1626–67	(see KZ TrA)
4U 1630–47	<i>Spiram, K. et al.</i> (4 authors) 2007, ApJ 661, 1055. (2x) Anticorrelation between hard and soft x-rays.
IGR J16318–4848	<i>Ibarra, A. et al.</i> (8 authors) 2007, A&A 465, 501. (2dx, 5i) HMXB.
4U 1636–536	(see V801 Ara)
4U 1705–44	<i>Piraino, S. et al.</i> (10 authors) 2007, A&A 471, L17. (1x) Hard x-ray emission in soft state.
1M 1716–315	<i>Jonker, P.G., Bassa, C.G., Wachter, S.</i> 2007, MNRAS 377, 1295. (1aix, 5cgi, 6c) Analysis of Chandra x-ray observations.
EXO 1722–363	<i>Thompson, T.W.J. et al.</i> (5 authors) 2007, ApJ 661, 447. (2x, 5de) Recent torque reversal.
KS 1741–293	<i>De Cesare, G. et al.</i> (7 authors) 2007, MNRAS 380, 615. (1x, 5bcg) INTEGRAL high-energy monitoring.
PSR J1744–3922	<i>Breton, R.P. et al.</i> (7 authors) 2007, ApJ 661, 1073. (1ai, 2r) Radio flux variability probably not resulting from pulsar.
XMMU J174716.1–281048	<i>Del Santo, M. et al.</i> (6 authors) 2007, A&A 468, L17. (1x) Identification as LMXB.
XTE J1748–288	<i>Brocksopp, C. et al.</i> (4 authors) 2007, MNRAS 378, 1111. (1rx, 5cgi, 8a) A highly polarized radio jet during the 1998 outburst.
XTE J1751–305	<i>Falanga, M., Titarchuk, L.</i> 2007, ApJ 661, 1084. (8b) Comptonized model to explain energy-depedent time lag.
SWIFT J1753.5–0127	<i>Bel, M.C. et al.</i> (14 authors) 2007, ApJ 659, 549. (2iorx) Simultaneous multiwavelength observations. <i>Ramadevi, M.C., Seetha, S.</i> 2007, MNRAS 378, 182. (1ax, 5bcgi, 6c) Analysis of RXTE observations of the low/hard state x-ray outburst. <i>Zhang, G.-B. et al.</i> (8 authors) 2007, ApJ 659, 1511. (2x) Observed during outburst, dominated by hard x-rays.
SAXJ1808.4–3658	(see V4580 Sgr)
XTE J1810–197	<i>Camilo, F. et al.</i> (11 authors) 2007, ApJ 663, 497. (1rx) Nine months of radio monitoring, plus simultaneous Chandra/Greenbank observations of anomalous x-ray pulsar.
XTE J1817–330	<i>Rykoﬀ, E.S. et al.</i> (4 authors) 2007, ApJ 666, 1129. (1x, 2x) 160 days of observations following 2006 outburst: cooling of accretion disk.

4U 1820–303 (X Sgr X-4)	<i>Zdziarski, A.A. et al.</i> (4 authors) 2007, MNRAS 377, 1017. (1bx*, 2d, 5cegi) Dependence of orbital modulation of x-rays on accretion rate.
4U 1822–000	<i>Shahbaz, T., Watson, C.A., Hernandez-Peralta, H.</i> 2007, MNRAS 376, 1886. (1ao, 5c) Optical light curve shows periodic modulation; P = 191 min rules out ultracompact nature of x-ray binary.
AX J1835.4–0737 (Sct X-1)	<i>Kaplan, D.L. et al.</i> (8 authors) 2007, ApJ 661, 437. (1i*ox,6c) Corrected position; system consists of late giant and NS.
IGR J18483–0311	<i>Sguera, V. et al.</i> (13 authors) 2007, A&A 467, 249. (2dx, 1oi*) Accreting x-ray pulsar in HMXB.
HETE J1900.1–2455	<i>Falanga, M. et al.</i> (8 authors) 2007, A&A 464, 1069. (2dx*, 5i) Accreting millisecond pulsar.
1H 1905+000	<i>Jonker, P.G. et al.</i> (4 authors) 2007, ApJ 665, L147. (1x, 1ao) A cold NS in the soft x-ray transient.
IGR J19140+0951	<i>Hannikainen, D.C. et al.</i> (6 authors) 2007, MNRAS 380, 665. (1aix, 2bc, 5cdeg, 6c) On the nature of the infrared counterpart.
GRS 1915+105	(see V1487 Aql)
KPD 1930+2752	(see V2214 Cyg)
4U 1954+31	<i>Masetti, N. et al.</i> (8 authors) 2007, A&A 464, 277. (2dx, 5i) Symbiotic x-ray binary consists of NS + M giant.
PSR B1957+20	(see QX Sge)
IRAS 20349+4010 (WR 147)	<i>Skinner, S.L. et al.</i> (4 authors) 2007, MNRAS 378, 1491. (1ax, 2bx, 5cdghj, 8a) X-ray observations and modelling.
GRO J2058+42	<i>Kızıloğlu, U. et al.</i> (5 authors) 2007, A&A 470, 1023. (1ao, 2c) non-radial pulsations of Be component.
2MASS J23080834+3338039 (HAT-TR-205-013)	<i>Beatty, T.G. et al.</i> (10 authors) 2007, ApJ 663, 573. (1a, 2a, 5cde) Light curve and single-line radial-velocity solution of F7+late M MS binary.
SDSS J233325.92+152222.1	<i>Southworth, J. et al.</i> (5 authors) 2007, MNRAS 378, 635. (1ao, 2a, 5bcdg) Phase-resolved spectroscopy and photometry.

Galactic objects with other designations

Cha H α 2	<i>Schmidt, T.O.B. et al.</i> (6 authors) 2007, Astron. Nachr. 328, 659. (1ao, 2ao, 4b) Binary brown dwarf candidate in Cha I dark cloud.
GSC 0008.324	(see DV Psc)
GSC 1874.399	<i>Austin, S.J. et al.</i> (5 authors) 2007, AJ 133, 1934. (1abo, 2abd, 5cdg) New contact binary with starspots.
GSC 3377.0296	(see 1RXS J064117.0+464904)
GX 17+2	(see NP Ser)
GX 339-4	(see V821 Ara)
H1-36	<i>Angeloni, R. et al.</i> (4 authors) 2007, A&A 471, 825. (2crou) SED fitting.
HAT-TR-205-013	(see 2MASS J23080834+3338039)
JW 380	(see COUP J053512.1–053138)
LS 5039	(see V479 Sct)
LS I +61°303	(see V615 Cas)
OGLE GC 228	<i>Kaluzny, J. et al.</i> (7 authors) 2007, AJ 134, 541. (1ao, 2ao, 5abcde) Eclipsing blue straggler in 47 Tuc.

SS 433	(see V1343 Aql)
V209 ω Cen	<i>Kaluzny, J. et al.</i> (5 authors) 2007, AJ 133, 2457. (1ao, 2ao, 5abcde) CB in unusual position in c-m diagram of cluster.
WR 147	(see IRAS 20349+4010)

Extragalactic close binaries

RXJ0042.3+4115 in M31	<i>Barnard, R., Kolb, U.C., Osborne, J.P.</i> 2007, A&A 469, 873. (10b) Wrong identification.
M31 N 2005-09c	<i>Hatzidimitriou, D. et al.</i> (6 authors) 2007, A&A 464, 1075. (1ao, 2bo) A fast Fe II nova in the disk of M 31.
M85 OT 2006-1	<i>Kulkarni, S. R. et al.</i> (14 authors) 2007, Nature 447, 458. (1ao, 2co, 6b) Optical transient may be binary star merger. <i>Rao, A. et al.</i> (4 authors) 2007, ApJ 659, 1536. (2i, 5e) Constraints on temperature and size.
NGC 300 X-1	<i>Carpano, S. et al.</i> (7 authors) 2007, A&A 466, L17. (2dx, 5i) A 33-hour period for the WR/BH XB.
NGC 1313 X-2	<i>Feng, H., Kaaret, P.</i> 2007, ApJ 660, L113. (2x) Evidence against the cool disk model.
NGC 1365 X-1	<i>Soria, R. et al.</i> (7 authors) 2007, MNRAS 379, 1313. (1aox, 5cegi) New flaring of an ultraluminous x-ray source.
XRB in NGC 4631	<i>Carpano, S. et al.</i> (5 authors) 2007, A&A 471, L55. (1x, 5i) Ultraluminous supersoft source.
SN 2003fg (SNLS 03D3bb)	<i>Hillebrandt, W., Sim, S. A., Röpke, F. K.</i> 2007, A&A 465, L17. The first clear case of a double-degenerate progenitor of a (peculiar) SN Ia?
SN 2006X	<i>Patat, F. et al.</i> (22 authors) 2007, Science 317, 924. (2aou) Detection of circumstellar material in SN Ia.

General

Arbutina, B. 2007, MNRAS 377, 1635. The minimum mass ratio of W UMa-type binary systems.

Arreaga-García, G. et al. (4 authors) 2007, ApJ 666, 290. Formation of binaries via fragmentation from cloud cores. (8)

Barnard, R. et al. (6 authors) 2007, A&A 469, 875. Aperiodic variability of XMM-Newton power-density spectra of LMXBs in M31 and of ULX-7 in NGC 4559 is an artifact.

Bartašiūtė, S. et al. (4 authors) 2007, BaltA 16, 199. Seven-colour Vilnius photometry, and revised binary frequency, of the open cluster NGC 752.

Belczynski, K. et al. (5 authors) 2007, ApJ 662, 504. Rarity of BH binaries, consequences for gravitational wave detection.

Belloni, T., Méndez, M., Homan, J. 2007, MNRAS 376, 1133. On the kHz QPO frequency correlations in bright NS x-ray binaries.

- Bildsten, L. et al.* (4 authors) 2007, ApJ 662, L95. Faint Supernovae from AM CVn Binaries. (8)
- Britzen, S.* 2007, Astron. Nachr. 328, 598. Supermassive binary BHs and radio jets.
- Cantiello, M. et al.* (4 authors) 2007, A&A 465, L29. Binary star progenitors of long γ -ray bursts.
- Cardini, D., Cassatella, A.* 2007, ApJ 666, 393. Colour, rotation, age and chromospheric activity correlations in late-type MS stars. (9)
- Casares, J. et al.* (5 authors) 2007, A&A 470, 1033. The isotopic ${}^6\text{Li}/{}^7\text{Li}$ ratio in Centaurus X-4 and the origin of Li in x-ray binaries.
- Ciecielia G.P. et al.* (4 authors) 2007, A&A 470, 367. The gas drag in a circular binary system.
- Claret, A.* 2007, A&A 470, 1099. An approach to the limb darkening of irradiated stellar atmospheres.
- Damerджи, Y., Klotz, B., Boer, M.* 2007, AJ 133, 1470. TAROT suspected variable star catalogue - includes about 200 EB candidates.
- de Mink, S.E., Pols, O.R., Hilditch, R.W.* 2007, A&A 467, 1181. Efficiency of mass transfer in massive close binaries. Tests from eclipsing SB2s in the SMC.
- Dhillon, V.S. et al.* (18 authors) 2007, MNRAS 378, 825. (7ab) ULTRACAM: an ultrafast, triple-beam CCD camera for high-speed astrophysics.
- Dotti, M. et al.* (4 authors) 2007, MNRAS 379, 956. Supermassive black hole binaries in gaseous and stellar circumnuclear discs: orbital dynamics and gas accretion.
- Dray, L.M., Tout, C.A.* 2007, MNRAS 376, 61. On rejuvenation in massive binary systems.
- Fukue, J., Akizuki, C.* 2007, PASJ 59, 687. Radiative transfer in accretion-disk winds.
- Fukue, J., Akizuki, C.* 2007, PASJ 59, 1027. Relativistic radiation hydrodynamical accretion-disk winds.
- Garcia-Berro, E. et al.* (7 authors) 2007, ApJ 661, L179. Propose merger of binary WD's to explain the composition of WD GD 362.
- Geier, S. et al.* (5 authors) 2007, Astron. Nachr. 328, 708. Hot subdwarf binaries with heavy compact companions – discovery of a hidden population of evolved NSs and BHs?
- Ginsburg, I., Loeb, A.* 2007, MNRAS 376, 492. Hypervelocity collisions of binary stars at the galactic centre.
- Gladstone, J., Done, C., Gierliński, M.* 2007, MNRAS 378, 13. Analysing the atolls: x-ray spectral transitions of accreting neutron stars.
- Göğüş, E., Alpar, M.A., Gülfanov, M.* 2007, ApJ 659, 580. Lack of pulsations in LMXB's due to Comptonized scattering.

- Gondoin, P.* 2007, A&A 464, 1101. The rotation-activity correlation among G and K giants in binary systems.
- Henze, M., Meusinger, H., Pietsch, W.* 2007, Astron. Nachr. 328, 699. Treasure hunting in the archive: a systematic nova search in M31 on a large number of Schmidt plates.
- Holzwarth, V.* 2007, MmSAI 78, 271. Magnetic flux emergence in fast rotating stars.
- Howell, E. et al.* (4 authors) 2007, MNRAS 377, 719. Application of the probability event horizon filter to constrain the local rate density of binary BH inspirals with advanced LIGO.
- Huang, R.-Q., Song, H.-F., Bi, S.-L.* 2007, ChJAA 7, 235. On the physical processes in contact binary systems.
- Hurley, J.R.* 2007, MNRAS 379, 93. Ratios of star cluster core and half-mass radii: a cautionary note on intermediate-mass black holes in star clusters.
- Hurley, J.R., Aarseth, S.J., Shara, M.M.* 2007, ApJ 665, 707. Binary percentages in star cluster simulations reach frequency of 40%. (8)
- Iorio, L.* 2007, Ap&SS 310, 73. Dynamical determination of the quadrupole mass moment of a white dwarf.
- Izzard, R.G., Jeffery, C.S., Lattanzio, J.* 2007, A&A 470, 661. Origin of the early-type R stars: a binary-merger solution to a century-old problem?
- Jackson, N.K. et al.* (4 authors) 2007, MmSAI 78, 407. Neutron star radiation pressure leading to jet formation in the brightest LMXBs.
- Janiuk, A., Czerny, B.* 2007, A&A 466, 793. Accreting corona model of the x-ray variability in soft state x-ray binaries and active galactic nuclei.
- Jose, J. et al.* (4 authors) 2007, ApJ 662, L103. Primordial novae energetic, midway between SNe and present day novae in energy. (8)
- Karami, K., Teimoorinia, H.* 2007, Ap&SS 323. Velocity curve analysis of the spectroscopic binary stars by the non-linear least squares.
- Karino, S.* 2007, PASJ 59, 961. Radiative column and light curve of x-ray binary pulsars.
- Kaufman Bernadó, M., Massi, M.* 2007, MmSAI 78, 393. A basic condition for jet formation in accreting x-ray binaries.
- King, A.R., Pringle, J.E., Livio, M.* 2007, MNRAS 376, 1740. AD viscosity: how big is α ?
- Kissmann, R., Flaig, M., Kley, W.* 2007, Astron. Nachr. 328, 661. The magneto-rotational instability (MRI) in stratified ADs.
- Komonjinda, S., Hearnshaw, J.B., Ramm, D.J.* 2007, Southern Stars 46, 7. New detectable eccentricities of southern binary systems.

Körding, E.G. et al. (6 authors) 2007, MNRAS 380, 301. The variability plane of accreting compact objects.

Krumholz, M.R., Thompson, T.A. 2007, ApJ 661, 1034. Mass transfer in close, rapidly accreting protobinaries as source of massive twins.

Lau, H.H.B., Stancliffe, R.J., Tout, C.A. 2007, MNRAS 378, 563. Carbon-rich extremely metal-poor stars: signatures of Population III asymptotic giant branch stars in binary systems.

Li, L. et al. (4 authors) 2007, ApJ 662, 596. Formation and evolution of W UMa systems from detached systems.

Liu, X.-W., Li, X.-D. 2007, ChJAA 7, 389. Population of bright x-ray sources in the starburst galaxies NGC 4038/4039 probably mostly x-ray binaries.

Lu, Y., Yu, Q., Lin, D.N.C. 2007, ApJ 666, L89. Hypervelocity binary stars and massive binary BHs. (8)

Malkov, O.Y. et al. (4 authors) 2007, A&A 465, 549. A procedure for the classification of eclipsing binaries.

Malzac, J. 2007, MmSAI 78, 382. Accretion disc coronae in black hole binaries.

Massi, M. 2007, MmSAI 78, 247. Stellar flaring periodicities.

Mayer, M., Pringle, J.E. 2007, MmSAI 78, 410. Time-dependent two-phase models of black hole accretion discs.

Meibom, S., Mathieu, R.D., Stassun, K.G. 2007, ApJ 665, L155. Close binarity (0.1 to 5 AU) decreases rotation periods as compared to single stars. (1co, 2ao, 9)

Meng, X.-C., Chen, X.-F., Han, Z.-W. 2007, PASJ 59, 835. The impact of type Ia supernova explosions on the companion in a binary system.

Mirabel, I.F. 2007, Ap&SS 309, 267. γ -ray binaries.

Neuhäuser, R., Posselt, B. 2007, Astron. Nachr. 328, 711. Determination of NS masses through orbiting substellar companions.

Ohsga, K. 2007, PASJ 59, 1033. Two-dimensional radiation-hydrodynamic model for supercritical disk accretion flows onto NSs.

Orellana, M. et al. (4 authors) 2007, A&A 465, 703. Very high-energy γ -ray emission from x-ray transients during major outbursts.

Parthasarathy, M. et al. (4 authors) 2007, New Astron. Rev. 51, 524. Review of possible progenitors of SN Ia; binaries with one WD.

Pearson, K.J. 2007, MNRAS 379, 183. Are superhumps good measures of the mass ratio for AM CVn systems?

- Peitz, J., Marik, D., Kley, W.* 2007, *Astron. Nachr.* 328, 661. 3-D simulations of weakly magnetized ADs.
- Politano, M., Weiler, K.* 2007, *ApJ* 665, 663. Population synthesis study using common envelope efficiency parameter. (8b)
- Popov, S. et al.* (4 authors) 2007, *Ap&SS* 308, 381. Neutron star masses: dwarfs, giants and neighbours.
- Price, D.J., Bate, M.R.* 2007, *MNRAS* 377, 77. The impact of magnetic fields on single and binary star formation.
- Putanen, J. et al.* (5 authors) 2007, *MNRAS* 377, 1187. Supercritically accreting stellar-mass black holes as ultraluminous x-ray sources.
- Racine, É., Phinney, E.S., Aras, P.* 2007, *MNRAS* 380, 381. Non-dissipative tidal synchronization in accreting binary white dwarf systems.
- Reig, P.* 2007, *MNRAS* 377, 867. On the NS-disc interaction in Be/x-ray binaries.
- Reimer, A., Reimer, O., Pohl, M.* 2007, *Ap&SS* 309, 351. γ -rays from colliding winds of massive stars.
- Ren, S.-L., Fu, Y.-N.* 2007, *ChA&A* 31, 277. A method to improve binary orbits by incorporating long-term observational data.
- Robrade, J., Schmitt, J.H.M.M., Hempelmann, A.* 2007, *MmSAI* 78, 311. X-ray activity cycles in stellar coronae.
- Sanz-Forcada, J., Favata, F., Micela, G.* 2007, *A&A* 466, 309. Eclipsed x-ray flares in binary stars: geometrical constraints on flare location and size.
- Saxton, C.J. et al.* (5 authors) 2007, *MNRAS* 379, 779. X-ray emissions from two-temperature accretion flows within a dipole magnetic funnel.
- Shen, K.J., Bildsten, L.* 2007, *ApJ* 660, 1444. Thermally stable nuclear burning on accreting WD's.
- Shioya, T., Sano, T., Takabe, H.* 2007, *PASJ* 59, 753. The structure of accretion disks formed by merging of white dwarfs.
- Silvestri, N.M. et al.* (16 authors) 2007, *AJ* 134, 741. Catalogue of SDSS CBs, and search for magnetic WDs in CV progenitors.
- Song, H.-F., Huang, R.-Q., Bi, S.L.* 2007, *ChJAA* 7, 539. A model for contact binary systems.
- Soszynski, I.* 2007, *ApJ* 660, 1486. Long secondary periods of red giants explained by binarity.
- Sotnikova, N.Ya., Grinin, V.P.* 2007, *AZh* 84, 667. (8b) Hydrodynamic processes in young binaries as a source of periodic variations in circumstellar extinction.
- Sumitomo, N. et al.* (5 authors) 2007, *PASJ* 59, 1043. Observational appearance of relativistic, spherically symmetric massive winds.

Sweatman, W.L. 2007, MNRAS 377, 459. Full ionization in binary-binary encounters with equal masses and a small positive total energy.

Sytov, A.Yu. et al. (5 authors) 2007, AZh 84, 926. (8b) The mechanism of common-envelope formation in close binaries.

Traulsen, I., Reinsch, K., Dreizler, S. 2007, Astron. Nachr. 328, 712. XMM-Newton observations of soft x-ray-selected magnetic CVs.

Truss, M.R. 2007, MNRAS 376, 89. AD dynamics in extreme-mass-ratio compact binaries.

Tutukov, A.V., Fedorova, A.V. 2007, AZh 84, 937. (8c) Formation and evolution of Ae and Be stars.

Vanbeveren, D., Van Bever, J., Belkus, H. 2007, ApJ 662, L107. The Wolf-Rayet population predicted by massive single-star and massive binary evolution. (8)

Voss, R., Gilfanov, M. 2007, A&A 468, 49. Study of population of LMXBs in M31.

Walter, R. 2007, Ap&SS 309, 5. New INTEGRAL sources and TeV emission.

Wetterer, C.J., McGraw, J.T. 2007, AJ 133, 2883. CCD Transit Instrument list of variables includes several CBs.

Wex, N., Kramer, M. 2007, MNRAS 380, 455. A characteristic observable signature of preferred-frame effects in relativistic binary pulsars.

Wood, M.A., Burke, C.J. 2007, ApJ 661, 1042. Bright spot on AD as source of negative superhumps in CV's.

Xie, Y., Huang, C.-Y., Lei, W.-H. 2007, ChJAA 7, 685. Effects of magnetic fields on neutrino-dominated accretion model for γ -ray bursts.

Xue, Y.Q., Cui, W. 2007, A&A 466, 1053. On the radio/x-ray correlation in microquasars.

Yin, H.X. et al. (7 authors) 2007, A&A 471, 381. The correlations between the spin frequencies and kHz QPOs of neutron stars in LMXBs.

Zavlin, V.E. 2007, Ap&SS 308, 297. Studying millisecond pulsars in x-rays.

Zhang, C.M., Yin, H.X., Zhao, Y.H. 2007, PASP 119, 393. Interpretation of low- and high-frequency QPO correlations of x-ray sources among WD, NS and BH.

Życki, P.T., Niedźwiecki, A., Sobolewska, A. 2007, MNRAS 379, 123. Modelling the energy dependencies of high-frequency quasi-periodic oscillations in black hole x-ray binaries.

Collections of data

Boyaian, T.S. et al. (9 authors) 2007, ApJ 664, 1121. (2a, 5bdj) Solutions for two massive binaries: HD 37366 and HD 54662.

Bozkurt, Z., Değirmenci, Ö. 2007, MNRAS 379, 370. (1bo, 5abcef, 8a) Study of apsidal motion and light time effect of six binary systems: AS Cam, TV Cet, V477 Cyg, HS Her, U Oph and DR Vul.

Brinkworth, C.S. et al. (9 authors) 2007, ApJ 659, 1541. (1io, 2dx) Possibility of dust in polars.

Bulut, I., Demircan, O. 2007, MNRAS 378, 179. (6a) A new catalogue of eclipsing binary stars with eccentric orbits.

Carmona, A., van den Ancker, M.E., Henning, T. 2007, A&A 464, 687. (2o) Optical spectroscopy of close companions to nearby Herbig Ae/Be and T Tauri stars: S CrA, KK Oph, HD 144432, HD 150193.

Carquillat, J.-M., Prieur, J.-L. 2007, Astron. Nachr. 328, 527 (2a) RVs of 8 SB1 systems: HD 34318-9, HD 47579-80, HD 70442-3, HD 74946-7, HD 102171-2, HD 120901-2, HD 168701-2, HD 174191-2.

Dall, T.H. et al. (24 authors) 2007, A&A 470, 1201. (7bcd) VSOP: the variable star one-shot project. I. Project presentation and first data release.

de Marchi, F. et al. (10 authors) 2007, A&A 471, 515. (6b) Variable stars in the open cluster NGC 6791 and its surrounding field (61 new EBs).

Diethelm, R. 2007, IBVS No. 5781. (5a) 166. List of timings of minima EBs by BBSAG observers between July 2006 and June 2007: DS And, KN And, GSC2808-139 And, V557 Aql, V737 Aql, V760 Aql, V770 Aql, V917 Aql, NSV12008 Aql, ZZ Aur, AP Aur, EM Aur, GX Aur, HP Aur, IZ Aur, V365 Aur, V523 Aur, GSC2393-680 Aur, GSC2903-237 Aur, GSC2915-212 Aur, GSC3751-178 Aur, GM Boo, GN Boo, GQ Boo GR Boo, GSC2013-288 Boo, AO Cam, CD Cam, HW Cam, MT Cam, GSC3715-1039 Cam, NSV3715 Cam, DF CVn, DH CVn, DQ CVn, DX CVn, DY CVn, EE CVn, EF CVn, EG CVn, EI CVn, GSC2534-1121 CVn, GSC2537-520 CVn, GSC2544-1007 CVn, GSC2544-1090 CVn, GSC2545-970 CVn, GSC3034-299 CVn, AX Cas, DP Cas, GH Cas, KT Cas, MS Cas, NU Cas, V374 Cas, V419 Cas, V423 Cas, V651 Cas, V775 Cas, NSV517 Cas, CO Cep, EO Cep, GG Cep, GW Cep, IW Cep, NSV43 Cep, VY Com, LL Com, LO Com, LP Com, MR Com, AR CrB, AS CrB, AV CrB, GG Cyg, PQ Cyg, V346 Cyg, V385 Cyg, V501 Cyg, V635 Cyg, V753 Cyg, V824 Cyg, V853 Cyg, V869 Cyg, V910 Cyg, V961 Cyg, V964 Cyg, V1066 Cyg, V1083 Cyg, V1411 Cyg, V2280 Cyg, V2282 Cyg, V2284 Cyg, V2294 Cyg, GSC3159-1247 Cyg, Z Dra, MU Dra, DW Dra, KP Dra, GSC3523-505 Dra, GSC3552-321 Dra, GSC3905-60 Dra, AV Gem, EG Gem, LO Gem, DI Her, V1033 Her, V1036 Her, V1038 Her, V1039 Her, V1044 Her, V1047 Her, V1053 Her, V1055 Her, V1062 Her, V1067 Her, V1073 Her, V1094 Her, V1095 Her, V1096 Her, V1097 Her, V1101 Her, V1102 Her, V1103 Her, V1104 Her, GSC963-246 Her, GSC1518-913 Her, GSC2587-289 Her, GSC2587-1888 Her, GSC2614-1369 Her, GSC2615-1821 Her, GSC2618-1385 Her, GSC3097-1297 Her, GSC3101-547 Her, GSC3106-1368 Her, GSC3510-5 Her, GSC3510-1283 Her, GSC3532-553 Her, NSV10870 Her, TZ Lac, CO Lac, MZ Lac, NW Lac, EW Lyr, V336 Lyr, V400 Lyr, V574 Lyr, V579 Lyr, V580 Lyr, V582 Lyr, V591 Lyr, V592 Lyr, V596 Lyr, GSC3108-57 Lyr, GSC3109-859 Lyr, GSC3526-1995 Lyr, GSC3526-2369 Lyr, AL Oph, FH Ori, FT Ori, V1202 Ori, GSC107-596 Ori, GSC702-1892 Ori, GSC706-845 Ori, GSC1283-53 Ori, FF Sge, FL Sge, GO Sge, V384 Ser, GSC1830-1432 Tau, GSC1848-1264 Tau, UX UMa, AA UMa, IW UMa.

Dogru, S.S., Dogru, D., Donmez, A. 2007, IBVS No. 5795. (5a) 37 minima times of 31 EBs: SX Aur, ZZ Aur, GX Aur, TU Boo, TZ Boo, VW Boo, BI CVn, XZ CMi, BS Cas, V366 Cas, V389 Cas, V523 Cas, VW Cep, WZ Cep, BE Cep, EG Cep, GI Cep, GW Cep, RW Com, RZ Com, CC Com, TW CrB, YY Eri, DF Hya, SW Lac, UZ Leo, AP Leo, FZ Ori, RZ Tau, EQ Tau, BM UMa.

Erdem, A. et al. (4 authors) 2007, *Astron. Nachr.* 328, 543 (5ab) Orbital period variations of 4 Algol-type EB systems: SW Cyg, UU Leo, XX Cep, BO Vul.

Gnedin, Yu.N., Silant'ev, N.A., Titarchuk, L.G. 2006, *BSAO* 59, 52. (8b) Determination of strength and structure of magnetic field in the nearest environment of accreting compact stars: V1357 Cyg (Cyg X-1), V818 Sco (Sco X-1).

Griffin, R.F. 2007, *Observatory* 127, 171. (2a, 5d) SB1s near NGP: HD 113997, HD 114931, HD 115588, HD 116880.

Gurol, B. et al. (13) 2007, *IBVS* No. 5791. (5a) Minima times of some EBs: LO And, 44 Boo, FG Hya, XX LMi, AU Ser, CU Sge, DI Peg, HD 65498, BD+42°2782, GSC 1174-0344, GSC 2751-1007, GSC 2765-0348.

Hachisu, I., Kato, M. 2007, *ApJ* 662, 552. (1a*o*, 5e) WD masses from universal decline law.

Henry, G.W., Fekel, F.C., Henry, S.M. 2007, *AJ* 133, 1421. (1bo, 2ao, 5b) BV photometry and RV for binaries containing γ Dor stars: HD 32348, HR 2150 (HD 41547), HD 86371, PR Peg (HD 211699).

Hübscher, J., Walter, F. 2007, *IBVS* 5761. (5a) RT And, AB And, AC And, AD And, AM And, AP And, BD And, CO And, DK And, DS And, EX And, LM And, LO And, QX And, V404 And, V412 And, AF Aps, GK Aps, HO Aps, ST Aqr, GV Aqr, OO Aql, QY Aql, V417 Aql, V609 Aql, V997 Aql, V1096 Aql, V1097 Aql, V1542 Aql, V628 Ara, SS Ari, CL Aur, DO Aur, EM Aur, FN Aur, FO Aur, FP Aur, FR Aur, HP Aur, IY Aur, KU Aur, NN Aur, TY Boo, AC Boo, GN Boo, GQ Boo, AW Cam, CD Cam, XZ Cnc, AC Cnc, XX Cas, ZZ Cas, AB Cas, AE Cas, AX Cas, AX Cas, BH Cas, BS Cas, BU Cas, DN Cas, DO Cas, DZ Cas, EG Cas, EL Cas, EY Cas, GH Cas, GK Cas, GT Cas, IL Cas, IT Cas, IV Cas, KL Cas, MM Cas, MN Cas, MR Cas, MS Cas, MU Cas, MV Cas, NN Cas, NU Cas, OR Cas, OX Cas, PV Cas, V336 Cas, V337 Cas, V345 Cas, V357 Cas, V359 Cas, V360 Cas, V361 Cas, V374 Cas, V381 Cas, V411 Cas, V449 Cas, V459 Cas, V473 Cas, V520 Cas, V541 Cas, V608 Cas, V651 Cas, V654 Cas, TV Cep, VW Cep, CW Cep, DK Cep, DN Cep, EY Cep, GW Cep, IW Cep, KP Cep, NU Cep, V358 Cep, Y Cyg, DL Cyg, GV Cyg, KR Cyg, V345 Cyg, V401 Cyg, V463 Cyg, V466 Cyg, V488 Cyg, V508 Cyg, V548 Cyg, V616 Cyg, V635 Cyg, V680 Cyg, V711 Cyg, V725 Cyg, V729 Cyg, V753 Cyg, V796 Cyg, V836 Cyg, V841 Cyg, V853 Cyg, V856 Cyg, V859 Cyg, V865 Cyg, V866 Cyg, V871 Cyg, V873 Cyg, V874 Cyg, V877 Cyg, V884 Cyg, V885 Cyg, V889 Cyg, V891 Cyg, V902 Cyg, V907 Cyg, V909 Cyg, V910 Cyg, V931 Cyg, V934 Cyg, V941 Cyg, V947 Cyg, V957 Cyg, V963 Cyg, V965 Cyg, V979 Cyg, V995 Cyg, V1018 Cyg, V1019 Cyg, V1023 Cyg, V1034 Cyg, V1142 Cyg, V1256 Cyg, V1256 Cyg, V1321 Cyg, V1356 Cyg, V1411 Cyg, V1417 Cyg, V1580 Cyg, V1815 Cyg, V2181 Cyg, V2280 Cyg, V2284 Cyg, V2290 Cyg, V2294 Cyg, G3576.0170 Cyg, YY Del, AL Del, BH Del, BN Del, BY Del, FK Del, UZ Dra, GQ Dra, WX Eri, TZ Gem, BT Gem, CK Gem, CP Gem, CW Gem, CX Gem, EF Gem, FQ Gem, FT Gem, KQ Gem, KV Gem, LO Gem, MU Gem, HS Her, PW Her, V501 Her, V502 Her, V878 Her, AG Lac, AW Lac, CN Lac, CO Lac, EK Lac, EM Lac, EP Lac, ES Lac, FL Lac, IL Lac, IM Lac, IP Lac, IU Lac, MW Lac, NW Lac, OS Lac, V339 Lac, V441 Lac, AH Lyr, AK Lyr, PV Lyr, PY Lyr, V411 Lyr, EF Ori, ET Ori, GG Ori, GU Ori, QV Ori, V343 Ori, V392 Ori, U Peg, UX Peg, BK Peg, BN Peg, BX Peg, BZ Peg, CE Peg, DI Peg, DM Peg, GP Peg, KW Peg, V357 Peg, V375 Peg, V396 Peg, RT Per, RV Per, ST Per, AB Per, AG Per, DM Per, IM Per, KL Per, KN Per, KW Per, NP Per, V462 Per, V482 Per, Y Psc, SU Psc, UW Psc, VZ Psc, TU Sge, CP Sge, DK Sge, FF Sge, FP Sge, GN Sge, RW Tau, WY Tau, BN Tau, BV Tau, CF Tau, EQ Tau, GR Tau, V781 Tau, V1123 Tau, V1128 Tau, V Tri, X Tri, AB Vul, BK Vul, FM Vul, FQ Vul, FR Vul, HI Vul, HS Vul, NO Vul, GSC2140.1485 Vul, GSC2161.0917 Vul.

in't Zand, J.J.M., Jonker, P.G., Markwardt, C.B. 2007, *A&A* 465, 953. (2dx) Six new candidate

ultracompact XBs: SAX J1712.6–3739, 4U 1722–30, 1RXS J172525.2–325717, SLX 1735–269, SLX 1737–282, SLX 1744–299.

Ishioaka, R., Sekiguchi, K., Maehara, H. 2007, PASJ, 59, 929. (2id) Spectral fitting and distance estimation: V503 Cyg, IX Dra, V1108 Her, ASAS 002511+1217.2, SDSS J13701.06–091234.9.

Karami, K., Mohebi, R. 2007, ChJAA 7, 558. (5d, 7d) RV curve analysis by a new method: GM Dra, V502 Oph, AI Phe, HD 93917.

Karoff, C. et al. (10 authors) 2007, AJ 134, 766. (1a, 6b) New variables in COROT’s main field include many EBs.

Kruspe, R., Schuh, S., Traulsen, I. 2007, IBVS No. 5796 (5a) New CCD minima of the EBs: PX And, EX Dra, AI Tri, HS 0705+6700.

Kundu, A., Maccarone, T.J., Zepf, S.E. 2007, ApJ 662, 525. (1ao, 2dx) Probing LMXB formation in globular clusters.

Lacy, C.H.S. 2007, IBVS No. 5764. (5a) New times of minima of some EBs: AP And, CO And, CG Aur, HP Aur, V456 Cyg, V974 Cyg, V1136 Cyg, BF Dra, GX Gem, LV Her, RW Lac, V506 Oph, V530 Ori, IM Per, IM Per, NP Per, V482 Per, V514 Per, AQ Ser, CF Tau, BP Vul, BT Vul, EQ Vul.

Lewandowski, M., Niedzielski, A., Maciejewski, G. 2007, IBVS No. 5784. (5a) CCD times of minima of some EBs from SAVS Sky Survey: V444 And, V344 Cas, WX Cnc, WY Cnc, LL Com, LT Com, MM Com, AU Dra, RZ Dra, VY Lac, UV Lyn, V563 Lyr, V576 Lyr, XY UMa, GSC 3109-0859, GSC 4428-1574, ROTSE1 J131228.30+251426.1, ROTSE1 J183824.48+423643.1.

Liu, Q.Z., van Paradijs, J., van den Heuvel, E.P.J. 2007, A&A 469, 807. (6a) A catalogue of LMXBs in the Galaxy, LMC, and SMC (Fourth edition).

Lockwood, G.W., Skiff, B.A. 2007, ApJSS 171, 260. (1b) 13-20 years of observations of 32 solar type stars. The Sun still has unusually low variability.

Michalska, G. 2007, IBVS No. 5759. (5bf, 6b) 11 EB with apsidal motion in LMC.

Nelson, R.H. 2007, IBVS No. 5760. (5a) CCD minima for selected EB in 2007: EP And, HS And, V376 And, SS Ari, AH Aur, HL Aur, V404 Aur, V404 Aur, V410 Aur, SU Boo, TZ Boo, XY Boo, AQ Boo, AR Boo, AY Cam, LR Cam, AE Cas, DN Cas, MT Cas, V364 Cas, V374 Cas, V385 Cas, V776 Cas, VZ Cep, AV CMi, WX Cnc, YY Cnc, AH Cnc, HN Cnc, RW Com, RZ Com, SS Com, LO Com, DI CVn, V488 Cyg, V628 Cyg, V1187 Cyg, V1191 Cyg, V1305 Cyg, V1417 Cyg, V1918 Cyg, V2240 Cyg, AR Dra, AX Dra, BX Dra, FU Dra, AI Gem, V345 Gem, V502 Her, V719 Her, V728 Her, V732 Her, V842 Her, V857 Her, V921 Her, V1069 Her, V339 Lac, XX Leo, AL Leo, VW LMi, SW Lyn, UV Lyn, V404 Lyr, V582 Lyr, V496 Mon, ER Ori, V343 Ori, V392 Ori, V1363 Ori, BP Per, II Per, IK Per, V432 Per, CU Sge, CU Sge, AQ Tau, CT Tau, CU Tau, GQ Tau, GW Tau, TY UMa, UY UMa, XZ UMa, BG UMa, BS UMa, HH UMa, HN UMa, AX Vir, CG Vir, BK Vul, GSC 2532-0514.

Ness, J.-U., et al. (8 authors) 2007, ApJ 663, 505. (1x, 2x) Swift observations of classical novae: V1494 Aql, V1663 Aql, V723 Cas, V1047 Cen, V382 Nor, V574 Pup, V4743 Sgr, V5116 Sgr, V1188 Sco, V476 Sct, V477 Sct, Nova LMC 2005.

Parimucha, S. et al. (9 authors) 2007, IBVS No. 5777. (5a) 169 CCD and photoelectric times of

minima of selected EBs: AB And, EP And, GZ And, LO And, QR And, AH Aur, TY Boo, TZ Boo, AO Cam, BS Cas, CW Cas, V523 Cas, V776 Cas, EG Cep, GW Cep, WZ Cep, CC Com, RZ Com, RW Com, GO Cyg, V401 Cyg, V1191 Cyg, V1918 Cyg, BE Dra, EF Dra, FU Dra, AK Her, V829 Her, V857 Her, PP Lac, V344 Lac, CE Leo, XY Leo, UV Lyn, V361 Lyr, BB Peg, DI Peg, V351 Peg, V357 Peg, V432 Per, DV Psc, CW Sge, V Sge, EQ Tau, V781 Tau, XY UMa, TV UMi, AG Vir, PY Vir, ER Vul, BD+7°3142.

Patel, S.G. et al. (7 authors) 2007, ApJ 665, 744. (2a, 5e) Five brown dwarf candidates found in the brown dwarf desert (≈ 3 AU from primary): HD 8765, HD 72780, HD 74014, HD 150554, HD167665.

Phillips, J.P. 2007, MNRAS 376, 1120. (1ai) 2MASS JHK photometry of 216 symbiotic and suspected symbiotic binaries.

Pigulski, A., Michalska, G. 2007, Acta Astronomica 57, 61. (5g) Pulsating components of EB in ASAS-3 catalogue: Y Cir, VY Mic, MX Pav, IZ Tel, HD 62571, HD 99612, HD 220687, CPD−31°6830, CPD−41°5106, CPD−60°871, ASAS J084350−4607.2.

Pilecki, B., Fabrycky, D., Poleski, R. 2007, MNRAS 378, 757. (1a*o, 5abcj) All-sky automated survey of 31 EBs with observed high period-change rates.

Pilecki, B., Szczygiel, D.M. 2007, IBVS No. 5768. (1a, 5b, 6b) 13 new EBs with additional variability in the ASAS catalogue: IV Lib, V395 Sgr, V393 Sco, HD 302992, BD−19°3931, CD−53°646, ASAS J103308−7133.8, ASAS J103513−1206.5, ASAS J115143−6253.2, ASAS J125523−7322.2, ASAS J131055−4844.0, ASAS J164802−6715.2, ASAS J172738−3808.6.

Pribulla, T. et al. (7 authors) 2007, AJ 133, 1977. (2ao, 5d) Radial velocities and orbital elements for CBs: OO Aql, CC Com, V345 Gem, XY Leo, AM Leo, V1010 Oph, V2612 Oph, XX Sex, W UMa, XY UMa.

Rau, A. et al. (9 authors) 2007, ApJ 664, 474. (1ao, 2oci) Observations and classification of 4 unidentified transients which include 3 CVs: WFI J161953.3+031909, ROTSE3J160213.1 (SU UMa-type) and SDSS-SN 15207 (SU UMa-type).

Rodríguez-Gill, P. et al. (18 authors) 2007, MNRAS 377, 1747. (1ao, 2acou, 5abcdeghi) Photometric and spectroscopic study of five SW Sextantis stars (CVs): HS 0129+2933, HS 0220+0603, HS 0455+8315, HS 0805+3822, HS 1813+6122.

Roelofs, G.H.A. et al. (8 authors) 2007, ApJ 666, 1174. (4a,5ei) Parallaxes of AM CVn stars show space density is lower: Individual results for AM CVn, HP Lib, CR Boo, V803 Cen, GP Com.

Rucinski, S. et al. (9 authors) 2007, AJ 134, 445. (10b) Errata in 2005 paper.

Russell, D.M., Fender, R.P., Jonker, P.G. 2007, MNRAS 379, 1108. (1iox, 5cgij, 8b) Evidence for a jet contribution to the optical/infrared light of 19 NS binaries: LZ Aqr, V1333 Aql, V822 Cen, BR Cir, V1341 Cyg, QX Nor, V1057 Ori, V4580 Sgr, V5511 Sgr, V5512 Sgr, NP Ser, V818 Sco, V1101 Sco, IGR J00291+5934, 4U 0520−72 (LMC X-2), XTE J0929−314, CXOU 132619.7−472910.8, XTE J1701−462, HETE J1900.1−2455.

Russell, D.M. et al. (4 authors) 2007, MNRAS 379, 1401. (1irx, 5cgij, 8b) Discovery of a new hysteresis effect in BHBs: IL Lup, V381 Nor, V821 Ara.

Sheets, H.A. et al. (5 authors) 2007, PASP 119, 494. (2ac, 5bd) Nine CVs: LX And, CZ Aql, LU

Cam, GZ Cnc, V632 Cyg, V1006 Cyg, BF Eri, BI Ori, FO Per.

Solima, A. et al. (5 authors) 2007, MNRAS 380, 781. (1ao, 5cg, 6ab) Discovery of binary systems in a sample of 13 low-density Galactic globular clusters.

Szalai, T. et al. (5 authors) 2007, A&A 465, 943. (1ao, 2ao, 5ace) Physical parameters and multiplicity of five southern close EBs: V870 Ara, QY Hya, VZ Lib, XY Leo, DX Tuc.

Szkody, P. et al. (16 authors) 2007, AJ 134, 185. (2ad, 4a, 5d, 6b) New CVs from SDSS.

Szkody, P. et al. (11 authors) 2007, ApJ 658, 1188. (1uo) Study of 3 CV's, showing complex instability strip.

Testa, P. et al. (4 authors) 2007, ApJ 665, 1349. (2x): X-ray optical depth of corona in RS CVn binaries II Peg, IM Peg and other active binaries and single stars.

Tokovinin, A.A., Gorynya, N.A. 2007, A&A 465, 257. (2ao, 5d) New spectroscopic components in multiple systems V. New spectroscopic orbits of close sub-systems: HD 52452B, HD 157358Aab, HD 219877B; improved orbit for HD 139461.

van Genderen, A.M., Sterken, C. 2007, IBVS No. 5782. (1a) Orbital effect on the light curves of eccentric EBs: η Car, BP Cru, σ Sco, α Vir, GP Vel, HD 109164.

Voichanskaya N.F. 2006, BSAO 59, 34. (5ce) Precataclysmic binary systems.

Proceedings of Conferences, Symposia, and Monographs

Binary Stars as Critical Tools and Tests in Contemporary Astrophysics, eds. *W.I. Hartkopf, E.F. Guinan, P. Harmanec*, 2007, Cambridge University Press - IAU Symposium 240 (100 papers)

IAU Commission 42

BIBLIOGRAPHY OF CLOSE BINARIES

No. 85, December 2007

Editor-in-Chief: C.D. Scarfe

Department of Physics and Astronomy
University of Victoria
Victoria, B.C., V8W 3P6, Canada

Phone: +01 250 721-7749
Fax: +01 250 721-7715
scarfe@uvic.ca