

International Astronomical Union  
Commission 42

BIBLIOGRAPHY OF CLOSE BINARIES

No. 86

**Editor-in-Chief:**

C.D. Scarfe

**Editors:**

H. Drechsel  
D.R. Faulkner  
L.V. Glazunova  
E. Lapasset  
C. Maceroni  
Y. Nakamura  
P.G. Niarchos  
R.G. Samec  
W. Van Hamme  
M. Wolf

Material published by March 15, 2008

BCB issues are available via URL:  
<http://www.konkoly.hu/IAUC42/bcb.html>,  
<http://www.sternwarte.uni-erlangen.de/ftp/bcb> or  
<http://www.astro.uvic.ca/~robb/bcb/comm42bcb.html>

The bibliographical entries for *Individual Stars* and *Collections of Data*, as well as a few *General* entries, are categorized according to the following coding scheme. Data from archives or databases, or previously published, are identified with an asterisk. The observation codes in the first four groups may be followed by one of the following wavelength codes.

g.  $\gamma$ -ray. i. infrared. m. microwave. o. optical  
r. radio u. ultraviolet x. x-ray

## 1. Photometric data

- a. CCD b. Photoelectric c. Photographic d. Visual

## 2. Spectroscopic data

- a. Radial velocities b. Spectral classification c. Line identification d. Spectrophotometry

## 3. Polarimetry

- a. Broad-band b. Spectropolarimetry

## 4. Astrometry

- a. Positions and proper motions b. Relative positions only c. Interferometry

## 5. Derived results

- |   |   |
|---|---|
| a. Times of minima                            | b. New or improved ephemeris, period variations |
| c. Parameters derivable from light curves     | d. Elements derivable from velocity curves      |
| e. Absolute dimensions, masses                | f. Apsidal motion and structure constants       |
| g. Physical properties of stellar atmospheres | h. Chemical abundances                          |
| i. Accretion disks and accretion phenomena    | j. Mass loss and mass exchange                  |
| k. Rotational velocities                      |   |

## 6. Catalogues, discoveries, charts

- |   |  |
|---|--|
| a. Catalogues   | b. Discoveries of new binaries and novae |
| c. Identification of optical counterparts of $\gamma$ -ray, x-ray, IR, or radio sources | d. Finding charts                        |

## 7. Observational techniques

- |                               |                             |
|-------------------------------|-----------------------------|
| a. New instrument development | b. Observing techniques     |
| c. Reduction procedures       | d. Data-analysis techniques |

## 8. Theoretical investigations

- |                                |   |
|--------------------------------|---|
| a. Structure of binary systems | b. Circumstellar and circumbinary matter            |
| c. Evolutionary models         | d. Loss or exchange of mass and/or angular momentum |

## 9. Statistical investigations

## 10. Miscellaneous

- a. Abstract b. Addenda or errata

## Abbreviations

---

AD	accretion disk	HMXB	high-mass x-ray binary	QPO	quasi-periodic oscillation
BH	black hole	IP	intermediate polar	RV	radial velocity
CB	close binary	LC	light curve	SB	spectroscopic binary
CV	cataclysmic variable	LMXB	low-mass x-ray binary	WD	white dwarf
EB	eclipsing binary	NS	neutron star	WR	Wolf-Rayet star

---

## Individual Stars

$\lambda$ And	<i>Frasca, A. et al.</i> (5 authors) 2008, A&A 479, 557. (1ao, 2co) Surface activity study.
TW And	<i>Kreiner, J.M. et al.</i> (5 authors) 2008, MNRAS 383, 1506. (1ao, 5abcef) Period analysis.
EG And	<i>Crowley, C., Espy, B.P., McCandliss, S.R.</i> 2008, ApJ 675, 711. (2ui) Monitoring of symbiotic EB.
QX And	<i>Qian, S.-B. et al.</i> (5 authors) 2007, AJ 134, 1475. (1ao, 5abc) Deep over-contact binary in open cluster NGC 752.
V455 And	2007, IAU Circ. 8868 (1d) Designation and magnitudes of CV. 2007, IAU Circ. 8876 (1ad)
R Aqr	<i>McIntosh, G.C., Rustan, G.</i> 2007, AJ 134, 2113. (2a*, 5d) Long period from RVs differs from that from astrometry.
AE Aqr	<i>Terada, Y. et al.</i> (10 authors) 2008, PASJ, 60, 387. (1x, 2dx) Discovery of hard x-ray pulsations.
V609 Aql	<i>Turner, D.G. et al.</i> (5 authors) 2008, Observatory 128, 2. (1ao, 5abcj)
V1333 Aql (Aql X-1)	<i>Barret, D., Boutelier, M., Coleman Miller, M.</i> 2008, MNRAS 384, 1519. (1x*, 5bcgi, 8a) Analysis of the kHz QPOs. <i>Wenfei, Y., Dolence, J.</i> 2007, ApJ 667, 1043. (2cx) Observation of hard-to-soft state transition.
V1343 Aql (SS 433)	<i>Blundell, K.M., Bowler, M.G., Schmidtobreick, L.</i> 2007, A&A 474, 903. (2o, 5i) Fluctuations and symmetry in the speed and direction of the jets on different timescales. <i>Lockman, F.J., Blundell, K.M., Goss, W.M.</i> 2007, MNRAS 381, 881. (1r, 2a, 5j) Distance to SS 433 and related SNR W50 determined.
V1487 Aql (GRS 1915+105)	<i>Dhawan, V. et al.</i> (4 authors) 2007, ApJ 668, 430. (4cr) History inferred from kinematics. <i>Rodriguez, J. et al.</i> (16 authors) 2008, ApJ 675, 1436. (1rx) Two-month observing campaign. <i>Soleri, P., Belloni, T., Casella, P.</i> 2008, MNRAS 383, 1089. (1x*, 5bcgi) A study of QPOs.
V1494 Aql	<i>Tkachenko, S.S., Pavlenko, E.P., Goranskij, V.P.</i> 2007, Odessa Astronom. Publ. 20, part 2, 131. (1b, 5bc) Spectral and photometric study of the Nova V1494 Aql = 1999 N2 in years 2003-2006.
V1663 Aql	<i>Lane, B.F. et al.</i> (6 authors) 2007, ApJ 669, 1150. (4ci) Measured distance of 8.9 kpc.
V1665 Aql	<i>Ibanoglu, C. et al.</i> (13 authors) 2007, MNRAS 380, 1422. (1ao, 2ao, 5cdef) Eccentric SB2 Algol system.
V821 Ara (GX 339-4)	<i>Liu, B.F. et al.</i> (4 authors) 2007, ApJ 671, 695. (8d) Model of coronal gas condensing onto a cool inner AD.
UX Ari	<i>Rosario, M.J., Raveendran, A.V., Mekkaden, M.V.</i> 2007, A&A 474, L41. (1bo, 5c)
WZ Ari (HD 19485)	<i>Fekel, F.C., Bolton, C.T.</i> 2007, AJ 134, 2079. (2ab, 5d) Chromospherically active SB2.
XY Ari	<i>Norton, A.J., Mukai, K.</i> 2007, A&A 472, 225. (2dx, 5i) Precessing accretion disc in an intermediate polar CV.

AG Ari	<i>Ibanoglu, C. et al.</i> (13 authors) 2007, MNRAS 380, 1422. (1ao, 2ao, 5cdef) Eccentric SB2 Algol system.
$\epsilon$ Aur	<i>Golovin, A., Kuznetsova, Yu., Andreev, M.</i> 2007, Odessa Astronom. Publ. 20, part 1, 55. (2bc) High-resolution spectroscopy of long-period EB.
TU Boo	<i>Lee, J.W., Kim, H.-L, Kim, S.-L.</i> 2007, PASP 119, 1099. (1ao, 5abcg) Period study and spot model.
AS Cam	<i>Borkovits, T., Forgács-Dajka, E., Regály, Z.</i> 2007, A&A 473, 191. (5f) Tidal and rotational effects in perturbations of hierarchical triple systems.
BY Cam	<i>Babina, Yu.V., Pavlenko, E.P., Andreev, M.V.</i> 2007, BCrAO, 104, 161. (1b, 5b) Light-curve analysis of asynchronous polar in low accretion state at different beat phases.
$\gamma$ CMi	<i>Scarfe, C.D.</i> 2008, Observatory 128, 14. (2a, 5d) SB2 with evolved components.
AM CVn	<i>Wade, R.A., Eracleous, M., Flohic, H.M.L.G.</i> 2007, AJ 134, 1740. (2du, 5gi) SED extended with Hubble STIS data.
$\eta$ Car	<i>Damineli, A. et al.</i> (17 authors) 2008, MNRAS 384, 1649. (2c, 5bg) Periodicity of events.
DW Car	<i>Harmanec, P.</i> 2008, A&A 480, 213. (2co*) No Be binary component.
V395 Car	<i>Shahbaz, T., Watson, C.A.</i> 2007, A&A 474, 969. (2o, 5ek) <i>Steeghs, D., Jonker, P.G.</i> 2007, ApJ 669, L85. (2co, 5e) Compact object is typical mass NS.
V574 Car (WR 30a)	<i>Falceta-Gonçalves, D., Abraham, Z., Jatenco-Pereira, V.</i> 2008, MNRAS 383, 258. (2abc, 5degi) Modelling the line variations from the wind-wind shock emissions.
RZ Cas	<i>Lehmann, H., Mkrtichian, D.E.</i> 2008, A&A 480, 247. (2ao) Spectroscopic monitoring.
EY Cas	<i>Zasche, P., Wolf, M., Kotková, L.</i> 2008, IBVS 5812 (1a, 5abc) First LC analysis.
LL Cas	<i>Kondratyeva, L.N., Denissiyuk, E.K.</i> 2008, A&A 479, 529. (1ao, 2c) Pulsating cool giant component.
QX Cas	<i>Kjurkchieva, D.P., Marchev, D.V., Zola, S.</i> 2007, MNRAS 382, 835. (1a*, 2a, 5bcddeg) Spectroscopic solution.
V615 Cas (LS I +61°303)	<i>Romero, G.E. et al.</i> (4 authors) 2007, A&A 474, 15. (8abd) Accretion vs. colliding-wind models for the $\gamma$ -ray binary.
V723 Cas	2008, IAU Circ. 8907 (2ci) Emission lines from nova.
BV Cen	<i>Watson, C.A. et al.</i> (4 authors) 2007, MNRAS 382, 1105. (1a, 2ac, 5abcddeg) Roche tomography of the secondary star.
V779 Cen (Cen X-3)	<i>Suchy, S. et al.</i> (10 authors) 2008, ApJ 675, 1487. (1x, 2x) Analysis of data covering two binary orbits. <i>van der Meer, A. et al.</i> (5 authors) 2007, A&A 473, 523. (2ao, 5d) Determination of the HMXB NS mass.
V830 Cen (1E1145.1–6141)	<i>Ferrigno, C. et al.</i> (5 authors) 2008, A&A 479, 533. (2x, 5i) Temporary AD in pulsar component.
RS Cha	<i>Woollands, R. et al.</i> (5 authors) 2007, Southern Stars, 46, 7. (2ad) Both components are $\delta$ Sct variables.
AE Cir	<i>Mennickent, R. et al.</i> (7 authors) 2008, MNRAS 383, 845. (1aio, 1ao*, 2abco, 5abcddeg) A photometric and spectroscopic study.

BR Cir (Cir X-1)	<i>D'Aí et al.</i> (4 authors) 2007, ApJ 671, 2006. (2xc) Plasma environment. <i>Iaria, R. et al.</i> (6 authors) 2008, ApJ 673, 1033. (5e) Evidence for x-ray jet near periastron.
	<i>Schulz, N.S. et al.</i> (4 authors) 2008, ApJ 672, 1091. (1ax, 2x) Warm absorber.
AL Com	<i>Uemura, M.A. et al.</i> (11 authors) 2008, IBVS 5815 (1a) Outburst of a WZ Sge-type dwarf nova.
R CrB	2007, IAU Circ. 8859 (1d) Visual estimates of fading.
U CrB	<i>Grigorenko, V.D. et al.</i> (4 authors) 2007, Odessa Astronom. Publ. 20, part 2, 44. (1cd) Some results of observations in 1856-2007.
RT Cru	<i>Luna, G.J.M., Sokoloski, J.L.</i> 2007, ApJ 671, 741. (2cx, 5i) Hard UV spectrum arises from AD boundary layer around massive WD.
BP Cru (GX 301-2)	<i>Moon, D-S. et al.</i> (6 authors) 2007, ApJ 671, L53. (2bi) Multiple continuous emission components.
BZ Cru (HD 110432)	<i>Lopes de Oliveira, R. et al.</i> (5 authors) 2007, A&A 474, 983. (1ao, 2cdx) HMXB
SS Cyg	<i>Price, A. et al.</i> (23 authors) 2007, PASP 119, 1361. (1ab) Photometric outburst predictors not found. <i>Schreiber, M.R., Lasota, J.-P.</i> 2007, A&A 473, 897. (5i) <i>Kromer, M., Nagel, T., Werner, K.</i> 2007, A&A 475, 301. (5i, 8b)
EM Cyg	<i>Csizmadia, Sz. et al.</i> (6 authors) 2008, Astron. Nachr. 329, 39. (1ao, 5abj) O-C analysis of eclipsing Z Cam-type dwarf nova.
V382 Cyg	<i>Qian, S.-B. et al.</i> (6 authors) 2007, MNRAS 380, 1599. (5ab,8cd) Evolutionary state of O-type overcontact system discussed.
V404 Cyg	<i>Bradley, C.K. et al.</i> (6 authors) 2007, ApJ 667, 427. (2cx) Quiescent spectrum fitted with power law.
V1016 Cyg	<i>Lee., H-W., Kang, S.</i> 2007, ApJ 669, 1156. (2bco, 5i) AD emission model.
V1143 Cyg	<i>Albrecht, S. et al.</i> (5 authors) 2007, A&A 474, 565. (2ao, 5d) Spin axes orbital alignment from the Rossiter-McLaughlin effect.
V1341 Cyg (Cyg X-2)	<i>Titarchuk, L., Kuznetsov, S., Shaposhnikov, N.</i> 2007, ApJ 667, 404. (2cx) Correlations between spectral and timing characteristics.
V1357 Cyg (Cyg X-1)	<i>Zdziarski, A.I.A.A., Poutanen, J.</i> 2007, MNRAS 381, 723. (1rx, 5i, 8b) Theoretical interpretation of x-ray and radio emission modulations.
V1500 Cyg	<i>Litvinchova, A.A., Pavlenko, E.P., Shugarov, S.Yu.</i> 2007, Odessa Astronom. Publ. 20, part 1, 112. (1a, 5a) Photometry of asynchronous polar at various phases of the synodic cycle in years 2005-2006.
V1504 Cyg	<i>Pavlenko, E.P., Berezina, E.</i> 2007, Odessa Astronom. Publ. 20, part 1, 174. (1a) Outbursts.
V1521 Cyg (Cyg X-3)	<i>Beckmann, V. et al.</i> (11 authors) 2007, A&A 473, 903. (2dx, 5g) Transition from the ultrasoft to the hard state in the HMXB. <i>Hjalmarsdotter, L. et al.</i> (7 authors) 2008, MNRAS 384, 278. (1gx, 5ceg, 8ac) On the nature of the hard state.
V1727 Cyg (4U 2129+47)	<i>Lindfors, E.J. et al.</i> (7 authors) 2007, A&A 473, 923. (2dr, 5g) Synchrotron flaring. <i>Bozzo, E. et al.</i> (11 authors) 2007, A&A 476, 301. (1x, 5b) Triple nature.
V1817 Cyg (HR 7428)	<i>Busà, I., Catanzaro, G.</i> 2007, MmSAI 78, 660. (2ac*) Study of outer atmosphere.

V2080 Cyg	<i>Ibanoglu, C. et al.</i> (12 authors) 2008, MNRAS 384, 331. (1ao, 2abo, 5abcdeg) A photometric and spectroscopic study.
V2467 Cyg	2007, IAU Circ. 8888 (2ci) Coronal lines from nova. 2007, IAU Circ. 8905 (2ci) Coronal lines from nova.
V2468 Cyg	2008, IAU Circ. 8927 (1a, 2c, 4a, 6b) Features of classical nova. 2008, IAU Circ. 8928 (1ad, 2co) Designation, magnitudes and emission lines.
RW Dor	<i>Marino, B.F. et al.</i> (4 authors) 2007, Publ. Astron. Soc. Australia, 24, 199. (1o, 5bc) LC analyses.
TW Dra	<i>Zejda, M., Mikulasek, Z.</i> 2007, Odessa Astronom. Publ. 20, part 1, 235. (1b, 5bc) Oscillations.
BX Dra	<i>Sánchez-Bajo, F., García-Melendo, E., Gómez-Forrellad, J.M.</i> 2007, Ap&SS 312, 151. (1ao*, 2ao*, 5e)
CX Dra	<i>Pustynnik, I. et al.</i> (4 authors) 2007, Odessa Astronom. Publ. 20, part 1, 186. (1b, 5c) On quasi-periodic intrinsic light variability in close SB.
UX Eri	<i>Qian, S.-B. et al.</i> (6 authors) 2007, AJ 134, 1769. (1ao, 5abc, 8c) Period changes and third light indicate existence of third component.
EF Eri	<i>Campbell, R.K., et al.</i> (4 authors) 2008, ApJ 672, 531. (2r) Spectroscopy of polars I.
YY Gem	<i>Gao, D. H. et al.</i> (4 authors) 2008, MNRAS 384, 1355. (5bg, 8ac) Simulations of the periodic flaring rate.
TT Her	<i>Kreiner, J.M. et al.</i> (5 authors) 2008, MNRAS 383, 1506. (1ao, 5abcef) Period analysis.
YY Her	<i>Hric, L., Gális, R.</i> 2007, MmSAI 78, 400. (1ao, 5c) Study of envelope nature.
BO Her	<i>Sumter, G.C., Beaky, M.M.</i> 2007, IBVS 5798 (1a, 5c) δ Scuti component discovered.
HS Her	<i>Çakırlı, Ö., İbanoğlu, C., Frasca, A.</i> 2007, A&A 474, 579. (2ao, 5cde)
HZ Her (Her X-1)	<i>Boroson, B.S. et al.</i> (4 authors) 2007, ApJ 667, 1087. (2bcu) Signatures of disk and wind found.
DI Hya	<i>Manimanis, V.N., Niarchos, P.G.</i> 2007, IBVS 5808 (1a, 5c, 6c) First LC analysis.
EX Hya	<i>Beuermann, K., Reinsch, K.</i> 2008, A&A 480, 199. (2ao, 5e) Kinematic study and Roche tomography.
UV Leo	<i>Kjurkchieva, D.P., Marchev, D.V.</i> 2007, MNRAS 381, 663. (1ao, 2ao, 5cdek) Fundamental parameters of short-period RS CVn binary.
T LMi	<i>Li, L.-F. et al.</i> (5 authors) 2007, PASJ, 59, 1121. (5b) Sudden period changes.
RT LMi	<i>Qian, S.-B. He, J.-J., Xiang, F.-Y.</i> 2008, PASJ, 60, 77. (1bo, 5bc) Ambiguity of the A- and W-subtype classification for this system.
VW LMi	<i>Sánchez-Bajo, F., García-Melendo, E., Gómez-Forrellad, J.M.</i> 2007, Ap&SS 312, 151. (1ao*, 2ao*, 5e)
GW Lib	<i>Hilton, E.J. et al.</i> (7 authors) 2007, AJ 134, 1503. (1ox) HMM Newton data show no pulsation.
EX Lup	<i>Kospal, A. et al.</i> (6 authors) 2008, IBVS 5819 (1a, 2c) Extreme outburst in 2008.
β Lyr	<i>Ignace, R. et al.</i> (5 authors) 2008, A&A 477, L37. (2x) No eclipse in the soft band.

V419 Lyr	<i>Rutkovski, A. et al.</i> (6 authors) 2007, Acta Astronomica 57, 267 (1a, 5b) July 2006 superoutburst.
RW Mon	<i>Li, L.-F. et al.</i> (5 authors) 2007, PASJ, 59, 1121. (5b) Sudden period changes.
V616 Mon (A0620–00)	<i>Cantrell, A.G. et al.</i> (4 authors) 2008, ApJ 673, L159 (1aoi) Passive, loop, and active LC states of BH candidate. <i>Neilsen, J., Steeghs, D., Vrtilek, S.D.</i> 2008, MNRAS 384, 849. (2abc, 5degi) Spectroscopic observations and analysis.
V838 Mon	<i>Munari, U. et al.</i> (15 authors) 2007, A&A 474, 585. (1ao, 2co) Eclipse of the B3V companion and flaring of emission lines. <i>Sparks, W.B. et al.</i> (13 authors) 2008, AJ 135, 605. (3a) Distance and luminosity from polarimetry of light echo.
$\eta$ Mus	<i>Bakış, V. et al.</i> (4 authors) 2007, MNRAS 382, 609. (1a, 2a, 5abcdg) A photometric and spectroscopic study.
TU Mus	<i>Qian, S.-B. et al.</i> (6 authors) 2007, MNRAS 380, 1599. (5ab, 8cd) Evolutionary state of O-type overcontact system discussed.
GR Mus (XB 1254–690)	<i>Barnes, A.D. et al.</i> (7 authors) 2007, MNRAS 380, 1182. (1x, 2ao, 5e) Spectroscopic detection of donor star and mass constraints for both components.
QX Nor	<i>Keek, L. et al.</i> (6 authors) 2008, A&A 479, 177. (1x) First superburst from a classical LMXB.
V381 Nor (XTE J1550–564)	<i>Xue, Y., Wu, X.-B., Cui, W.</i> 2008, MNRAS 384, 440. (1x*r, 5cegi) Modelling the broad-band spectral energy distribution.
RS Oph	<i>Kantharia., N.G. et al.</i> (7 authors) 2007, ApJ 667, L171. (2cr) First low-frequency radio detection during outburst. <i>Nelson, T. et al.</i> (6 authors) 2008, ApJ 673, 1067. (2cx) Outburst observations.
V2216 Oph (GX 9+9)	<i>Cornelisse, R. et al.</i> (7 authors) 2007, MNRAS 380, 1219. (2ac, 5bdj) Mass function, mass ratio and K <sub>2</sub> of LMXB; Doppler maps show mass exchange.
V2365 Oph	<i>Ibanoglu, C. et al.</i> (12 authors) 2008, MNRAS 384, 331. (1ao, 2abo, 5abcdg) A photometric and spectroscopic study.
$\mu$ Ori	<i>Muterspaugh, M.W. et al.</i> (9 authors) 2008, AJ 135, 766. (4a, 5e) High-precision differential astrometry, combined with spectroscopic orbits, yields masses in quadruple system.
$\sigma$ Ori AB	<i>Caballero, J.A.</i> 2008, MNRAS 383, 750. (1ai*o*, 5ceg, 7cd) Determination of mass, distance and age.
AU Peg	<i>Jurkovic, M. et al.</i> (4 authors) 2007, Astron. Nachr. 328, 837. (1bo, 5ab) Pulsating Cepheid in SB2 binary with rapid decrease of pulsation period.
II Peg	<i>Frasca, A. et al.</i> (5 authors) 2008, A&A 479, 557. (1ao, 2co) Surface activity study.
IP Peg	<i>Ribeiro, T. et al.</i> (5 authors) 2007, A&A 474, 213. (1ai, 5c) Dwarf nova.
X Per	<i>La Palombara, N., Mereghetti, S.</i> 2007, A&A 474, 137. (2dx, 5g) Be/NS HMXB.
AW Per	<i>Massa, D., Evans, N.R.</i> 2008, MNRAS 383, 139. (2bc, 5bdeg) Determination of the angular separation of the components.

V622 Per	<i>Malchenko, S.L., Tarasov, A.E., Yakut, K.</i> 2007, Odessa Astronom. Publ. 20, part 1, 120. (2a, 5d) Duplicity and evolution status of early-type Be star.
16 Psc	<i>Tomkin, J., Fekel, F.C.</i> 2008, AJ 135, 555. (2a, 5dk)
DV Psc	<i>Zhang, X.B., Zhang, R.X.</i> 2007, MNRAS 382, 1133. (1a, 5abceg) Multi-colour CCD photometry and modelling.
V574 Pup	2007, IAU Circ. 8906 (2ci) Coronal lines from nova.
V597 Pup	2007, IAU Circ. 8895 (1ad, 4a, 6b) Apparent nova. 2007, IAU Circ. 8896 (1d, 2c) Balmer lines from nova. 2007, IAU Circ. 8902 (1a, 2ci) Strong He-lines. 2008, IAU Circ. 8911 (2cix) X-ray detection.
V598 Pup	2007, IAU Circ. 8898 (1ad, 2c, 4a) Nova features and designation. 2007, IAU Circ. 8899 (1a, 6b) Discovery of apparent nova. 2007, IAU Circ. 8901 (2ci) Coronal lines from nova.
U Sge	<i>Manzoori, D.</i> 2008, Ap&SS 313, 339. (1ao*, 5c) Confirmation of mass transfer.
WZ Sge	<i>Steeghs, D. et al.</i> (6 authors) 2007, ApJ 667, 442. (2bco, 5e) Dynamic constraints on masses of components.
HM Sge	<i>Lee, H-W., Kang, S.</i> 2007, ApJ 669, 1156. (2bco, 5i) AD emission model.
V4580 Sgr (SAX J1808.4–3658)	<i>Hartman, J.M. et al.</i> (9 authors) 2008, ApJ 675, 1468. (1x, 5b) Seven-year timing survey. <i>Leahy, D.A., Morsink, S.M., Cadeau, C.</i> 2008, ApJ 672, 1119. (1x, 5e) <i>Heger, A. et al.</i> (4 Authors) 2007, ApJ 671, L141. (1x)
V4634 Sgr (GS 1826–24)	<i>Tuthill, P.G. et al.</i> (6 authors) 2008, ApJ 675, 698. (4c) Extensive study of binary WR ‘pinwheel’.
V5097 Sgr (WR 104)	<i>Dobrotka, A., Retter, A., Liu, A.</i> 2008, A&A 478, 815. (1ao, 5b) Search for superhump.
V5116 Sgr	<i>Sala, G. et al.</i> (4 authors) 2008, ApJ 675, L93. (2x) Eclipsing supersoft postoutburst nova?
V5558 Sgr	2007, IAU Circ. 8874 (1a, 2ci) Coronal lines from nova. <i>Henden, A., Munari, U.</i> 2007, IBVS 5803 (4a, 6d) Photometric sequences and astrometric positions.
$\sigma$ Sco	<i>North, J.R. et al.</i> (5 authors) 2007, MNRAS 380, 1276. (4c, 5e) Fundamental parameters of SB within multiple system.
V818 Sco (Sco X-1)	<i>D'Ai, A. et al.</i> (6 authors) 2007, ApJ 667, 411. (2cx*) Broadband spectral evolution along colour-colour diagram.
V1033 Sco (GRO J1655–40)	<i>González Hernández, J.I., Rebolo, R., Israelian, G.</i> 2008, A&A 478, 203. (2oc, 5g) Improved chemical analysis of secondary. <i>Migliari, S. et al.</i> (9 authors) 2007, ApJ 670, 610. (2ciornx) Traced the jet contribution during 2005 outburst. <i>Senziani, F. et al.</i> (6 authors) 2007, A&A 476, 1297. (1x, 2x) Outburst monitoring.
VY Scl	<i>Hamilton, R.T., Sion, E.M.</i> 2008, PASP 120, 165. (2du, 5gi, 8ab) Far-uv study of nova-like variable.
RY Sct	<i>Grundstrom, E.D. et al.</i> (8 authors) 2007, ApJ 667, 505. (2bco, 5ej) Mass of either star, matter leaving system.

V479 Sct (LS 5039)	<i>Bosch-Ramon, V. et al.</i> (8 authors) 2007, A&A 473, 545. (2dx, 5g) Connection between the stellar wind and the non-thermal emission. <i>Dubus, G., Cerutti, B., Henri, G.</i> 2008, A&A 477, 691. (1g) $\gamma$ -ray modulation.
NP Ser (GX 17+2)	<i>Migliari, S. et al.</i> (10 authors) 2007, ApJ 671, 706. (1r, 2c, 5j) Relation between radio emission and hard X-ray tails.
Y Sex	<i>He, J.-J., Qian, S.-B.</i> 2007, PASJ, 59, 1115. (1co, 5b) Period variations with two periods.
EQ Tau	<i>Yuan, J., Qian, S.</i> 2007, MNRAS 381, 602. (1ao, 5bcde) Solar-type contact binary with spot activity.
V725 Tau (A 0535+262) (HDE 245770)	<i>Caballero, I. et al.</i> (14 authors) 2008, A&A 480, L17. (1x, 2x, 5i) Pre-outburst flare study. <i>Giovannelli, F. et al.</i> (4 authors) 2007, A&A 475, 651. (2co, 5i) HeI doubled emission lines in HMXB. <i>Hill, A.B. et al.</i> (9 authors) 2007, MNRAS 381, 1275. (1x) INTEGRAL detection of transient Be/X-ray binary during quiescent phase; periodic pulses and spin-down rate discussed. <i>Naik, S. et al.</i> (12 authors) 2008, ApJ 672, 516. (1x, 2x) <i>Postnov, K. et al.</i> (6 authors) 2008, A&A 480, L21. (5i) Magnetospheric instability in flaring.
FL TrA	<i>Imada, A. et al.</i> (7 authors) 2008, PASJ, 60, 267. (1ao) Superhump periods.
UX UMa	<i>Khruzina, T.S. et al.</i> (4 authors) 2007, AZh 84, 357. (1b, 5e, 8a) Structure of accretion disk in CV in the transition to its quiescent state.
FF UMa (2RE J0933+624)	<i>Gálvez, M.C. et al.</i> (5 authors) 2007, A&A 472, 587. (2ao, 5bcg) Orbital period variation.
W UMi	<i>Kreiner, J.M. et al.</i> (5 authors) 2008, MNRAS 383, 1506. (1ao, 5abcef) Period analysis.
LU Vel (GL 375)	<i>Díaz, R.F. et al.</i> (4 authors) 2007, A&A 474, 345. (1bo*, 2ao, 5cd) Orbital parameters and chromospheric activity.
PT Vel	<i>Bakiş, V. et al.</i> (4 authors) 2008, MNRAS 384, 1657. (1ao*, 2a, 5abcdegf) Absolute dimensions and apsidal motion.
V390 Vel (IRAS 08544–4431)	<i>Deroo, P. et al.</i> (6 authors) 2007, A&A 474, L45. (4c) Circumbinary disc resolved.
MR Vir (HIP 68718)	<i>Anderson, M.W.B., Filipović, M.D.</i> 2007, MNRAS 381, 1027. (1r, 6b) Radio detection of new near-contact RS CVn-type F5 V + G5 V EB.
NY Vir (PG 1336–018)	<i>Hu, H. et al.</i> (6 authors) 2007, A&A 473, 569. (8abcd) Evolutionary study of pulsating sdB EB.
UY Vol (EXO 0748–676)	<i>Cottam, J. et al.</i> (7 authors) 2008, ApJ 672, 504. (1x, 2x) Burst spectra. <i>Wolff, M.T., Wood, K.S., Ray, P.S.</i> 2007, ApJ 668, L151. (2cx) Magnetic activity in the secondary.
NO Vul	<i>Zasche, P., Wolf, M., Kotková, L.</i> 2008, IBVS 5812 (1a, 5abc) First LC analysis.
V407 Vul (RX J1914.4+2456)	<i>Ramsay, G.</i> 2008, MNRAS 384, 687. (1x, 2cd, 5cg, 8ab) The X-ray spectrum.
V458 Vul (Nova 2007)	2007, IAU Circ. 8861 (1acd, 4a, 6b) Possible nova. 2007, IAU Circ. 8862 (2c) Emission lines with P-Cyg profiles. 2007, IAU Circ. 8863 (1ad) Designation of nova. 2007, IAU Circ. 8878 (1d)

2007, IAU Circ. 8883 (2ci) Low-excitation lines.  
 2007, IAU Circ. 8904 (2ci) Variety of line profiles.  
*Henden, A., Munari, U.* 2007, IBVS 5803 (4a, 6d) Photometric sequences and astrometric positions.  
*Tarasova, T.N.* 2007, IBVS 5807 (2c) Early spectral evolution.  
 V459 Vul 2008, IAU Circ. 8907 (1ad, 4a, 6b) Discovered and confirmed nova.

---

## HR, HD, HDE, BD, CoD, CPD, SAO Objects

HR 2962 *Tomkin, J., Fekel, F.C.* 2008, AJ 135, 555. (2a, 5dk)  
 HR 6046 *Torres, G.* 2007, AJ 134, 1916. (4b, 5e, 8a) Hipparcos intermediate data combine with spectroscopic orbit to yield masses and evolutionary state.  
 (see V1817 Cyg)  
 HD 10262 *Griffin, R.F.* 2007, Observatory 127, 379. (2a, 5d) Eccentric SB2.  
 HD 19485 (see WZ Ari)  
 HD 107346 *Straizys, V., Sperauskas, J., Boyle, R.P.* 2008, Baltic Astronomy 17, 113. (2a, 5d) Orbit of SB containing a very hot component.  
 HD 110432 (see BZ Cru)  
 HD 116127 *Griffin, R.F.* 2007, Observatory 127, 379. (2a, 5d) Eccentric SB2.  
 HD 191612 *Howarth, I.D. et al.* (20 authors) 2007, MNRAS 381, 433. (2abo, 5bgk) Spectroscopic analysis of magnetic O6.5fpe III + O8fp V SB2 system.  
 HD 214686 *Tomkin, J., Fekel, F.C.* 2008, AJ 135, 555. (2a, 5dk)  
 HDE 245770 (see V725 Tau)  
 HDE 330036 *Angeloni, R. et al.* (4 authors) 2007, A&A 472, 497. (5g) Gas and dust spectra of the D' type symbiotic star.  
 BD+39°1828 *Bartkevičius, A., Boyle, R.P., Sperauskas, J.* 2008, Baltic Astronomy 17, 103. (2a, 5d) High-velocity spectroscopic binary orbits from photoelectric radial velocities: a triple system.

---

## X-ray sources with constellation names

Aql X-1 (see V1333 Aql)  
 Cen X-3 (see V779 Cen)  
 Cir X-1 (see BR Cir)  
 Cyg X-1 (see V1357 Cyg)  
 Cyg X-2 (see V1341 Cyg)  
 Cyg X-3 (see V1521 Cyg)  
 Her X-1 (see HZ Her)  
 Sco X-1 (see V818 Sco)

---

## Objects with names including RA and DEC

2MASS J00132268+0540093 *Parimucha, Š. et al.* (5 authors) 2008, Ap&SS 313, 419. (1ao, 5e)  
 (GSC 00008-00901)

IGR J00234+6141	<i>Bonnet-Bidaud, J.M. et al.</i> (5 authors) 2007, A&A 473, 185. (1ao, 2ao, 2dx, 5cde) CV identified as an intermediate polar.
IGR J00291+5934	<i>D'Avanzo, P. et al.</i> (6 authors) 2007, A&A 472, 881. (1aoi) Optical counterpart of LMXB in quiescence.
	<i>Torres, M.A.P., et al.</i> (13 authors) 2008, ApJ 672, 1079. (1ari) Observations in outburst and quiescence.
AX J0058–7203	<i>Haberl, F., Pietsch, W.</i> 2007, A&A 476, 317. (1x, 5b) Timing analysis of binary pulsar in SMC.
2MASS J00592888–2631054 (LTT 560)	<i>Tappert, C. et al.</i> (6 authors) 2007, A&A 474, 205. (1aou, 2ao, 5cde) Pre-CV.
PG 0101+039	<i>Geier, S. et al.</i> (6 authors) 2008, A&A 477, L13. (1ao) Tidal synchronization.
2MASS J01170514–7326360 (SMC X-1)	<i>Trowbridge, S., Nowak, M.A., Wilms, J.</i> 2007, ApJ 670, 624. (1x, 5b) Tracking the orbital and superorbital periods.
	<i>van der Meer, A. et al.</i> (5 authors) 2007, A&A 473, 523. (2ao, 5d) Determination of the HMXB NS mass.
	<i>Wojdowski, P.S., Liedahl, D.A., Kallman, T.R.</i> 2008, ApJ 673, 1023. (1x, 2x, 5j) Spatial distribution of He-ions.
4U 0520–72 (LMC X-2)	<i>Cornelisse, R. et al.</i> (7 authors) 2007, MNRAS 381, 194. (2ao, 5bd) Constraints on system parameters.
	<i>Lavagetto, G. et al.</i> (5 authors) 2008, A&A 478, 181. (2x*, 5i) Spectral analysis.
1RXS J052430.2+424449 (Paloma)	<i>Schwarz, R. et al.</i> (7 authors) 2007, A&A 473, 511. (1ao, 2dx*, 5i) Missing link in magnetic CV evolution?
1RXS J053246.1–662203 (LMC X-4)	<i>van der Meer, A. et al.</i> (5 authors) 2007, A&A 473, 523. (2ao, 5d) Determination of the HMXB NS mass.
A 0535+262	(see V725 Tau)
2MASS J05351113–0536511 (PAR 1802)	<i>Cargile, P.A., Stassun, K.G., Mathieu, R.D.</i> 2008, ApJ 674, 329. (1ai, 2a, 5cde) PMS eclipsing binary in Orion.
2MASS J05352184–0546085	<i>Reiners, A. et al.</i> (5 authors) 2007, ApJ 671, L149. (2oi) BD binary, primary component is the cooler, due to strong magnetic fields inhibiting convection.
1RXS J053855.6–640457 (LMC X-3)	<i>Smith, D.M., Dawson, D.M., Swank, J.H.</i> 2007, ApJ 669, 1138. (2cx) Discovery of hysteresis between x-ray spectrum and luminosity.
2MASS J05393883–6944356 (LMC X-1)	<i>Cooke, R. et al.</i> (4 authors) 2007, ApJ 667, L163. (2co) First evidence of jet?
1RXS J054648.3–710924 (CAL 87)	<i>Oliveira, A.S., Steiner, J.E.</i> 2007, A&A 472, L21. (1ao, 5a) An evolved wind-driven supersoft XB.
CTCV J0549–4921	<i>Imada, A. et al.</i> (7 authors) 2008, PASJ, 60, 267. (1ao) Superhump periods.
A0620–00	(see V616 Mon)
2MASS J06443435+3344566	<i>Sing, D.K. et al.</i> (7 authors) 2007, A&A 474, 951. (1ao, 2ao, 5cde, 6b) Eclipsing CV.
PSR J0737–3039	<i>Chatterjee, S. et al.</i> (5 authors) 2007, ApJ 670, 1301. (1x) Pulsed x-rays with the period of J0737-3039A; B not detected.
SDSS J074531.91+453829.5	<i>Mukadam, A.S. et al.</i> (7 authors) 2007, ApJ 667, 433. (1bo) Accreting pulsating WD in CV.
EXO 0748–676	(see UY Vol)

SDSS J080531.84+481233.0	<i>Burgasser, A.J.</i> 2007, AJ 134, 1330. (2di, 8a) Spectrum interpreted as that of unresolved L dwarf-T dwarf binary.
IRAS 08544–4431	(see V390 Vel)
SDSS J091945.10+085710.0	<i>Mukadam, A.S. et al.</i> (7 authors) 2007, ApJ 667, 433. (1bo) Accreting pulsating WD in CV.
SDSS J0921+2038	<i>Schmidt, G.D. et al.</i> (4 authors) 2008, PASP 120, 160. (2d, 3b, 6b) New magnetic CV.
2RE J0933+624	(see FF UMa)
SDSS J102146.44+234926.3	<i>Umemura, M. et al.</i> (29 authors) 2008, PASJ, 60, 227. (1aio) Outburst observations of a new WZ Sge-type CV.
IGR J11215–5952	<i>Sidoli, L. et al.</i> (7 authors) 2007, A&A 476, 1307. (1x, 2x, 5i) New hypothesis for outburst.
1E1145.1–6141	(see V830 Cen)
PG 1234+482	<i>Steele, P.R. et al.</i> (4 authors) 2007, MNRAS 382, 1804. (1a*, 2bci, 5deg) Near-infrared spectroscopy of the low mass companion.
XB 1254–690	(see GR Mus)
SDSS J1333+1437	<i>Schmidt, G.D. et al.</i> (4 authors) 2008, PASP 120, 160. (2ad, 3b, 6b) New magnetic CV.
PG 1336–018	(see NY Vir)
SDSS J150722.30+523039.8	<i>Littlefair, S.P. et al.</i> (6 authors) 2007, MNRAS 381, 827. (1ao, 5cej) CV probably formed by a brown dwarf + WD merger.
XTE J1550–564	(see V381 Nor)
SDSS J155252.48+320150.9	<i>Roelofs, G.H.A. et al.</i> (5 authors) 2007, MNRAS 382, 1643. (2bc, 5bdeg, 8c) A spectroscopic study.
IGR J16318–4848	<i>Moon, D.-S. et al.</i> (6 authors) 2007, ApJ 671, L53. (2bi) Multiple continuous emission components.
GRO J1655–40	(see V1033 Sco)
2MASS J16562962–0834387 (LS IV–08°3)	<i>Stark, M.A. et al.</i> (7 authors) 2008, AJ 135, 99. (1ao, 2ado, 5d, 6b)
SAX J1712.6–3739	<i>Fiocchi, M. et al.</i> (4 authors) 2008, A&A 477, 239. (2x) Persistent hard x-rays.
4U 1728–34	<i>Shrader, C.R., Reig, P., Kazanas, D.</i> 2007, ApJ 667, 1063. (2cx*) Spectral and temporal properties.
XTE J1739–285	<i>Zhang, C.M. et al.</i> (5 authors) 2007, PASP 119, 1108. (8a) Possible quark-star component if high spin rate is confirmed.
H 1743–322	<i>Xue, Y., Wu, X.-B., Cui, W.</i> 2008, MNRAS 384, 440. (1x*r, 5cegi) Modelling the broad-band spectral energy distribution.
GRO J1744–28	<i>Gosling, A.J. et al.</i> (4 authors) 2007, MNRAS 380, 1511. (1ai, 2bi) IR detection of two candidate counterparts of bursting pulsar.
XTE J1751–305	<i>Papito, A. et al.</i> (5 authors) 2008, MNRAS 383, 411. (1x*, 5bcegj, 7cd) Orbital and timing parameters.
Swift J1753.5–0127	<i>Liu, B.F. et al.</i> (4 authors) 2007, ApJ 671, 695. (8d) Model of coronal gas condensing onto a cool inner AD.
Swift J1756.9–2508	<i>Krimm, H.A. et al.</i> (13 authors) 2007, ApJ 668, L147. (2cgx, 5e) Range of mass for low-mass companion.
1RXS J180431.1–273932	<i>Nucita, A.A., Carpano, S., Guainazzi, M.</i> 2007, A&A 474, L1. (2dx, 5g) A new M-type x-ray binary with a 494-s pulse period NS?

XTE J1807–294	<i>Riggio, A. et al.</i> (7 authors) 2007, MNRAS 382, 1751. (1x*, 5bceg, 7cd) Determination of orbital parameters.
SAX J1808.4–3658	(see V4580 Sgr)
XTE J1817–330	<i>Sala, G. et al.</i> (5 authors) 2007, A&A 473, 561. (2dx, 5gi) BH candidate.
GS 1826–24	(see V4634 Sgr)
XTE J1829–098	<i>Halpren, J.P., Gotthelf, E.V.</i> 2007, ApJ 669, 579. (1bi, 2cx) IR counterpart identified.
HETE J1901.1–2455	<i>Elebert, P. et al.</i> (7 authors) 2008, MNRAS 383, 1581. (1ao, 2abco, 5bcdgi) Optical photometry and spectroscopy.
RX J1914.4+2456	(see V407 Vul)
GRS 1915+105	(see V1487 Aql)
2MASS J20200045+0437564 (NSVS 14256825)	<i>Wils, P., Di Scala, G., Otero, S.A.</i> 2007, IBVS 5800 (1a, 5abc, 6b) New HW Vir type system.
IRAS 20349+4010 (WR 147)	<i>Zhekov, S.A.</i> 2007, MNRAS 382, 886. (1x, 5dg, 8acd) Colliding stellar wind models.
SAX J2103.5+4545	<i>Camero Arranz, A. et al.</i> (4 authors) 2007, A&A 473, 551. (2dx, 5c) Long-term pulse profile study of the Be/x-ray pulsar in the HMXB.
4U 2129+47	(see V1727 Cyg)
RX J2133.7+5107	<i>Katajainen, S. et al.</i> (5 authors) 2007, A&A 475, 1011. (1bo, 3a, 5c) Discovery of polarized emission from the intermediate polar CV.

---

### Galactic objects with other designations

CAL 87	(see 1RXS J054648.3–710924)
CS 22876-032	<i>González Hernández, J.I. et al.</i> (18 authors) 2008, A&A 480, 233. (2co, 5h) Extremely metal-poor dwarfs components.
GL 375	(see LU Vel)
GSC 00008-00901	(see 2MASS J00132268+0540093)
GSC 04778-00152	<i>Tuvikene, T. et al.</i> (4 authors) 2008, Baltic Astronomy, 17, 79. (1b, 5c) Contact binary with a visual companion.
GX 9+9	(see V2216 Oph)
GX 17+2	(see NP Ser)
GX 301-2	(see BP Cru)
GX 339-4	(see V821 Ara)
HIP 68718	(see MR Vir)
Lanning 386	<i>Brady, S. et al.</i> (7 authors) 2008, PASP 120, 301. (1a, 2bd, 5ab) Dwarf nova or SW Sex star?
LS 5039	(see V479 Sct)
LS I +61°303	(see V615 Cas)
LS IV –08°3	(see 2MASS J16562962–0834387)
LT T 560	(see 2MASS J00592888–2631054)
NSVS 14256825	(see 2MASS J20200045+0437564)
PAR 1802	(see 2MASS J05351113–0536511)
SS 433	(see V1343 Aql)

UNSW-V-500	<i>Christiansen, J.L. et al.</i> (7 authors) 2007, MNRAS 382, 239. (1a, 2a, 5abcdeg, 6b) Discovery of the first high-amplitude $\delta$ Scuti star in an eclipsing binary.
WD 0137-349A/B	<i>Iorio, L.</i> 2007, Ap&SS 312, 337. (8a) Dynamical constraints on parameters.
WR 30a	(see V574 Car)
WR 104	(see V5097 Sgr)
WR 147	(see IRAS 20349+4010)

---

### Extragalactic close binaries

HD 5980	<i>Foellmi, G. et al.</i> (17 authors) 2008, Rev. Mex. Astron. Astrofiz. 44, 3. (2ad, 5dej) Luminous binary in SMC.
LMC X-1	(see 2MASS J05393883–6944356)
LMC X-2	(see 4U 0520–72)
LMC X-3	(see 1RXS J053855.6–640457)
LMC X-4	(see 1RXS J053246.1–662203)
SMC X-1	(see 2MASS J01170514–7326360)
M31N-2007-06B	<i>Shafter, A.W., Quimby, R.M.</i> 2007, ApJ 671, L121. (2co) He/N Nova in M31 globular cluster.
M31N 2007-11d	2007, IAU Circ. 8898 (1a, 6b) Discovery of apparent nova.
M31N 2007-12b	2008, IAU Circ. 8907 (2ci) Notably broad FWHM lines for a nova.
M33	<i>Grimm, H.-J. et al.</i> (5 authors) 2007, ApJ Suppl 173, 70. (2cx, 6b) Detection of x-ray binaries.
M33 X-7	<i>Orosz, J.A. et al.</i> (11 authors) 2007, Nature 449, 872. (1ao, 2ao, 2dx*, 5cde) EB with 15.65 solar mass BH in M33.
NGC 4472	<i>Zepf, S.E. et al.</i> (6 authors) 2007, ApJ 669, L69. (1o, 2bcx) Study of the environment around the XRB in this cluster.
NGC 7331	<i>Abolmasov, P.K. et al.</i> (6 authors) 2007, ApJ 668, 124. (2bo) Nebular emission powered by BH in XRB.
IC 10 X-1	<i>Prestwich, A.H. et al.</i> (9 authors) 2007, ApJ 669, L21. (2cx, 5e) Massive BH in detached system, BH accreting wind from Wolf-Rayet star.
Holmberg IX VI	<i>Prieto, J.L. et al.</i> (17 authors) 2008, ApJ 673, L59. (1ao, 5c, 6b) Discovery of yellow supergiant EB in dwarf galaxy?
SN 2004dt	<i>Altavilla, G. et al.</i> (21 authors) 2007, A&A 475, 585. (2co) Early spectral evolution of the type Ia SN.
SN 2007on	<i>Voss, R., Nelemans, G.</i> 2008, Nature 451, 802. (1ao*, 2dx*, 6c) Discovery of the progenitor of the type Ia SN.
SXP6.85	<i>McGowan, K.E. et al.</i> (6 authors) 2008, MNRAS 384, 821. (1aox, 2bc, 5bcdg, 8ab) Optical and x-ray variability.
SXP46.6	<i>McGowan, K.E. et al.</i> (6 authors) 2008, MNRAS 384, 821. (1aox, 2bc, 5bcdg, 8ab) Optical and x-ray variability.
X41.4+60	<i>Feng, H., Kaaret, P.</i> 2007, ApJ 668, 941. (2x) Source of quasi-periodic oscillations.

X42.3+59

*Feng, H., Kaaret, P.* 2007, ApJ 668, 941. (2x) Compact object may be intermediate mass black hole.

## General

*Abt, H.A.* 2008, AJ 135, 722. Differences in period distributions of metal-poor and metal-rich binaries.

*Abubekerov, M.K., Gostev, N.Yu., Cherepashchuk, A.M.* 2008, AZh 85, 121. (8a) Estimated errors of parameters in inverse parametrical problems. Light-curve analysis for classical eclipsing binaries.

*Ahmic, M. et al.* (8 authors) 2007, ApJ 671, 2074. Binary frequency among very young BDs is 11%. (9)

*Altamirano, D. et al.* (4 authors) 2008, ApJ 673, L35. QPO frequency drift below 9 MHz prior to Outburst. (8,9)

*Banerjee, S., Ghosh, P.* 2007, ApJ 670, 1090. Boltzmann study of evolution of binary populations in globular clusters.

*Belloni, T.* 2007, MmSAI 78, 652. Accretion onto black holes and relativistic jets.

*Bogdanov, M.B., Cherepashchuk, A.M.* 2007, AZh 84, 627. (8a) Analysing the brightness distributions of the components of eclipsing variables using precise photometric data.

*Bogdanović, T. et al.* (4 authors) 2008, ApJS 174, 455. SPH modelling of BH + disk binary emission. (8abc)

*Bogomazov, A.I., Lipunov, V.M., Tutukov, A.V.* 2007, AZh 84, 345 (8c) Evolution of close binaries and  $\gamma$ -ray bursts.

*Cai, M.J. et al.* (4 authors) 2008, ApJ 672, 489. Interactions of X-winds with disks and magnetospheres. (8ab)

*Campana, S.* 2008, MmSAI 79, 107. Transient neutron star x-ray binaries with Simbol-X.

*Cantrell, A.G., Bailyn, C.D.* 2007, ApJ 670, 727. Models for phase shifts in accreting binary stars.

*Chabrier, G., Gallardo, J., Baraffe, I.* 2007, A&A 472, L17. (8c) Evolution of low-mass star and brown dwarf EB's.

*Chen, X., Han, Z.* 2008, MNRAS 384, 1263. Binary coalescence from case A evolution: mergers and blue stragglers.

*Claret, A.* 2007, A&A 475, 1019. Does convective core overshooting depend on stellar mass?. Tests using 13 double-lined eclipsing binaries.

*Clark, J.S. et al.* (7 authors) 2008, A&A 477, 147. Unveiling the x-ray point source population of the young massive cluster Westerlund 1.

*Combi, J.A., Albacete-Colombo, J.F., Martí, J.* 2008, A&A 477, 125. A new search strategy for microquasar candidates using NVSS/2MASS and XMM-Newton data.

*De Becker, M. et al.* (7 authors) 2008, MmSAI 79, 242. The investigation of particle acceleration in colliding-wind massive binaries with Simbol-X.

*Deloye, C.J. et al.* (4 authors) 2007, MNRAS 381, 525. The thermal evolution of the donors in AM CVn binaries.

*de Martino, D. et al.* (10 authors) 2008, MmSAI 79, 246. Broad-band x-ray properties of magnetic cataclysmic variables.

*Devor, J. et al.* (5 authors) 2008, AJ 135, 850. Properties of 773 EBs found in Trans-Atlantic Exo-planet Survey.

*Dubus, G.* 2008, New Astron. Rev. 51, 778. High-energy  $\gamma$ -ray emission from binaries.

*Eldridge, J.J., Izzard, R.G., Tout, C.A.* 2008, MNRAS 384, 1109. The effect of massive binaries on stellar populations and supernova progenitors.

*Faccioli, L., Alcock, C., Cook, K.* 2008, ApJ 672, 604. Rapid circularization of PMS binaries in the LMC and SMC from OGLE-II. (9)

*Faccioli, L. et al.* (6 authors) 2007, AJ 134, 1963. General properties of very large sample of EBs in LMC and SMC from MACHO project.

*Finke, J.D., Bottcher, M.* 2007, ApJ 667, 395. X-ray spectral signatures of the photon bubble model for ultraluminous x-ray sources.

*Fisker, J.L., Schatz, H., Thielemann, F-K.* 2008, ApJS 174, 261. H-burning during type-I x-ray bursts.(8a)

*Frank, J.* 2008, New Astron. Rev. 51, 878. Mass transfer in double-WD binaries.

*Fregeau J.M.* 2008, ApJ 673, L25. XRBs and the dynamics of globular clusters. (9)

*Fukue, J.* 2008, PASJ 60, 137. Radiative transfer in relativistic AD winds.

*Fukue, J.* 2008, PASJ 60, 377. Relativistic variable Eddington factor.

*Gallo, E.* 2007, Ap&SS 311, 161. Galactic x-ray binary jets.

*Gorenstein, P.* 2008, MmSAI 79, 208. Searching for black holes in nearby galaxies with Simbol-X.

*Halevin, A. V.* 2007, Odessa Astronom. Publ. 20, part 1, 70. (8b) Genetic algorithm eclipse mapping.

*Han, Z., Podsiadlowski, Ph., Lynas-Gray, A.E.* 2007, MNRAS 380, 1098. A binary model for the UV-upturn of elliptical galaxies.

*Hubrig, S. et al.* (5 authors) 2007, MNRAS 381, 1569. Establishing the nature of companion candidates to x-ray emitting late B-type stars.

*Imshennik, V.S., Mannkovich, K.V.* 2007, LeAZh, 33, 528 (8a) Three-dimensional explosion dynamics of a critical-mass neutron star in a binary system.

*Iorio, L.* 2007, Ap&SS 312, 331. The post-Newtonian mean anomaly advance as further post-Keplerian parameter in pulsar binary systems.

*Ivanov, P.B., Papaloizou, J.C.B.* 2007, A&A 476, 121. Orbital circularisation of white dwarfs and the formation of gravitational radiation sources in star clusters containing an intermediate mass BH.

*Jordan, A. et al.* (22 authors) 2007, ApJ 671, L117. LMXB in globular clusters in Centaurus A. (9)

*Kaaret, P.* 2008, Astron. Nachr. 329, 202. Open questions on BH binaries.

*Kabath, P. et al.* (8 authors) 2007, AJ 134, 1560. Identification of new periodic variables in COROT target field IR01, including several EBs.

*Karami, K., Teimoorinia, H.* 2007, Ap&SS 311, 435. Velocity curve analysis of spectroscopic binary stars by the non-linear least squares.

*Kawakami, N., Kato, Y., Mineshige, S.* 2008, PASJ, 60, 399. X-ray emissions from three-dimensional magnetohydrodynamic coronal accretion flows.

*Khaliullin, Kh.F., Khaliullina, A.I.* 2007, MNRAS 382, 356. Determination of the axial rotation rate using apsidal motion for early-type eclipsing binaries.

*Klužniak, W., Rappaport, S.* 2007, ApJ 671, 1990. Magnetically torqued thin accretion disks. (8)

*Knigge, Ch.* 2007, MNRAS 382, 1982. Erratum: The donor stars of cataclysmic variables.

*Kobulnicky, H.A., Fryer, C.L.* 2007, ApJ 670, 747. Constraint on properties of massive binaries.

*Kopparapu, R.K. et al.* (7 authors) 2008, ApJ 675, 1459. Host-galaxy catalogue for compact binary coalescence events. (9)

*Körding, E.G.* 2007, Ap&SS 311, 143. Common disc-jet coupling in accreting objects.

*Kotov, V.A.* 2007, BCrAO, 104, 169 (8a) The Sun and the transcendental world of binary stars.

*Kouwenhoven, M.B.N., de Grijs, R.* 2008, A&A 480, 103. The effect of binaries on the dynamical mass determination of star clusters.

*Kraus, A.L. et al.* (8 authors) 2007, AJ 134, 1488. First MOTESS-GNAT variable star survey recovers several EBs from GCVS.

*Kuncic, Z., Bicknell, G.V.* 2007, Ap&SS 311, 127. Towards a new standard model for BH accretion.

*Lanzafame, G.* 2008, PASJ, 60, 259. Role of compressibility, turbulent viscosity, and mass-transfer-rate on ADs.

*La Palombara, N., Mereghetti, S.* 2008, MmSAI 79, 257. Broadband spectroscopy of persistent low luminosity x-ray pulsars.

*Lasota, J.-P.* 2008, New Astron. Rev. 51, 752. ADs and outbursts in compact binaries.

*Lawlor, T.M. et al.* (4 authors) 2008, MNRAS 384, 1533. Single and binary evolution of Population III stars and their supernova explosions.

*Lee, C-H., Park, H-J. Brown, G.E.* 2007, ApJ 670, 741. Mergers of binary compact objects.

*Lin, D., Remillard, R.A., Homan, J.* 2007, ApJ 667, 1073. Evaluating spectral models and x-ray states of NS x-ray transients.

*Loeillet, B. et al.* (11 authors) 2008, A&A 479, 865. Doppler search for exoplanet candidates and binary stars in a CoRoT field using a multi-fiber spectrograph. I. Global analysis and first results.

*Malkov, O.Yu.* 2007, MNRAS 382, 1073. Mass-luminosity relation of intermediate-mass stars.

*Malzac, J.* 2007, Ap&SS 311, 149. Jet disc coupling in BH binaries.

*Malzac, J.* 2008, MmSAI 79, 134. Accretion discs, coronae and jets in BH binaries: prospects for Simbol-X.

*Maoz, D.* 2008, MNRAS 384, 267. On the fraction of intermediate-mass close binaries that explode as Type Ia supernovae.

*Mapelli, M. et al.* (6 authors) 2007, MNRAS 380, 1127. Blue straggler stars in dwarf spheroidal galaxies.

*Massarotti, A. et al.* (4 authors) 2008, AJ 135, 209. Rotational and radial velocities for 761 HIP-PARCOS giants, with orbits for binaries (see also Collections of Data).

*McNamara, A.L.* 2008, MNRAS 383, 962. Compton scattering of Fe Ka lines in magnetic cataclysmic variables.

*Mints, A.A.* 2008, LeAZh, 34, 3 (8a) Interaction of binary stars with clusters.

*Moni Bidin, C., Catelan, M., Altmann, M.* 2008, A&A 480, L1. Is a binary-fraction-age relation responsible for the lack of EHB binaries in globular clusters?

*Nagayama, T. et al.* (5 authors) 2008, PASJ, 60, 183. VLBI observations of water masers in Onsala 1: massive binary star-forming site?

*Nagel, E.* 2008, Rev. Mex. Astron. Astrofis. 44, 85. Disk mass estimates in binary systems.

*Nagel, E., Pichardo, B.* 2008, MNRAS 384, 548. A simple analytical formulation for periodic orbits in binary stars.

*Nazarenko, V.V.* 2008, AZh, 85, 46 (8b) Formation of a radiative wind and accretion disk in micro-quasars. Generation of flare activity in the disk due to an increase in the supply of material to the Lagrange point L1. The system LMC X-3.

*Nazarenko, V.V., Glazunova, L.V.* 2007, Odessa Astronom. Publ. 20, part 1, 154. (8b) Three-dimensional hydrodynamic modelling of mass transfer in the close binary system  $\beta$  Lyr with an

accretor wind. III.

*Nishiyama, S., Watarai, K., Fukue, J.* 2007, PASJ, 59, 1227. Apparent photosphere of massive AD winds.

*Norton, A.J. et al.* (4 authors) 2008, ApJ 672, 524. Accretion outflows in the form of disks, streams, rings and propellers. (8ab)

*Orellana, M. et al.* (5 authors) 2007, A&A 476, 9. Leptonic secondary emission in a hadronic micro-quasar model.

*Ortega-Rodriguez, M., Wagoner, R.B.* 2007, ApJ 667, 1158. Global disk oscillation modes in CV's.

*O'Shaughnessy, R. et al.* (4 authors) 2008, ApJ 672, 479. Constraints on population synthesis. (9)

*Pavlenko, E.P.* 2007, Odessa Astronom. Publ. 20, part 1, 168. (8a) WZ Sge stars.

*Pietsch, W.* 2008, MmSAI 79, 198. X-ray source population studies in nearby galaxies.

*Pigulski, A., Pojmański, G.* 2008, A&A 477, 917.  $\beta$  Cephei stars in the ASAS-3 data. II. 103 new  $\beta$ Cephei stars and a discussion of low-frequency modes.

*Postnov, K. A., Kuranov, A. G.* 2008, MNRAS 384, 1393. Neutron star spin-kick velocity correlation effect on binary neutron star coalescence rates and spin-orbit misalignment of the components.

*Puebla, R.E., Diaz, M.P., Hubeny, I.* 2007, AJ 134, 1923. Statistical study of AD model spectra for CVs.

*Pustynsi, V.V., Pustylnik, I.* 2007, Odessa Astronom. Publ. 20, part 1, 189. (8a) On the evolutionary history of progenitors of EHBS and related binary systems based on analysis of their observed properties.

*Rezzolla, L. et al.* (7 authors) 2007, ApJ 671, L29. Coalescence of aligned-spin BH binaries? (8c)

*Ribeiro, F.M., Diaz, M.* 2008, PASJ, 60, 327. Tomographic simulations of ADs in cataclysmic variables – flickering and wind.

*Ricker, P.M., Taam, R.E.* 2008, ApJ 672, L41. Binary evolution within a common envelope. (8abc)

*Ritter, H.* 2008, New Astron. Rev. 51, 869. Is irradiation important for secular evolution of LMXBs?

*Roberts, T.P.* 2007, Ap&SS 311, 203. X-ray observations of ultraluminous x-ray sources.

*Rodriguez, J.* 2008, MmSAI 79, 160. A Symbol-X view of microquasars.

*Roelofs, G.H.A., Nelemans, G., Groot, P.J.* 2007, MNRAS 382, 685. (1a, 2a, 5cdg, 8abcd) Theoretical population synthesis models of AM CVn stars from the Sloan Digital Sky Survey.

*Ruciński, S.M.* 2007, MNRAS 382, 393. The short-period end of the contact binary distribution based on the All-Sky Automated Survey.

*Ruciński, S.M., Pribulla, T., van Kerkwijk, M.H.* 2007, AJ 134, 2353. Adaptive-optics search for additional components in contact binaries (see also Collections of Data).

*Scholl, H. Marzari, F., Thébault, P.* 2007, MNRAS 380, 1119. Relative velocities among accreting planetesimals in binary systems: the circumbinary case.

*Sepinsky, J.F. et al.* (4 authors) 2007, ApJ 667, 1170. Secular orbital evolution of eccentric-orbit interacting binaries due to mass transfer.

*Shtykovskiy, P.E., Gilfanov, M.R.* 2007, LeAZh 33, 492. (8ac) HMXBs and recent star formation history of the Small Magellanic Cloud.

*Sidoli, L.* 2008, MmSAI 79, 103. New INTEGRAL HMXBs.

*Sidoli, L. et al.* (5 authors) 2007, MmSAI 78, 658. Recent results in HMXBs.

*Soria, R.* 2007, Ap&SS 311, 213. Bridging the gap between stellar-mass black holes and ultraluminous x-ray sources.

*Suleimanov, V.F., Lipunova, G.V., Shakura, N.I.* 2007, AZh 84, 612. (5j, 8b) The thickness of accretion disks: theory and observations.

*Tokovinin, A., Cantarutti, R.* 2008, PASP 120, 170. First speckle interferometry at SOAR telescope resolves SBs 61 Cet, 66 Cet.

*Tutukov, A.V., Fedorova, A.V.* 2007, AZh 84, 327. (8c) Late stages of the evolution of close compact binaries: Type I supernovae,  $\gamma$ -ray bursts, and supersoft x-ray sources.

*van den Heuvel, E.P.J., Yoon, S.C.* 2007, Ap&SS 311, 177. Long  $\gamma$ -ray burst progenitors: boundary conditions and binary models.

*Viallet, M., Hameury, J.-M.* 2007, A&A 475, 597. Hydrodynamic simulations of irradiated secondaries in dwarf novae.

*Vitrichenko, E.A., Nadyozhin, D.K., Razinkova, T.L.* 2007, LeAZh 33, 287. (5e) Mass-luminosity relation for massive stars.

*Voss, R., Gilfanov, M.* 2007, MNRAS 380, 1685. The dynamical formation of LMXBs in dense stellar environments: globular clusters and the inner bulge of M31.

*Walter, R., Zurita Heras, J.* 2007, A&A 476, 335. Probing clumpy stellar winds with a neutron star.

*Wilson, R.E.* 2008, ApJ 672, 575. Eclipsing binary flux light curves yield direct distance determinations. (8a)

*Wu, B., Meng, X.-C., Han, Z.-W.* 2008, Chinese Astron. Ap., 32, 23. The formation of BH binaries.

*Xu, X.-J., Li, X.-D.* 2007, A&A 476, 1283. Thermal timescale mass transfer rates in intermediate-mass x-ray binaries.

*Yoon, S.-C., Podsiadlowski, Ph., Rosswog, S.* 2007, MNRAS 380, 933. Remnant evolution after a carbon-oxygen WD merger.

*Yuan, J., Qian, S.* 2007, ApJ 669, L93. A mechanism for orbital-period modulation and irregular orbital-period variations in close binaries.

*Yungelson, L., Lasota, J.-P.* 2008, New Astron. Rev. 51, 860. Evolution of low-mass binaries with BH components.

*Zamanov, R.K. et al.* (8 authors) 2007, MNRAS 380, 1053. Rotational velocities of the giants in symbiotic stars – II. Are S-type symbiotics synchronized?

## Collections of data

*Bryukhanov, I.S.* 2007, Odessa Astronom. Publ. 20, part 2, 18. (1cd) Observations of variable stars with small telescopes (FM Leo,  $\gamma$  Gem and RZ Cas).

*Carquillat, J.-M., Prieur, J.-L.* 2007, MNRAS 380, 1064. (2a,5d,6b) Search for SBs among Am stars; 64% of a sample of 91 Am stars are found to be binaries; detailed study of eight stars: HD 32893, HD 60489, HD 109762, HD 111057, HD 113697, HD 204918, HD 219675 and BD +44°4512.

*Carquillat, J.-M., Prieur, J.-L.* 2008, Astron. Nachr. 329, 44. (1do,5d,6a) Orbital elements of seven SB1 systems of types F to M: HD 31855, HD 59643, HD 60092, HD 133189, HD 162262, HD 203522, BD +43°1331.

*Corbet, R.H.D. et al.* (5 authors) 2008, ApJ 675, 1424. (1x, 2x) Comparison of symbiotic binaries: V934 Her, V2116 Oph, 4U 1954+319.

*Csizmadia, Sz. et al.* (4 authors) 2007, Astron. Nacogr. 328, 821. (1o,5ce,6a) Updated catalogue of light curve solutions of contact binaries.

*Dogru, S.S., Dogru, D., Donmez, A.* 2007, IBVS 5795. (5a) 37 minima times of 31 EBs: SX Aur, ZZ Aur, GX Aur, TU Boo, TZ Boo, VW Boo, BI CVn, XZ CMi, BS Cas, V366 Cas, V389 Cas, V523 Cas, VW Cep, WZ Cep, BE Cep, EG Cep, GI Cep, GW Cep, RW Com, RZ Com, CC Com, TW CrB, YY Eri, DF Hya, SW Lac, UZ Leo, AP Leo, FZ Ori, RZ Tau, EQ Tau, BM UMa.

*Dworak, S.W.* 2008, IBVS 5814. (5a) Times of minima for neglected EBs 2006-2007: CN And, DS And, LO And, AC Boo, FI Boo, AO Cam, TX Cnc, BI CVn, DF CVn, MT Cas, V523 Cas, EK Com, LP Com, GM Dra, AA Eri, BD Gem, QW Gem, V387 Her, EM Lac, PP Lac, AP Leo, DU Leo, RT LMi, UU Lyn, V714 Mon, FL Ori, BB Peg, BG Peg, DI Peg, DZ Psc, AS Ser, OU Ser, AH Tau, CT Tau, WY Tau, VZ Tri, V781 Tau, AA UMa, AW UMa, BM UMa, HN UMa, AZ Vir, HW Vir.

*Freire, C.C., et al.* (7 authors) 2008, ApJ 675, 670. (1r, 5b, 6b) Discovery and properties of five binary pulsars in NGC 6440 and NGC 6441: PSR J1748–2021B, PSR J1748–2021D, PSR J1748–2021F, PSR J1750–37A, PSR J1750–3703B.

*Gallo, E. et al.* (8 authors) 2007, ApJ 670, 600. (2ci) Spectral energy distribution during quiescent phase for several stars.

*Gierliński, M., Nikolajuk, M., Czerny, B.* 2008, MNRAS 383, 741.(1x\*, 5ceg, 8a) X-ray variability of the Galactic black holes: V821 Ara, V1357 Cyg, IL Lup, V381 Nor, V1033 Sco, KV UMa, XTE

J1650–500.

*Griffin, R.F.* 2007, Observatory 127, 313. (2a, 5d) SB2s: HR 770, HD 64207, HD 187160, HD 212790.

*Griffin, R.F.* 2008, Observatory 128, 21. (2a, 5d) Bright SBs: 16 Aur, 5 Her, 48 Psc,  $\beta$  Sct.

*Hartman, J.D., et al.* (8 authors) 2008, ApJ 675, 1254. (1ri, 5bcd) Transit survey of M37, discovery of 20 new EBs.

*Hegedus, T. et al.* (9 authors) 2007, Odessa Astronom. Publ. 20, part 1, 76. (2a, 5d) EP And, HS Her: A report on latest results.

*Hübscher, J.* 2007, IBVS 5802. (5a) BAV Mitteilungen No. 186, 735 minima of EB: GK And, KP And, CX Aqr, GK Aqr, GS Aqr, MU Aqr, V346 Aql, V417 Aql, XX Aur, ZZ Aur, AH Aur, AP Aur, BC Aur, CG Aur, CL Aur, EM Aur, GI Aur, HL Aur, HP Aur, HW Aur, IZ Aur, KU Aur, MN Aur, MO Aur, V364 Aur, V402 Aur, V404 Aur, V410 Aur, SU Boo, TU Boo, TY Boo, TZ Boo, XY Boo, YY Boo, AC Boo, CV Boo, ET Boo, EW Boo, FI Boo, GM Boo, GN Boo, GQ Boo, GR Boo, GS Boo, i Boo, Y Cam, SV Cam, SV Cam, AO Cam, RY Cnc, TU Cnc, TX Cnc, WW Cnc, WY Cnc, XZ Cnc, AB Cnc, AC Cnc, AD Cnc, EH Cnc, GW Cnc, DH CVn, DI CVn, RS CMi, RW CMi, TX CMi, UZ CMi, XZ CMi, YY CMi, AK CMi, AM CMi, BF CMi, AL Cas, CW Cas, DZ Cas, EG Cas, EN Cas, GK Cas, GR Cas, MR Cas, MT Cas, OR Cas, V374 Cas, V375 Cas, V381 Cas, V473 Cas, V654 Cas, AV Cep, DK Cep, EG Cep, GI Cep, HI Cep, IO Cep, IW Cep, LP Cep, NS Cep, NU Cep, NW Cep, RW Com, RZ Com, UX Com, CC Com, CM Com, CN Com, EK Com, LL Com, LO Com, LP Com, LT Com, RW CrB, TW CrB, YY CrB, AV CrB, VZ Cru, XY Cru, Y Cyg, WW Cyg, WZ Cyg, ZZ Cyg, AE Cyg, BR Cyg, CV Cyg, DL Cyg, V370 Cyg, V443 Cyg, V453 Cyg, V454 Cyg, V496 Cyg, V498 Cyg, V505 Cyg, V508 Cyg, V512 Cyg, V513 Cyg, V525 Cyg, V534 Cyg, V628 Cyg, V726 Cyg, V728 Cyg, V749 Cyg, V787 Cyg, V828 Cyg, V841 Cyg, V912 Cyg, V963 Cyg, V1004 Cyg, V1019 Cyg, V1048 Cyg, V1188 Cyg, V1189 Cyg, V1191 Cyg, V1193 Cyg, V1196 Cyg, V1305 Cyg, V1326 Cyg, V1411 Cyg, V1787 Cyg, V2240 Cyg, V2277 Cyg, V2280 Cyg, V2284 Cyg, EX Del, Z Dra, RR Dra, RX Dra, RZ Dra, SX Dra, UZ Dra, WW Dra, AK Dra, AX Dra, BE Dra, BS Dra, BU Dra, FU Dra, GQ Dra, GV Dra, KK Dra, LZ Dra, MU Dra, RU Gem, RW Gem, WW Gem, AC Gem, AF Gem, AL Gem, AV Gem, AY Gem, BO Gem, CK Gem, CP Gem, CX Gem, DP Gem, FG Gem, FT Gem, GM Gem, GP Gem, GW Gem, GZ Gem, HR Gem, IM Gem, KQ Gem, KV Gem, MU Gem, TU Her, TX Her, BC Her, CC Her, DD Her, DK Her, DP Her, EF Her, ES Her, GL Her, GU Her, LT Her, MT Her, MX Her, V338 Her, V342 Her, V387 Her, V450 Her, V643 Her, V687 Her, V719 Her, V728 Her, V731 Her, V740 Her, V742 Her, V829 Her, V842 Her, V856 Her, V857 Her, V1033 Her, V1034 Her, V1038 Her, V1039 Her, V1047 Her, V1054 Her, V1055 Her, V1057 Her, V1062 Her, V1067 Her, V1073 Her, TY Hya, AV Hya, DF Hya, DI Hya, AW Lac, CN Lac, FI Lac, IP Lac, LY Lac, V339 Lac, RW Leo, UU Leo, UV Leo, UZ Leo, VZ Leo, XX Leo, XY Leo, XZ Leo, AL Leo, AM Leo, AP Leo, BL Leo, ET Leo, EX Leo, RT LMi, VW LMi, RZ Lyn, SW Lyn, TY Lyn, UU Lyn, CD Lyn, DU Lyr, LZ Lyr, OT Lyr, V411 Lyr, V412 Lyr, V563 Lyr, V574 Lyr, V580 Lyr, V596 Lyr, CF Mon, GU Mon, IU Mon, IZ Mon, V395 Mon, V396 Mon, V442 Mon, V496 Mon, V514 Mon, V530 Mon, V532 Mon, V536 Mon, V714 Mon, V843 Mon, WZ Oph, AL Oph, V449 Oph, V501 Oph, V2553 Oph, CQ Ori, FZ Ori, QT Ori, V343 Ori, V392 Ori, BO Peg, BY Peg, CE Peg, MQ Peg, BY Per, CC Per, IK Per, KL Per, KR Per, NZ Per, V432 Per, UZ Sge, AQ Ser, AU Ser, CX Ser, Y Sex, AL Tau, AS Tau, CR Tau, GW Tau, V471 Tau, TW UMa, TY UMa, UY UMa, XY UMa, AA UMa, AA UMa, AW UMa, IW UMa, RT UMi, TV UMi, AW Vir, AX Vir, BH Vir, CM Vir, NY Vir, Z Vul, AW Vul, AZ Vul, BK Vul, BM Vul, BP Vul, IM Vul.

*Kawki, A. et al.* (5 authors) 2008, ApJ 675, 1518. (2acu, 5bde) Observations and analysis of IN CMa, FS Cet, 2MASS J10441023–6918180, EUVE J2013+40.0, WD close binaries.

*Kilicoglu, T. et al.* (18 authors) 2007, IBVS 5801. (5a) Photoelectric minima of some EBs: V417 Aql, AC Boo, TZ Boo, MR Cyg, V2150 Cyg, V836 Cyg, DN Del, AK Her, TX Her, V842 Her, SW Lac, AM Leo, XY Leo, V451 Oph, V566 Oph, DI Peg, V781 Tau, AH Vir, Z Vul.

*Kozhevnikova, A.V. et al.* (4 authors) 2007, AZh 84, 1029. (1b, 5ce) Long-term starspot activity of the eclipsing binaries BH Vir and WY Cnc.

*Krajci, T.* 2007, IBVS 5806. (5a) Photoelectric minima of some EBs: HV Aqr, V1647 Aql, DO Aur, EM Aur, S Cnc, XZ Cnc, BI CVn, RR CMa, AD CMa, CV CMa, BQ Cap, RZ Cas, GK Cas, NU Cas, GW Cep, NR Cep, DY Cet, EK Com, NU Cyg, QW Cyg, V500 Cyg, V704 Cyg, V842 Cyg, V884 Cyg, V1189 Cyg, V1901 Cyg, V1902 Cyg, V2150 Cyg, V2197 Cyg, V2290 Cyg, BQ Eri, WW Gem, DQ Her, V1050 Her, V1063 Her, RX Hya, DI Hya, KW Hya, VX Lac, CW Lib, GI Lib, GV Lib, Del Lib, SW Lyn, DF Lyr, V429 Lyr, EH Mon, EW Mon, HM Mon, V524 Mon, V634 Mon, V709 Oph, V641 Ori, V1027 Ori, V1063 Her, RX Hya, DI Hya, KW Hya, VX Lac, CW Lib, GI Lib, GV Lib, Del Lib, SW Lyn, DF Lyr, V429 Lyr, EH Mon, EW Mon, HM Mon, V524 Mon, V634 Mon, V709 Oph, V641 Ori, V1027 Ori, BQ Peg, BY Peg, CF Peg, CW Peg, DX Per, V364 Per, BL Pup, V1068 Sgr, V1963 Sgr, MX Ser, RW Tri, XY UMa, DN UMa, DV UMa, IY UMa, CM Vir, DM Vir, FO Vir, HP Vul, HD 74057, 2MASS J00011146+0904414, 2MASS J10455460+5216263, 2MASS J21162910+5523103, 2MASS J21172393+2153335, GSC 0742-0237.

*Kruspe, R., Schuh, S., Traulsen, I.* 2007, IBVS 5796. (5a) Minima times for selected CBs: PX And, EX Dra, AI Tri, HS 0705+6700.

*Kudzej, I. et al.* (11 authors) 2007, Odessa Astronom. Publ. 20, part 1, 100. (1b) Astronomical observatory at Kolonicke Sedlo and its results in variable-star observing: TT Boo, CW Cas and GK Per.

*Law, N.M., Hodgkin, S.T., Mackay, C.D.* 2008, MNRAS 384, 150. (1ao, 5ce, 6ab, 7cd) Discovery of 14 very low mass binaries: LSPM J0035+0233, LSPM J0409+0546, LSPM J0503+2122 (NLTT 14406), LSPM J0610+2234, LSPM J0711+4329 (LHS 1901), LSPM J0738+4925 (LHS 5126), LSPM J0859+2918 (LP 312-51), LSPM J0045+3347, LSPM J0115+4702, LSPM J0227+5432, LSPM J0259+3855 (G134-63), LSPM J0921+4330 (GJ 3554), LSPM J2023+6710, LSPM J1832+2030.

*Linder, N. et al.* (5 authors) 2007, A&A 474, 193. (2ao, 5d) The Struve-Sahade effect in DH Cep, HD 100213, HD 159176 and HD 165052.

*Martayan, C. et al.* (7 authors) 2007, A&A 472, 577. (6b) New binaries in the field of the SMC open cluster NGC 330 discovered with VLT-FLAMES.

*Massarotti, A. et al.* (4 authors) 2008, AJ 135, 209. (2a, 5d) New radial velocities for giants in HIPPARCOS catalogue, with new and/or revised orbits for binaries, mostly bright objects. SB2s:  $\eta$  And, HD 5720,  $\iota$  Tri, UX Ari,  $\sigma$  Leo, VV Crv, HD 139361, MS Ser,  $\phi$  Cyg,  $\alpha$  Equ, HD 210211, HD 221625. SB1s: BC Psc, HR 290,  $\delta$  And,  $\zeta$  And, HD 9312,  $\zeta$  Cet, HR 738,  $\sigma$  Tau,  $\delta$  Tau,  $\theta^1$  Tau, HD 29923, HR 1517, 63 Eri, HD 33066, 16 Aur, 27 Ori, 1 Gem,  $\sigma$  Gem, HD 65938, HD 68586, HR 3360, 23 Hya,  $\lambda$  Hya,  $\mu$  UMa,  $\beta$  LMi,  $\phi$  Hya, DQ Leo, HR 4544, 12 Com, HR 4822, HD 118670, HR 5361, HD 131208, HR 5692, GX Lib, 5 Her,  $\beta$  Her, HR 6330, HR 6404,  $\zeta$  Sct,  $\sigma$  Dra, HD 212989,  $\eta$  Peg, IM Peg,  $\lambda$  And (see also General).

*McGowan, K.E. et al.* (9 authors) 2008, MNRAS 383, 330. (1x, 5cg, 6abc) Search for x-ray binaries in SMC with *Chandra*.

*Nishimaki, Y. et al.* (5 authors) 2008, PASJ, 60, 191. (2di) Near-infrared spectra of 21 WR stars (many of them are binaries): HD 4004, HD 16523, HD 17638, HD 50896, HD 56925, HD 190918, HD

191765, HD 192103, HD 192163, HD 192641, HD 193077, HD 193576, HD 193793, HD 193928, HD 195177, HD 197406, HD 211853, HD 214419, HD 219460, AC +60°38562, AS 513.

*Parimucha, S., Dubovsky, P., Kudzej, I.* 2007, Odessa Astronom. Publ. 20, part 1, 164. (1a) Observations of cataclysmic variables at Kolonica observatory: CI UMa, MR UMa and SW UMa.

*Pavlenko, E.P. et al.* (4 authors) 2007, BCrAO 104, 148. (1b) Outbursts of selected dwarf novae and postnovae.

*Pavlenko, Ya. V.* 2007, Odessa Astronom. Publ. 20, part 1, 176. (2c, 5h) Extremely peculiar stars: V838 Mon, V4334 Sqr and RS Oph.

*Pretorius, M.L. et al.* (6 authors) 2007, MNRAS 382, 1279. (1x, 2a, 5cde, 6abc) The space density of CVs based on a sample of 5 CVs from the ROSAT North Ecliptic Pole survey: EX Dra, IX Dra, RX J1715.6+6856, SDSS J173008.38+624754.7, RX J1831.7+6511.

*Ramsay, G. et al.* (5 authors) 2007, MNRAS 382, 461. (1r, 5g, 6c) Search for electron cyclotron maser emission from the compact binaries: IL Aqr, HM Cnc, ES Cet, V407 Vul.

*Rebassa-Mansergas, A. et al.* (5 authors) 2007, MNRAS 382, 1377. (2abc, 5deg) Analysis of 101 white-dwarf-plus-main-sequence (WDMS) binaries from the Sloan Digital Sky Survey.

*Ruciński, S.M., Pribulla, T., van Kerkwijk, M.H.* 2007, AJ 134, 2353. (4c, 6b) New companions to contact binaries: GZ And, HV Aqr, OO Aql, AH Aur, V402 Aur, CK Boo, AO Cam, V2082 Cyg, V829 Her, SW Lac, XY Leo, V508 Oph, U Peg, CW Sge, BE Scl, RZ Tau. Confirmations of previously detected companions: V410 Aur, VW Cep, CT Cet, AK Her, V752 Mon, V2388 Oph, ER Ori, V592 Per, AH Vir (see also General).

*Schurch, M.P.E. et al.* (11 authotrs) 2007, MNRAS 381, 1561. (1ao,2ox,5i) Optical follow-up observations of SMC Be/x-ray binaries: RX J0057.4–7325 (SXP101), SAX J0103.2–7209 (SXP348), SXP700 and SXP65.8.

*Shahbaz, T., et al.* (4 authors) 2008, ApJ 672, 510. (3b) Polarimetric observations of infrared jets in XRBs V1487 Aql, V1341 Cyg, V818 Sco.

*Skopal, A. et al.* (7 authors) 2007, Astron. Nachr. 328, 909. (1abo) New photoelectric observations of 15 symbiotic systems, including Z And, EG And, AE Ara, BF Cyg, CH Cyg, CI Cyg, TX CVn, AG Dra, AR Pav, AG Peg, AX Per.

*Sobotka, P.* 2007, IBVS 5809. (5a) 236 minima mimings of EBs observed by Integral OMC: XY Ant, DY Aqr, FK Aql, V342 Aql, V917 Aql, V964 Aql, V1426 Aql, CV Cam, ST Car, SW Car, AS Car, CO Car, DQ Car, DV Car, EZ Car, GL Car, ZZ Cas, BS Cas, KL Cas, V459 Cas, V646 Cas, V654 Cas, V785 Cas, SS Cen, SV Cen, BD Cen, MN Cen, V379 Cen, V380 Cen, V676 Cen, V677 Cen, V685 Cen, V700 Cen, XX Cep, BB Cep, CM Cep, AT Cir, BB Cir, BD Cir, RZ Com, EK Com, AC Cru, AN Cru, AR Cru, AY Cru, UW Cyg, WZ Cyg, CV Cyg, GG Cyg, KR Cyg, V388 Cyg, V442 Cyg, V466 Cyg, V490 Cyg, V689 Cyg, V809 Cyg, V822 Cyg, V1011 Cyg, V1034 Cyg, SX Gem, AF Gem, V829 Her, AS Hya, EZ Hya, FO Hya, UW LMi, RR Nor, TV Nor, GK Nor, IT Nor, V456 Oph, V502 Oph, DZ Ori, FT Ori, V343 Ori, GY Pup, GZ Pup, RS Sgr, V457 Sco, V562 Sco, V569 Sco, CQ Ser, Y Sex, RZ Tau, BV Tau, HY Tau, EG Tra, XY Vel, AH Vir, AO Vel, AT Vel, AW Vel, AZ Vel, CK Vel, DL Vel, FU Vel, FW Vel.

*Southworth, J. et al.* (7 authors) 2007, MNRAS 382, 1145. (1a, 2a, 5abcd) Orbital periods identified

by the SDSS: SDSS J005050.88+000912.6, SDSS J013132.39–090122.2, SDSS J075443.01+500729.2, SDSS J155531.99–001055.0, SDSS J165658.12+212139.3, SDSS J205914.87–061220.4, SDSS J210449.94+010545.8.

*Švarc̄íček, P. et al.* (7 authors) 2008, A&A 477, 615. (1ao, 5a, 5f) Rapid apsidal motion in eccentric eclipsing binaries: OX Cas, PV Cas, CO Lac.

*Tappert, C. et al.* (5 authors) 2007, A&A 475, 575. (2ci, 5h) K-band spectroscopy of pre-CV's: RR Cae, CC Cet, NN Ser, UZ Sex, QS Vir, 2MASS J00592888–2631054, 2MASS J03324345–0855391, RE 1016–053, 2MASS J10441023–6918180, EC 12477–1738, EC 13349–3237, EC 14329–1625, 2MASS J22053575–1104287, J223315.83–603224.0, 1E 2310.4–4949, P831-57.

*Witham, A.R. et al.* (10 authors) 2007, MNRAS 382, 1158. (1a, 2a, 5bcd) Discovery of 11 CVs from the INT/WFC photometric H $\alpha$  survey of the north Galactic plane: J013031.89+622132.3, J013840.58+580811.2, J025827.88+635234.9, J034511.59+533514.5, J051814.33+294113.0, J052659.00+291508.4, J052832.69+283837.6, J062746.39+014811.1, J184127.11+053822.0, J185647.14+070055.3, J224112.21+564419.0.

*Warner, B., Pretorius, M.L.* 2008, MNRAS 383, 1469. (1ao\*, 5bceg, 8ac) Dwarf nova oscillations and QPOs in the CVs: SY Cnc, OY Car, SS Cyg, AH Her, V1159 Ori, TY PsA, WZ Sge.

*Watson, C.A. et al.* (4 authors) 2007, Astron. Nachr. 328, 813. (5k,7b) Doppler imaging of fast rotating spotted cool components of interacting binaries AE Aqr, BV Cen and V426 Oph.

*Zasche, P., Wolf, M.* 2007, Astron. Nachr. 328, 928. (1o,5abc,7d) Orbit determination by combining astrometry with analysis of light time effect for VW Cep,  $\xi$  Phe and HT Vir.

## Proceedings of Conferences, Symposia, and Monographs

IAU Commission 42  
**BIBLIOGRAPHY OF CLOSE BINARIES**

No. 86, June 2008

Editor-in-Chief: C.D. Scarfe

Department of Physics and Astronomy  
University of Victoria  
Victoria, B.C., V8W 3P6, Canada

Phone: +01 250 721-7749  
Fax: +01 250 721-7715  
scarfe@uvic.ca